Go Green Play







About us

Welcome to Go green play. We are the crusaders of eco-friendly innovative playgrounds. Go green play are the wide spread playground equipment suppliers in South East Asia. We create natural surroundings aided by eco-friendly equipments such as green parks and gardens, sports court, theme parks and water parks. Our team consists of specialist and designers who come up with creative as well as functional designs that provide best quality, durability and safety. The four pillars of strength of our company are:

Philosophy:

Come with a dream... we will make it happen

Mission: Professionalism is our commitment

Vision: Bringing man and nature closer

Safety and quality: Safety is our priority and our quality is our assurance

Our products adhere to international standards and quality tests. We vigilantly strive to provide you a prompt service with complete guidance so that you can utilize our products to their full potential and easy maintenance. Check out our products list to know more.

Green Play: Comprehensive range of high quality Playground Equipment Solutions that include, Swings, Slides, Nets, Spring Riders, shelter, shades, Ride-on, Activity Toys, Trampoline, Merry go round, Sea Saws, Scrambler, and more.

Green Fit: Gain a healthy body and healthy mind with our wide range of indoor and outdoor fitness & sport equipments.

Green Floor: With designer, durable and comfortable flooring we inspire lives at every step. Our floorings solutions includes a range of square tiles, recycled rubber tiles, interlock mat, Paving Tiles, Ballistic Tiles, Crumb Rubber, EPDM speckled flooring, Artificial Grass and Surfacing.

Green Worx: Our decorative and convenient furniture such as wooden seats, benches, picnic tables, dust bins, shelters and much more strive to keep your parks, towns and all other open spaces clean, comfortable and beautiful.

Water Park: Kill the heat as you chill in splashy fun at water parks with Thaiplay slides, pools, showers, games etc.

Green Sports Floor: Thaiplay Equipment invests in latest innovations and technologies to support the sportsmen and encourage sports. With our no compromise attitude we create sturdy, stylish and safe floorings for all kinds of sports courts.

Material Specification



1. POST

All our posts are made of aluminium and they are coated with PEF ultra violet polyester powder coating.

2. STEEL CAOTED DECK

Our decks are fabricated from reinforced steel plate and coated with PEF ultra violet polyethylene powder coating.

3. ROTATIONAL MOULDED POLYETHYLENE

Tube slide, slides and panel holders are of rotationally moulded linear medium density polyethylene & consist of ultra violet (UV) stabilizers and colour impregnation, with anti-static guard and their thickness is about 5.0mm averagely

4. ROOF

Roof are made from UV stabilized high density polyethylene (HDPE) panels, and their thickness varies from 5mm to 12mm.

5. SPRING PLAY EQUIPMENT

5.1 SPRING RIDER

Body of the riders are fabricated from 10mm to 15mm thick high density polyethylene (HDPE) panels. Spring coils used for the riders and galvanized & powder coated. They are 9.6mm thick, 400mm height & 0.D. approximately 140mm.

5.2 SEESAW

Body of the riders are fabricated from 10mm to 15mm thick high density polyethylene (HDPE) panels. Spring coils used for the riders and galvanized & powder coated. They are 9.6mm thick, 400mm height & 0.D. approximately 140mm.

6. SWING

The beam are made of hollow section steel posts; size 38mm x 76mm while the swing legs are made of 48mm steel posts. They all galvanized and PEF ultra violet polyester powder coated. Swing chains are made of stainless steel and belt seats used are of steel plate covered with slash proof EPDM.

7. PANEL

Our panels are made from high density polyethylene (HDPE) and thickness varies from 10mm to 15mm. The panels are UV stabilized to ensure its durability and colour stability.

8. STEEL COMONENTS

All steel components including climbers are fabricated from steel pipe varies from 0.D. 27mm to 48mm. They are welded by our experienced welders and then hot dipped galvanised & powder coated.

9. HARDWARE AND FASTENER

All hardware and fastener (bolts, nuts, screws, washers and etc.) usedare tampered resistant stainless steel. Exposed hardware shall becovered with ultra violet stabilized plastic safety cap as a safety feature against possible hazard.

INDEX

GPIP Series	01
GPIP Accessory	05
GPIP Swing	08
GP Rope Series	09
Green Fit Series	11
Green Worx Series	. 14
Green Play Water Park	
Wet Thrill	. 16
Water Slides	. 17
Independent Play Items Green Floor Green Tiles / Paving Tiles Interlock Mats / Ballistic Tiles Rubber mats & Crumb Rubber Material	18 19 20 21








GPIP-Elephant Slider

Size Design for Childern Child Capacity





GPIP-0201159

Size Design for Childern Child Capacity

: 4.1m (L) x 3.0m (W) : 3-8 years : 5- 10 Children



GPIP-020140 B

Size Design for Childern **Child Capacity**

: 3.9m (L) x 1.8m (W) : 3-8 years : 5-10 Children



GPIP-0201108

Size Design for Childern **Child Capacity**



GPIP-030138

Size

Design for Childern **Child Capacity**

: 5.7m (L) x 4.9m (W) : 3-8 years : 10-15 Children



GPIP-030139A

Size Design for Childern Child Capacity

: 4.4m (L) x 4.4m (W) : 3-8 years : 10-15 Children



: 3.8m (L) x 3.9m (W)

: 3.7m (L) x 1.1m (w)

: 3-8 years

: 15-20 Children

: 3-8 years

: 05-10 Children

GPIP-010149

Size Design for Childern **Child Capacity**



GPIP-0501162

Size Design for Childern Child Capacity

: 7.8m (L) x 4.2m (W) : 3-8 years : 10-15 Children

1

GPIP-0502167

Size	: 8.4m (L) x 4.9m
Design for Childern	: 3-8 years
Child Capacity	: 10 - 15 Children

3.4m (L) X 4.9m (W)	
3-8 years	
10 - 15 Children	

(14/)







GPIP-020236A

Size Design for Childern **Child Capacity**





GPIP-0402142

Size Design for Childern **Child Capacity**

: 7.5m (L) x 5.5m (W) : 3-8 years : 15-20 Children



GPIP-0201141

Size Design for Childern **Child Capacity**

: 7.6m (L) x 5.8m (W) : 3-8 years : 8-10 Children



: 3.0m (L) x 0.8m (W)

: 5.2m (L) x 5.0m (W)

: 3-8 years

: 10-15 Children

: 3-8 years

: 1-2 Children

GPIP-SWAY ALLEY

Size **Design for Childern Child Capacity**



GPIP-030125

Size

: 4.5m (L) x 4.1m (W) Design for Childern : 3-8 years **Child Capacity** : 10-15 Children

GPIP-030131 A

Size Design for Childern **Child Capacity**

: 3.8m (L) x 3.6m (W) : 3-8 years : 10-15 Children



GPIP-0501136

Size Design for Childern **Child Capacity**



2

GPIP-1101135

: 6.4m (L) x 6.1m (W) Size **Design for Childern** : 3-8 years **Child Capacity** : 15-20 Children



GPIP-0101145

Size Design for Childern **Child Capacity**

: 2.9m (L) x 2.7m (W) : 3-8 years : 5-8 Children







GPIP-0201126

Size Design for Childern Child Capacity : 4.5m (L) x 3.1m (W) : 3-8 years : 5-8 Children

:11.2m (L) x 7.8m (W)

:15.2m (L) x 11.8m (W)

: 3-8 years

: 10.0m (L) x 1.5m (W)

: 3-8 years


: 15-20 Children

: 15-20 Children



GPIP-1301147

Size Design for Childern Child Capacity : 6.5m (L) x 6.5m (W) : 3-8 years : 20-30 Children



GPIP-1602148

Size Design for Childern Child Capacity : 8.0m (L) x 4.5m (W) : 3-8 years : 20-30 Children



GPIP-H0901111

playstructure Size Minimum recommended area Designed for childern Child Capacity



GPIP-030290

playstructure Size Minimum recommended area Designed for childern Child Capacity :7.7m (L) x 6.0m (W) :11.7m (L) x 10.0m (W) : 3-8 years : 15-20 Children



GPIP-120146 B

playstructure Size Minimum recommended area Designed for childern Child Capacity :10.0m (L) x 6.3m (W) :14.0m (L) x 10.3M (w) : 3-8 years : 15-20 Children



GPIP-Train 01

Size	
Design for Childern	
Child Capacity	



GPIP- Ship 0802

playstructure Size Minimum recommended area Designed for childern Child Capacity :6.0m (L) x 2.9m (W) :10.0m (L) x 6.9m (W) : 3-8 years : 10-15 Children



GPIP-Ship 1301

playstructure Size Minimum recommended area Designed for childern Child Capacity :9.0m (L) x 7.0m (W) :13.0m (L) x 11.0m (W) : 3-8 years : 20-30 Children

www.gogreenplay.com

3







GPIP-050203

Size Design for Childern Child Capacity

: 6.5m (L) x 4.6m (W) : 3-8 years : 15-20 Children



GPIP- Castle Fortress

Playstructure Size Minimum recommended area Designed for childern Child Capacity

:4.2m (L) x 2.7m (W) a :8.2m (L) x 6.7m (W) : 3-8 years :3-5 Children



GPIP-Hovercraft

Playstructure Size Minimum recommended area Designed for childern Child Capacity :4.5m (L) x 1.7m (W) :8.5m (L) x 5.7m (W) : 3-8 years :3-5 Children



GPIP-Heli

playstructure Size Minimum recommended area Designed for childern Child Capacity :4.5m (L) x 1.7m (W) :8.5m (L) x 5.7m (W) :3-8 years : 3-5 Children

:6.7m (L) x 3.7m (W)

:10.7m (L) x 7.7m (W)

: 6-12 years

: 8-10 Children



GPIP-020161

Size Design for Childern Child Capacity : 7.3m (L) x 6.2m (W) : 6 - 12 years : 10-15 Children



GPIP-0402137

Size Design for Childern Child Capacity : 6.9m (L) x 4.6m (W) : 6 - 12 years : 10-15 Children



GPIP-010030 B

playstructure Size Minimum recommended area Designed for childern Child Capacity



4


GPIP-020046

playstructure Size Minimum recommended area Designed for childern Child Capacity :8.0m (L) x 9.0m (W) :12.0m (L) x 13.0m (W) : 6-12 years : 20-25 Children




GPIP-Bloock Climber 4

playstructure Size Minimum recommended area Designed for childern Child Capacity :4.0m (L) x 4.0m (W) :8.0m (L) x 8.0m (W) : 6-12 years : 5-8 Children



Accessory



Merry Go Gound 1600

Circle Spinner

5


2 Seater Penguin Seesaw



www.gogreenplay.com

6






www.gogreenplay.com

8









GPRS-SM01

Ages	: 2-6 years
Capacity	:13 childerns
Size	: L 4.00 m W 3.47 m H 3.00 m $$
Use Zone	: L 7.00 m W 6.47 m
Fall Height	: 0.30 m
Shipping Weight	: 300 kg



GPRS-SM03

Ages Capacity Size Use Zone Fall Height Shipping Weight : 2-6 years : 22 childerns : L 6.36 m W 6.36 m H 3.00 m : L 9.36 m W 9.36 m : 0.30 m : 340 kg



GPRS-101-1


GPRS-102-S

Age	: 3-8 years
Capacity	: 27 childerns
Size	: L 4.61 m W 4.61 m H 3.26 m
Use Zone	:L7.61 mW7.61 m
Fall Height	: 0.50 m
Shipping Weight	: 300 kg



GPRS-101-S

Ages	: 3-8 years
Capacity	: 42 childerns
Size	: L 9.22 m W 5.66 m H 3.90 m
Use Zone	: L 12.22 m W 8.66 m
Fall Height	: 1.5 m
Shipping Weight	: 340 kg



GPRS-101

Ages Capacity Size Use Zone Fall Height Shipping Weight : 6-12 year : 36 childrens : L 5.53 m W 5.53 m H 3.97 m : L 8.51 m W 8.51 m : 0.51 m : 350 kg

Ages Capacity .53 m H 3.97 m Size .51 m Use Zone Fall Height Shipping W

 Ages
 : 6-12 year


 Capacity
 : 68 childrens

 Size
 : L 10.86 m W 9.97 m H 5.70 m

 Use Zone
 : L 14.86 m W 13.97 m


 Fall Height
 : 1.22 m

 Shipping Weight
 : 645 kg



GPRS-802

Ages	: 5-12 years
Capacity	: 33 childerns
Size	: L 4.00 m W 4.00 m H 4.00 m
Use Zone	: L 7.67 m W 7.67
Fall Height	: 1.75 m
Shipping Weight	: 410 kg




9

GPRS-804

Ages Capacity Size Use Zone Fall Height Shipping Weight

: 6-12 years : 42 childerns : L 6.00 m W 6.00 m H 4.25 m : L 9.00 m W 9.00 m : 1.41 m : 920 kg



GPRS-909

Ages	: 3-8 years
Capacity	: 21 childerns
Size	: D 4.14 m H 2.50 m
Use Zone	:L7.14 m
Fall Height	: 1.5 m
Shipping Weight	: 654 kg

Green play GP Rope Series





GPRS-2000-F

Ages	: 5-8 years
Capacity	: 25 childerns
Size	: D 3.30m H 3.32m
Use Zone	: D7.30m
Fall Height	: 2 .04m
Shipping Weight	: 830 kg




GPRS-2200

Ages	: 5-12 years
Capacity	: 42 childerns
Size	: L 9.22 m W 5.66 m H 3.90 m
Use Zone	: L 12.22 m W 8.66 m
Fall Height	: 1.5 m
Shipping Weight	: 340 kg




GPRS-3175




GPRS-204

Ages	: 5-12 years
Capacity	: 110 childerns
Size	: L16.80 W 11.50m H 5.70m
Use Zone	: L 20.97 m W 15.67 m
Fall Height	: 2 m
Shipping Weight	: 1090 kg




GPRS-104

Ages Capacity Size Use Zone Fall Height Shipping Weight : 6-12 years : 58 childerns : L11.15m W 11.15 m H 5.40m : L 14.82 m W 14.82 m : 2.00 m : 545 kg



GPRS-601


Ages	: 3-8 year
Capacity	: 43 childrens
Size	: L8.20m W 8.20 m H 3.90m
Use Zone	: L 11.20 m W 11.20 m
Fall Height	: 0.51 m
Shipping Weight	: 480 kg



GPRS-602

Ages	
Capacity	
Size	
Use Zone	
Fall Height	
Shipping Weight	

: 6-12 years
: 126 childerns
: L14.00m W 14.00 m H 5.70m
: L 17.00 m W 17.00 m
: 0.85m m
: 620 kg



GPRS-105

- Ages Capacity Size Use Zone Fall Height Shipping Weight
- : 6-12 years : 160 childerns : L14.14m W 14.14m H 8.70m : L 17.14m W 17.14m : 1.5m m : 780 kg



GPRS-1102

 Ages
 : 6-12 years

 Capacity
 : 11 childerns

 Size
 : D7.50 m H 1.50 m

 Use Zone
 : D10.50m

 Fall Height
 : 1.5m

 Shipping Weight
 : 630 kg

10







GPJF(B) 001

Stretch Pole Exercise : Warm up & Stretching



GPJF(B) 002

Achilles Stretch



GPJF(B) 005

Leg Stretch Exercise : Warm up & Stretching



GPIF - Back Stretching Back Stretch

Exercise : Warm up & Stretching Size: 0.6m (L) x 0.4m (W)



GPIF Body Curl Body Curl Exercise : Warm up & Stretching



GPIF - Horizontal Ladder

Horizontal Ladder Exercise : Upper Body Strenght Size: 2.0m (L) x 1.0m (W)



GPJF(B) 007 Push Up Exercise :Upper Body Strenght



GPIF Hip Swerve Hip Swerve Exercise : Warm up & Stretching



GPJF(B) 009 Chin Up Exercise :Upper Body Strenght







GPJF(D) 001 Hip Twist Exercise : Cardiovascular / Athletics



GPIF - Exercise Bar

Exercise Bar Exercise : Cardiovascular / Athletics Size: 0.6m (L) x 1.4m (W)



GPIF - Rambler 1

Sky Walker Exercise : Cardiovascular / Athletics Size: 1.0m (L) x 0.4m (W)



GPJF(D) 004

Air Bike Exercise : Hips & Back Treadmill Exercise : Cardiovascular / athletics



GPJF(D) 005

Ski Run Exercise : Cardiovascular / Athletics



Arm Spin Exercise : Wrist / Arms / Hand Size: 0.8m (L) x 0.9m (W)



GPJF(D) 007

Arm Wheel Exercise : Hips / Oblique



GPJF(D) 008

Hand Spin Exercise : Shoulders / Upper Joints



GPIF - Parallel Bar

Paraller Bar Exercise : Upper Body Strenght Size: 2.0m (L) x 0.6m (W)







GPIF - Dual Sky Walker

Sky Walker Exercise : Cardiovascular / Athletics Size: 2.5m (L) x 0.8m (W)



GPIF - Dual Ski Run

Ski Run Exercise : Cardiovascular / Athletics Size: 2.5m (L) x 0.6m (W)



GPIF - Dual Bicycle

Bicycle Exercise : Cardiovascular / Athletics / Cycling Size: 1.8m (L) x 0.6m (W)



Hip Twist Size: 1.5m (L) x 0.6m (W)



GPJF - Waist Twist Waist Twist



GPJF - Hand Cycle

Hand Cycle



GPJF - Basic Signage Basic Signage



13

GPJF - Dynamics Signage

Dynamics Signage



GPJF - Central Signage Central Signage







GPJW 001 dimensions : 1300mm (dial) X 600mm (W) x 500m (H)




GPJW 002

Capacity :75 Liters dimensions : 1250mm (dial) X 750mm X 865mm (H)



GPJW 002

Capacity :75 Liters dimensions : 1250mm (dial) X 750mm X 865mm (H)



GPIP Picnic Table Dimensions : 1.3m (L) x 1.5m (W) X 0.7m (H)



GPIP Bench 02 Dimensions : 0.5m (L) x 1.2m (W) X 0.7m (H)



GPJW Connect

Dimensions : 1000mm (L) x 600mm (W) X 450mm (H)



Green Worx





AS-BOWL Material : Stainless Steel Dimensions : 400(dia) x 750mm(H)



PTL60B Material : HDPE Dimensions : 413mm(W) x 413mm (L) 756mm(H)



Dimensions : 400(dia) x 850mm(H)



Matahari 150 Capacity : 150 liters Dimensions : 620mm(dia) x 930mm(H)



Matahari 85

Capacity : 85 liters dimensions : 420mm(dia) x 980mm(H)



Capacity : 50 liters dimensions : 380mm(L) x 380mm(W) x 760mm(H)



Capacity : 70 litres

Dimensions : 600mm (dial) X 800mm (H) Accessories : Polyproplene Bin



GPJW Square Bin Holder

Capacity : 90 litres Dimensions : 600mm (dial) X 800mm (H) Accessories : Polyproplene Bin

15



GPJW Timber Bin

Capacity : 120 litres Dimensions : 500mm (dial) X 900mm (H) Accessories : Bin Liner, Flip Top





Wet-Thrill






































Independent Play Item







Noodle stick



Water canon



Cone spill bucket



Sea Horse Freshen-Up WT-0042



Aqua mushroom



Green Floor Green Tiles



Superior Flooring is expected to have certain features such as smoothness, toughness and attractiveness. Green Floor manufactures perfect combination of all three in the form of Green Tiles. Green Tiles adds fresh and cheerful vibes in the flooring. A wide range of colours allows users better choice and provides suitable options. Flooring is one of the most essential elements of ambience; hence one must wisely invest in it.

Green Tiles is safe as it is manufactured with mix of eco-friendly materials. These tiles are used in several places and we manufacture flooring tiles as per the requirements to maintain overall balance of your areas. Green Tiles makes Indoor as well as outdoor surfaces look absolutely astonishing.

Square Tiles


This is a simple square shape best to cover areas which need to be projected as spacious and smooth. Due to its uninterrupted pattern the Square Tiles give your area an amazingly smooth and unified look and feel.

Dimension : 500mm x 500mm 1000mm x 1000mm

Square Tiles c/w Pin-Hole

These elements help to connect installations, which doesn't require any glue work and it can be easily replaces as required, thus providing a non messy, easy and quick installation.

Dimension : 500mm x 500mm



Pattern Tiles

With a choice of colours and their combinations Pattern Tiles allow you stylise your ambience. Now you can add some creative spark to your children's life.

Dimension : 500mm x 500mm





Paving Tiles

Shapes of paving tiles differ as per need and they are manufactured to fit into various surfaces. It provides consistent protections and resilience against the changing climatic conditions. It caters heavy duty surfaces such as commercial, industrial and recreational areas. Paving Tiles has shock absorbing qualities and it's not slippery.

Rectangle Paver


The edged rectangular shape provides strength and smoothness to your pavements and also grants them a simplified yet attractive look. These pavers are shock absorbing and they are spikes and slips resistant.


Dimension : 110mm x 220mm x 45mm

I or Double T Design

Traditional tiles look simple and lack versatility to make the surface look fresh and attractive but as times change and markets grow; manufacturers begin developing more innovative ideas. 'I or Double T Design' is an outcome of such an idea. It has a trendy shape and looks beautiful when structured together.

Dimension : 200mm x 250mm





Green Floor *Rubber Mats*



Versatile Interlocking mats for play, fitness and event installation

Interlock Mats

Soft, resilient dual layer interlocking mats are a great alternative for playground and fitness centers, or for portable applications such as exhibition flooring. Integrated invisible connectors allow fast loose-lay installation with no adhesive and easy tile replacement.

Colours

- Six pigmented colours (see the square tile colour chart)
- Black with terrazzo style colour speckling using EPDM granules in 10%, 30%, 50%, 70% and 90% density.
- Also available in any of our EPDM colour range.

Standards

our interlock tiles conform to the following safety standards.





12

Black

15% speckling 30% speckling





V-Interlock mats 500mm x 500mm 10mm and 40mm thickness



Big V-Interlock mats 1050mm x 1050mm 18mm thickness



40 I-Lock mats 1145mm x 1100mm 10mm thickness

Ballistic Tiles

These are thick tiles customized to use for ambience of rifle shooting clubs and other shooting purposes. It has high thickness and higher density to provide protection against splatter and it maintains airborne lead, and eliminates ricochet. Our experts do various tests before finalizing the ultimate product to eliminate even the slightest of the risks.



Notable Features Are Given Below

- Reduction of Airborne Lead
- Elimination of Ricochet
- Splatter Protection
- Sound Absorbent
- Durability
- Easy Replacement & Installation
- Economical
- Portable
- Stack to create a backstop or wall

Dimension : 500mm x 300mm x 200mm 500mm x 200mm x 100mm

Colour Available : Black, Red, Green

Green Floor Rubber Mats



Crumb Rubber Material

Crumb Rubber means recycled rubber. It is used to make several products and services. It has large demand as it provides strong bonding for surfaces and other goods; whilst maintaining comfort level and safety for its users.



Few Usages of Crumb Rubber

- Shred Rubber & Rubber Granules
- Most Mesh Size Available
- Bulk Bag & Poly Bag Packaging



Few Usages of Infill Rubber This material is mixed for several uses but mostly to develop artificial turfs.

- SBR & EPDM Infill
- Most Mesh Size Available

EPDM (Ethylene Propylene Diene Monomer)

This material is one of the kinds of synthetic rubber. EPDM is used for seals, radiators, garden equipments, tubing, washers, belts and many more products that we use in a daily lives. Basically, EPDM is used for roofing materials for the buildings and for other building related industries. EPDM is in high demand to build flexible single ply.

- Seamless Appearance
- Custom Made Designs/Size
- Wide Choice Of Colors



WARRANTY CERTIFICATE



\$1122

Ω

С

6

С

С

C

Ge

Green Play provide warranties on all Children Playground equipment's and other related park furniture range against defects in materials and workmanship. Details of products warranty are as follow:-

MAIN STRUCTURE

Limited 5 years warranty against structural failure due to corrosion or deterioration from exposure to weather. This warranty is applicable to GI posts and steel decks only.

STEEL COMPONENTS

Limited 5 years warranty against structural failure due to defects in materials and workmanship.

PLASTIC COMPONENTS

Limited 3 years warranty against structural failure due to defects in materials and workmanship. This warranty covers also rotationally molded parts.

MOVING/MESHANICAL COMPONENTS

:

•

:

:

Limited 2 years warranty against structural failure due to defects in materials and workmanship. This warranty covers all spring riders, seesaws, swings and outdoor gym equipment's.

SAFETY FLOORING

Limited 2 years warranty on all rubberized flooring (which includes safety tiles and EPDM flooring)

Client Project Title Products Code Effective Date

This warranty does not cover any defects due to cosmetic issues (e.g. scratches, dents, marring, fading of paint or discoloration due to weathering). In addition, damages or cracking due to vandalism, misuse, negligence or accidents are not inclusive in this warranty.

This warranty is applied in lieu of all other warranties, expressed or implied, including but not limited to warranties of merchantability or fitness for a particular purpose.







Go Green Play

No3, Jalan Anggerik Mokara 31/64, Kota Kemuning, 40460 Shah Alam, Selangor, Malaysia Tel: +603-80689922 Fax: +603-8073 7264 Email : info@gogreenplay.com

www.gogreenplay.com