



CHOICE CHEMTECH PVT. LTD

Address: B-30, Sector 63, Noida, Uttar Pradesh 201301 (INDIA)
Contact: +91 98104 20840 | **E-mail:** choicechemtechltd@gmail.com
Website: www.choiceled.com

*Better Life
with Electricity*



LED Catalogue





ABOUT US

Choice Chemtech Private Limited was established in the year 1986. We are leading manufacturer and supplier of LED Light Bulb, LED Tube Light, LED Downlight, LED Bulb Fixture, Solder Paste and many more. We are devotedly engaged in offering a wide assortment of LED Light. Our offered LED light is manufactured by talented professionals utilizing the best quality unfinished material. Widely known for its high illumination & long life. So as to maintain top quality standards in our products, we make use of premium quality material and advanced tools and machinery.

LED BULB RANGE

LOW BEAM

Part No.	Size	PF	Efficiency	Surge	Range	Lumen	Power
CC0WB	A45	NA	NA	1KV	90-440	30	0.5W
CC3WBIC	A57	> 0.95	> 80%	4KV	90-440	270	3W
CC5WBIC BULB	A57	> 0.95	> 80%	4KV	90-440	500	5W
CC7WBIC	A57	> 0.95	> 80%	4KV	90-440	700	7W
CC9WBIC	A57	> 0.95	> 80%	4KV	90-440	900	9W
CC12WBIC	A65	> 0.95	> 80%	4KV	90-440	1200	12W
CC15WBIC	A65	> 0.95	> 80%	4KV	90-440	1500	15W
CC18WBIC	A75	> 0.95	> 80%	4KV	90-440	1800	18W

HIGH BEAM

Part No.	Size	PF	Efficiency	Surge	Range	Lumen	Power
CC3WBICH	A52	> 0.95	> 80%	4KV	90-440	270	3W
CC5WBICH	A55	> 0.95	> 80%	4KV	90-440	500	5W
CC7WBICH	A55	> 0.95	> 80%	4KV	90-440	700	7W
CC9WBICH	A60	> 0.95	> 80%	4KV	90-440	900	9W
CC12WBICH	A65	> 0.95	> 80%	4KV	90-440	1200	12W
CC15WBICH	A70	> 0.95	> 80%	4KV	90-440	1500	15W
CC18WBICH	A80	> 0.95	> 80%	4KV	90-440	1800	18W



LED TUBE LIGHT RANGE

TUBELIGHTS

Part No.	Size	PF	Efficiency	Surge	Range	Lumen	Power
CC5WTIC BATTON	1FT	> 0.95	> 80%	4KV	90-440	500	5W
CC9WTIC BATTON	2FT	> 0.95	> 80%	4KV	90-440	900	9W
CC18WTIC BATTON	4FT	> 0.95	> 80%	4KV	90-440	1800	18W
CC20WTIC BATTON	4FT	> 0.95	> 80%	4KV	90-440	2000	20W
CC24WTIC BATTON	4FT	> 0.95	> 80%	4KV	90-440	2400	24W
CC36WTIC BATTON	4FT	> 0.95	> 80%	4KV	90-440	3600	36W

CONCEALED

Part No.	Size	PF	Efficiency	Surge	Range	Lumen	Power
CC3WDIC DOWNLIGHT	70	> 0.95	> 80%	4KV	90-440	270	3W
CC5WDIC DOWNLIGHT	70	> 0.95	> 80%	4KV	90-440	450	5W
CC7WDIC DOWNLIGHT	70	> 0.95	> 80%	4KV	90-440	450	7w
CC9WDIC DOWNLIGHT	70	> 0.95	> 80%	4KV	90-440	450	9w
CC12WDIC DOWNLIGHT	90	> 0.95	> 80%	4KV	90-440	1080	12W
CC18WDIC DOWNLIGHT	90	> 0.95	> 80%	4KV	90-440	1620	18W

LED PANELS RANGE

SLIM PANELS

Part No.	Size	PF	Efficiency	Surge	Range	Lumen	Power
CC6WSLIMDIC	105mm	> 0.95	> 80%	4KV	90-440	450	6W
CC12WSLIMDIC	155mm	> 0.95	> 80%	4KV	90-440	1080	12W
CC18WSLIMDIC	205mm	> 0.95	> 80%	4KV	90-440	1620	18W

SURFACE PANELS

Part No.	Size	PF	Efficiency	Surge	Range	Lumen	Power
CC6WSURDIC	105mm	> 0.95	> 80%	4KV	90-440	450	6W
CC12WSURDIC	155mm	> 0.95	> 80%	4KV	90-440	1080	12W
CC18WSURDIC	205mm	> 0.95	> 80%	4KV	90-440	1620	18W



SPOT LIGHTS RANGE

Part No.	Size	PF	Efficiency	Surge	Range	Lumen	Power
CC3WSPOTDIC	NA	> 0.95	> 80%	4KV	90-440	300	3W
CC10WSPOTDIC	NA	> 0.95	> 80%	4KV	90-440	1000	10W
CC15WSPOTDIC	NA	> 0.95	> 80%	4KV	90-440	1500	15W
CC20WSPOTDIC	NA	> 0.95	> 80%	4KV	90-440	2000	20W

RECHARGEABLE SERIES RANGE

Part No.	Size	AC POWER	DC POWER	BATTERY	BACKUP	SURGE	RANGE
CC9WACDCB BULB	65mm	9W	3W	2200mAh	5hrs	4KV	90-440
CC12WACDCB BULB	70mm	12W	5W	2600mAh	5hrs	4KV	90-440