

FREEMANS

TRUSTED WORLDWIDE SINCE 1950



A PROUD TRADITION...

FMI Limited the manufacturers of **FREEMANS** products had a modest beginning in 1950 when Mr. Madan Nayar the present Chairman and Managing Director of the company initiated the manufacture of tape measures for the first time in the country. This marked the beginning of the Measuring Tools industry in India. The company continued it's pursuit for innovation with the introduction of products such as Spirit Levels, Measuring Wheels, Telescopic Measures for the first time in the country.

A WELL DIVERSIFIED CO...

Overwhelming response from the market propelled the company to expand it's product range. **FREEMANS** soon emerged as the largest and most recognized brand in it's field and has since been unrivalled in it's position as the marked leader in the country. The manufacture and export of Hand Tools added a new dimension to the activities of the company.

COMMITMENT TO QUALITY...

Precision, quality and an unwavering quest for perfection resulted in constant upgradation of technology and expansion of the existing production facilities to meet the growing demand. FMI is an ISO-9001:2008 certified company where stringent quality control systems are being religiously followed to ensure complete customer satisfaction. **FREEMANS** quality is comparable to the best international standards.

PRESENCE ALL OVER THE WORLD...

FREEMANS products have earned worldwide recognition, with well established markets in over 60 countries. FMI was among the first non-European companies to obtain EEC approval for **FREEMANS** products. The company has been obtaining export excellence awards year after year.

At FMI, the quest for excellence is an on-going process.

CERTIFICATES





FREEMANS


PVC COATED FIBRE GLASS TAPE

Manufactured from Fiber Glass Yarn
Coated with Tough Weather Resistant
PVC (Polyvinylchloride).

Flexible yet Strong and Durable.

Non-Conductive, Non-Creasing.

Heat Sealed Markings Ensures Long
Life.



Wear
Resistant




Non
Conductive



Non
Creasing



Weather
Resistant



TG - Top Gear Open Reel

- 3 times Faster, Quick Wind Geared System.
- Sturdy Extra Long Winding Arm.
- Soft Feel Handle for Comfort and Non-Slip Grip.
- Protruding Marker at the Bottom of Case.
- 1mm Marking with Class II Accuracy Ribbon Optional.

↑ 16mm 30|40|50|60m



TC - Top Gear Close Reel

- Bi-Material Case.
- 3 times Faster, Quick Wind Geared System.
- Sturdy Extra Long Winding Arm.
- 1mm Marking with Class II Accuracy Ribbon Optional.

↑ 18mm 20|30m



VO - Viva Open Reel

- Ideal for Contractors and Surveyors.
- Design allows Easy Cleaning of Tape.
- Long Winder with Easy Grip Knob facilitates Quick Rewinding.
- Protruding Marker at the Bottom of the Case allows Easy Measurement of land.

↑ 13mm 30|50m



FO - Open Reel

- Ideal for Contractors and Surveyors.
- Design allows Easy Cleaning of Tape.
- Long Winder with Easy Grip Knob facilitates Quick Rewinding.
- Protruding Marker at the Bottom of the Case allows Easy Measurement of land.

↑ 13mm 30|50|100m



NXF - Nexa

- Bi-Material Case.
- 3 times Faster, Quick Wind Geared System.
- Sturdy Extra Long Winding Arm.
- 1mm Marking with Class II Accuracy Ribbon Optional.


↑ 15mm 30m



FT - Top Line

- Tough yet Light ABS Case with Metal for Extra Strength.
- Heavy Duty Winding Mechanism.
- Hand Strap Optional.


↑ 13|16mm 5|7.5|10|15|20|30|50m



FN|FW - Fibre Glass Leatherette

- Tough Vinyl Leatherette Covered Case to Withstand Difficult Conditions.
- Durable Winding Mechanism Ensures Long Trouble Free Usage.
- Hand Strap Optional.


↑ 13mm(FN) | 16mm(FW) 5|10|15|20|30|50m



FN+ - Leatherette +

- Tough Vinyl Leatherette Covered Case to Withstand Difficult Conditions.
- Durable Winding Mechanism Ensures Long Trouble Free Usage.
- Hand Strap Optional.

↑ 13mm 10|15|20|30|50m





FB - Fibra

- Tough yet Light ABS Case with Ribs for Easy Handling and Strong Grip.
- Heavy Duty Winding Mechanism.

↑ 13|16mm 10|15|20|30|50m



FG - GoldStar Plus

- Tough yet Light ABS Case Re-Inforced with Metal for Extra Strength.
- Stainless Steel Mouth & Band.

↑ 13|16mm 10|15|20|30|50m



FM - Grey Magic

- Compact and Light ABS Case.
- Economical Tape Measure.

↑ 13|16mm 10|15|20|30|50m






FREEMANS

METAL WIREDTAPE

A General Purpose Tape Woven to Width with Copper Wires Length wise for Additional Strength.

Coated with Special Paints for Protection against Moisture, Wear & Tear.



MW - Metal Wire Leatherette

- Impact Resistant Vinyl Leatherette Covered Case for use in taxing conditions.


↑ 16mm 5 | 7.5 | 10 | 15 | 20 | 30 | 50m



MT - Top Line

- Tough yet Light Weight ABS Case Re-Inforced with Metal for Extra Strength.
- Heavy Duty Winding Mechanism.

↑ 16mm 5 | 7.5 | 10 | 15 | 20 | 30 | 50m






FREEMANS

steel TAPES


- Manufactured from Tempered High Quality Carbon Steel Strip.
- Special Enamel Coating to Withstand Corrosion and Rust.
- **DURA COAT™** 4 times Longer Life Glare Free Blade.



SN|SW - Steel Leatherette

- Heavy Duty Vinyl Leatherette Covered Case to withstand continual usage in difficult conditions.
- Specially Designed Winding Handle.
- Ideal for High Precision Professional jobs.

↑ 9.5mm(SN) | 13mm(SW) 5 | 10 | 15 | 20 | 30 | 50m



TN|TW - Steel Top Line

- Tough yet Light ABS Case Re-Inforced with Metal for Extra Strength.
- Heavy Duty Winding Mechanism.


↑ 9.5mm(TN) | 13mm(TW) 5 | 10 | 15 | 20 | 30 | 50m



KM - Kompakt

- Compact Pocket Size Case.
- Heavy Duty Zinc Winder.

↑ 9.5mm 15 | 30m



SG - Steel Top Gear

- Rubberized Case for Comfortable Handling and Non-Slip Grip.
- 3 times Faster, Quick Wind Geared System.
- Sturdy Extra Long Winding Arm.
- Higher Position Winding does not interfere with the fingers.
- Steel Claw for Convenient Single Handed usage.

↑ 13mm 30 | 50m



Magnetic End Hook Optional



Nail Fixing Slot at zero point of End Hook

SA|SB - Steel ABS Case

- Sturdy ABS Case.
- Heavy Duty Chrome Plated Winding Mechanism.

↑ 9.5mm(SA) | 13mm(SB) → 10|15|20|30|50m



Steel Claw
Optional

SO - Steel Open Reel ABS Case

- ABS Open Reel Case.
- Long Winding Arm for Quick Rewinding.
- Protruding Marker at the Bottom of Case.

↑ 13mm → 50|100m



Unbreakable
ABS Case

DC|DS - Steel Open Reel Dip Tape

- Available in Carbon Steel Blade - DC | Stainless Steel Blade - DS.
- Metal Open Reel Case.
- Rubberized Non-Slip Grip for Comfortable Handling.
- Suitable for Measuring Depth of Oil & Water Tankers etc.
- 10|15|20m in Pistol Type Case.
- 30|50m in Y-Type Case.

↑ 13mm → 10|15|20|30|50m



**PISTOL
TYPE CASE**

Rubberized
Non Slip Grip

**Y-TYPE
CASE**

for Measuring
Depth Oil

ON|OW - Steel Open Reel Dip Tape

- Metal Open Reel Case.
- Rubberized Non-Slip Grip for Comfortable Handling.
- Painted Blade.
- 10|15|20m in Pistol Type Case.
- 30|50m in Y-Type Case.

↑ 9.5mm(ON) | 13mm(OW) → 10|15|20|30|50m



**PISTOL
TYPE CASE**

Rubberized
Non Slip Grip


**Y-TYPE
CASE**

Painted
Blade



Steel Claw
Optional


FIBER GLASS TAPE MEASURES




METAL WIRED TAPE MEASURES







STEEL TAPE MEASURES



STEEL TAPE RULES



CLAW HOOKS & EEC GRADUATED HOOKS



ZERO POINTS OF TAPE MEASURES



Standard



Excluding Hook



10cm Blank

Blade Colour

- White
- Yellow
- Fluorescent



FREEMANS

ZEST[™] 5M^{19MM}

INDIA'S **1st**
**DOUBLE SIDE
PRINTED**
measuring
TAPE



Auto Lock



Rubberized
Case




Double Side
Printing



PRO E - Digital Measuring Tape

- Digital Illuminated Display.
- Press Release Button.
- With Belt Clip.



ZT - Zest

- Double Side Printed Blade.
- Auto Lock Rubberized Case.
- Press Release Button.
- DURA COAT™ 4 times Longer Life Glare-Free Blade.
- With Belt Clip.




SH - Shox

- Extended Rubber Design Protects the End Hook against damage on impact.
- DURA COAT™ 4 times Longer Life Glare-Free Blade.
- With Belt Clip.



ZN - Zeon

- Rubberized Case for Comfort and Non-Slip Grip.
- DURA COAT™ 4 times Longer Life, Glare-Free Blade.
- Short Distance Click Action Front Lock.
- Additional Side and Bottom Pause Buttons for Controlled Return Action.
- Magnetic End Hook Optional.
- With Belt Clip.



IK - Ikon

- Auto-Lock Rubberized Case.
- Press Release Button.
- DURA COAT™ 4 times Longer Life Glare-Free Blade.
- With Belt Clip.

3m 5m 5|7.5|10m
16mm 19mm 25mm



- Auto-Lock Rubberized Case
- Press Release Button
- DURA COAT Tape Blade with 4X Longer Life
- Belt Clip
- Rubberized Magnetic End Optional

NX - Nexa

- Rounded Compact Case.
- DURA COAT™ 4 times Longer Life Glare-Free Blade.
- Convenient Side Lock.
- With Belt Clip.

3m 3|5m 5|7.5m
16mm 19mm 25mm



- Rounded Compact Case
- Convenient Side Lock
- DURA COAT Tape Blade with 4X Longer Life

GR - Gripp

- Rubberized Unbreakable ABS Case.
- DURA COAT™ Tape Blade with 4X Longer Life.
- Click Action Lock.
- Pause Button.
- With Belt Clip.

3m 5m 7.5|10m
16mm 19mm 25mm



- Click Action Front Lock
- DURA COAT Tape Blade with 4X Longer Life
- Pause Button
- Rubber Covered Unbreakable ABS Case
- Belt Clip

BK|BKL - Basik

- Unbreakable ABS Case.
- With lock - BKL & Without Lock - BK.
- Short Distance Positive Click Lock.
- Belt Clip Optional.

2|3m 3|5m 7.5|10m
13|16mm 19mm 25mm



- Unbreakable ABS Case
- Click Lock
- Belt Clip
- Wider End Hook 3 Rivets!

FF - FREEMANS 16

- Unbreakable ABS Case.
- Bigger, Wider End Hook.
- Click Lock.
- Belt Clip.



3|5m
16mm



Unbreakable ABS Case Bigger, Wider End Hook Click Lock Belt Clip

Available in

PL - Prolock

- Compact Contour Design Case with Rubberised Grip*.
- Click Action Lock is Ideally Positioned for Locking with Thumb.
- Retractable Cushion to Protect the End Hook.
- Hand Strap Optional for Easy Carrying, without Obstructing Inside Measurement.
- Available in Yellow, Chrome, Satin Chrome and Fluorescent Colours.
- With Belt Clip.



2|3|3.5m 5m 7.5|8|10m
13mm 19|25mm 25mm



Unbreakable ABS Case with Rubberised Grip Click Lock Belt Clip

*2|3|3.5m are without Rubber Grip.

EL - Easilok

- Tough ABS Case, fits the user's hand comfortably.
- Grooved Case Sides Prevent Slip.
- Slide Action Non-Slip Blade Lock.
- Belt Clip Optional.
- Available in Chrome, Satin Chrome, Black, Yellow and Fluorescent Colours.

2|3|3.5|5m 5m 5|7.5|8|9|10m
13mm 16|19mm 25mm



Grooved Case Sides Prevent Slip Slide Action Non Slip Blade Lock Belt Clip

LV - Levo


- Tough ABS Case incorporating Spirit Level to Check Vertical, Horizontal and Right Angle.
- Convenient Press And Release Side Lock.
- With Belt Clip.



2|3m 5m
13mm 16mm



Unbreakable ABS Case Press & Release Side Lock Spirit Level Belt Clip



Compass Optional

MX - Max


- ABS Case with Side Pause Button.
- With Belt Clip.



- Unbreakable ABS Case
- Press & Release Side Lock
- Belt Clip
- *Back Side Lock

CG|CGL - Centigraff


- Unbreakable ABS Case.
- With Lock - CGL & Without Lock - CG.
- Belt Clip Optional.



- Unbreakable ABS Case
- Click Lock
- Belt Clip

NM - Neumezur


- Heavy Duty Die Cast, Chrome Plated / Powder Coated Zinc Case.
- Belt Clip Optional.



- Grooved Case Sides Prevent Slip

EM - Easimesur

- Impact Resistant Plastic Case.



PK - Praktik

- Sturdy Plastic Case.
- Belt Clip Optional.



Sturdy Plastic Case

ZP|ZPC - Zipp

- Unbreakable ABS Case.
- With Belt Clip - ZPC & without Belt Clip - ZP.



Unbreakable ABS Case




Belt Clip

Available in

SX|SXL - Starex

- Unbreakable ABS Case.
- With Belt Clip.
- With Lock - SXL & Without Lock - SX.



Unbreakable ABS Case




Click Lock



Belt Clip

NN|NNL - Nano

- Unbreakable ABS Case.
- With Lock - NNL & Without Lock - NN.



Unbreakable ABS Case



Click Lock

Available in

OB - Orbit

- ABS Case with Engraved Texture for Anti-Slip Grip.
- Soft Feel Pause Button.
- With Belt clip.

3m
16mm



Unbreakable ABS Case Pause Button Belt Clip

OBS - Orbit-S

- Soft Feel Easy to Handle Case with Pause Button.
- With Belt clip.

3m
16mm



Rubber Covered Unbreakable ABS Case Pause Button Belt Clip

GS - Goldstar

- ABS Case with Lock.
- Belt Clip Optional.

2|3m
13mm



Unbreakable ABS Case Click Lock Belt Clip

ST - Star

- ABS Case.

3m
13mm



Unbreakable ABS Case

TS - Tristar

- Shock Resistant Plastic Case.
- Fixed Hook.



2|3m
9.5mm

TF - Truflex

- Sheet Metal Chrome Plated Case.
- Fixed Hook.



2|3m
9.5mm



Nickle Plated Sheet Metal

XB - X-Box

- Unbreakable ABS Case.
- Economy Tape Measure suitable as Paper Weight.



3m
13mm



Unbreakable ABS Case

Keychains

- Unbreakable ABS Case with Keychain.
- Ideally Suited for Sales Promotion.
- Available with Customized Labels.



Unbreakable ABS Case

Code	TN	DB	TO	JN	EL
Product	TINY	DEB	TRIO	JUGNU	EASIOK
Length	1 2m	1 2m	1m	1m	1m
Width	6mm	6mm	6mm	6mm	6mm
Case	Plastic	Plastic	Plastic	Plastic	Diecast Metal or Plastic



MEASURING WHEELS

FREEMANS Measuring Wheels offer Quick & Easy solution for Long Distance Measuring requirements.

Accuracy : Conforming to Class 1 OIML standards.

An indispensable tool for

- Surveyors, Architects
- Landscape, Designers
- Paving, Construction
- Police, Public Utilities Deptts.
- Sewer, Pipe works
- Tunnel, Bridge works
- Factory Floors | Site Boundaries
- Fencing Cable | Pipeline Installations
- Parks, Farm Fields
- Sports Grounds, Golf Courses




for
MW01 | MW02 | MW03 | MW05

FIVE DIGIT COUNTER
Mechanical 10,000M Counter
with Quick Reset Lever.
Minimum reading 10cm.



for
MW01 | MW02 | MW03 | MW05

MEASURES FORWARD & BACKWARD
Subtracts when
Retracting Steps.



for MW01 | MW02 | MW03 | MW05

PRO-DMW - Digital Wheel

- Illuminated LCD with Memory Functions.
- Piston Style Rubberized Grip for Comfortable Handling.
- Foldable for Easy Storage & Transportation.
- Carrying Handle.
- Bigger 12" Wheel.



MW05 - Plastic Wheel

- ABS Plastic Wheel is Extremely Light Weight & Durable.
- Two Section Telescopic Handle.



MW01 - Plastic Wheel

- ABS Plastic Wheel is extremely Light Weight & Durable.
- Two Section Telescopic Handle.



MW03 - Plastic Wheel

- Measuring Wheel with Point Marking System.
- One Piece Handle with Pistol Grip and Trigger Release to Spray Paint on Target.



MW04 - Digital Wheel

- Shift Between Metric and Inch readings.
- Data Storage and Data Recall.
- Modern Design, all the Buttons are Water & Dust Resistant.
- Extendable Handle, Easy for Storage.
- Rubber Covered Measuring Wheel to Avoid Slipping for Higher Accuracy.
- Precision Engineered to the Highest Quality.



MW02 - Metal Wheel

- Robust Metal Wheel for Demanding Conditions, provides Non-Slip Grip for Precision.
- Two Section Telescopic Handle.




SPIRIT LEVELS



FREEMANS



Shock Absorbing End-Caps



UV, Temperature & Static Resistant Vials




Magnification to Assist Reading



Impact Resistant Vials




180°, 90° & 45° Vials



High Visibility Block Vials



Magnetic Base



Structural Profiles Designed for Strength

- Highest Standard of Accuracy and Reliability.
- Shock Proof Bubble Tube with 5yrs warranty against vaporisation and leakage under normal working conditions.
- Every Level is Electronically Calibrated to Ensure Precise Mounting and Alignment.



Electronically Aligned Vials



ACCURACY



PRO-DL - Digital Spirit Level

- Illuminated Digital Display.
- Shock Proof End Caps.
- Machined Edges for Higher Measurement Accuracy.
- Hanging Hole & Soft Carrying Handle.
- Magnetic Base.
- Accurate Measurements from Both Surfaces.

300|450|600|1200mm



Illuminated Digital Display



Soft Carrying Handle



Shock Proof End Caps



Machined Edges for Higher Measurement Accuracy

PSL - Professional Spirit Level

- Magnifying High Visible Block Vials.
- Bi-Material Soft Feel Shock Proof End Caps.
- Milled Surfaces for Higher Measurement Accuracy.
- Accurate Measurements from Both Surfaces.
- Hanging Hole & Soft Carrying Handle.

Maximum Accuracy
0.029°=0.5mm/m

300|450|600|900|1000|1200mm



Magnifying High Visibility Block Vials



Both Side Milled Surfaces for Accurate Top and Bottom Measurements



Bi-Material Soft Feel Shock Absorbent End Caps




Carry Handle for Easy Handling

BS - Box Section **FREEMANS** Aluminum Level

- Heavy Duty Ribbed Body for Extra Strength and Improved Grip for Professional use.
- Strengthened End Caps for Extra Protection and Convenient Handling.
- Magnetic Base Optional.


100|250|300|450|500|600|750|800|900|1000|1200|1500|1800|2000mm



CL - Box Section Centigraff Aluminum Level

- Economical Light Profile for Normal use.
- Metric Graduated Edge for Linear Measurement.
- Magnetic Base Optional.

120|160|200|250|300|450|600|800|900|1000|1200mm



LT|LTK - Magnetic Torpedo Level

- Sturdy Plastic Body with Taper Ends, slides easily into pocket.
- Fitted with 3 Vials to check Horizontal, Vertical and 45°.
- Magnetic Base for convenience of use on Steel Structures.
- LTK Model (230mm) has 1m|3ft tape with Key Holder.

200|230mm



High Visibility Block Vial



180°, 90°, 45° Vials



Magnetic Base



1m Tape Optional

BL - Bi-Material Torpedo Level

- Heavy Duty Plastic Body with Aluminum Reinforcement.
- Fitted with 3 Vials to check Horizontal, Vertical and 45°.
- Magnetic Base for convenience of use on Steel Structures.

230mm



180°, 90°, 45° Vials




Magnetic Base

TR - Trapezoidal Aluminum Level

- Heavy Duty High Precision Pressure Die Cast Body.
- Machined Measuring Base for Highest Leveling Accuracy.
- Magnetic Base Optional.

300|400|500|600mm



Magnetic Base




TELEMESUR



FREEMANS



300 | 400 | 500mm



- Heavy Duty Rectangular Profile with Two Vials to Ensure Accurate Measurement.
- Stretches out to the required length like a Telescope and is Folded back for Easy Carrying.
- Maintenance free sleeve firmly holds the Telescopic Measure at any extended length for Accurate Measurement.
- Useful for Single Handed Measurement in rough building sites, wood, timber, concrete building structures and shuttering work.

TM02

With Pins at Top & Bottom for Corner to Corner Measurement, simply add 100mm to the Displayed Measurement.



TM01

TM02

FMI Limited
AN ISO 9001:2008 COMPANY

G.T. Road, Doraha, Distt. Ludhiana. - 141 421 (INDIA)
Phone : 91-161-3040001-03
Email : info@freemansgroup.com
customercare@freemansgroup.com
Website : www.freemansgroup.com