

专业提供流体控制解决方案的泵阀专家 Pump&Valve specialist - Devoted to fluid control solutions

德宇鑫科技。产品手册

DYX TECHNOLOGY • Product Manuals



深圳市德宇鑫科技有限公司

SHENZHEN DYX TECHNOLOGY CO.,LTD

公司简介

深圳市德宇鑫科技有限公司成立于2007年,公司总部设在深圳,拥有生产厂房面积15000m²,现有600多名在职优秀员工(含研发技术人员40余人),公司已取得ISO9001,ISO14001和 IATF16949认证,并于2011年在湖南常德德山工业园设立内地生产基地,且在同年十月在香港成立德宇鑫实业有限公司。

公司主营产品为微型隔膜泵,电磁泵,蠕动泵,活塞泵,无刷水泵和电磁阀,德宇鑫自成立以来专注于为客户提供泵阀流体控制解决方案,产品广泛用于汽车,小家电,清洁电器,医疗,按摩保健,母婴及个护类产品等领域,且产品均已通过CE(EMC),ROHS,REACH和FDA认证。

About Us

Shenzhen DYX Technology Co.,Ltd.(DYX for short) was established in 2007, the capital amount is 5million RMB. DYX headquarter was set up in Shenzhen city, with the area of 15000m² and over 600 outstanding employees including 40+ R&D engineers. DYX became a qualified enterprise with ISO9001/14001 and IATF16949 certificates. In 2011, our another production base was built in Changde Industrial Park in Hunan province. In the same year, Deyuxin Industrial Co.,Ltd was established in HK. Since it's foundation, we continue expanding production lines, increasing equipment and introducing industry experts and senior technical talents.

DYX is specializing in R&D and manufacturing various kinds of micro diapgragm pumps, solenoid pumps ,peristaltic pumps, piston pumps, brushless water pumps and solenoid valves. We focuses on providing pump &valve fluid control solutions, our products are widely used in automobile, household appliances, cleaning appliances, medical treatment devices, massagers, healthcare and personal care devices etc. And they are approved by CE/EMC, ROHS, REACH and FDA.



Add: No.21, Changlong East Road, Fu Cheng Ao Village, Pinghu Town, Longgang District, Shenzhen, China

Tel: +86 755-2953 7662

Fax: +86 755-2953 6260

Email:sales01@dyxminipump.com
Website:www.dyxminipump.com



MINI AIR PUMP





产品型号 Product model	DQB020-A	尺寸 Diameter	8×18×38.3mm
电压 Rated voltage	DC3.0V	额定功率 Rated power	< 1.1W
压力 Pressure	300-550mmHg	流量 Flow rate	0.2-0.8L/MIN
噪音 Noise level	<60db@30cm	寿命 Life test	>30, 000 cycles (100cc/,10s on,5s off)

迷你血压计,眼部按摩器,智能扫地机等
Product use
Mainly used for mini blood pressure monitor, eye
massage device, smart sweeping machine etc



产品型号 Product model	DQB428-A	尺寸 Diameter	28*28*76
电压 Rated voltage	DC12V	额定功率 Rated power	<2.5W
压力 Pressure	600-850mmHg	流量 Flow rate	4LPM
噪音 Noise level	<50dB@30cm	寿命 Life test	>30000次 (10s on,5s off)

主要用于各类按摩器,空气波治疗仪,医疗产品等
Product use

Mainly used for various types of massagers, air compression therapy machine, medical devices etc.



产品型号 Product model	DQB030-A	尺寸 Diameter	12×21×44.4mm
电压 Rated voltage	DC3.0V	额定功率 Rated power	< 1.0W
压力 Pressure	360-550mmHg	流量 Flow rate	0.5-1.2L/MIN
噪音 Noise level	<60dB@30cm	寿命 Life test	>30, 000 cycles (100cc/,10s on,5s off)

所式血压计,眼部按摩器,腹部按摩器等

Product use

Mainly used for wrist blood pressure monitor, eye massager,adcominal massager etc



产品型号 Product model	DQB430-A	尺寸 Diameter	40×43×98.0mm
电压 Rated voltage	DC12V	额定功率 Rated power	<6W
压力 Pressure	360-550mmHg	流量 Flow rate	≥7LPM
噪音 Noise level	<62dB @30CM	寿命 Life test	>1000H

汽车座椅按摩系统,雾化器,其他按摩器等 Mainly used for car seat massage system, nebulizer, other massagers, etc



产品型号 Product model	DQB100-A	尺寸 Diameter	15×36×58.4mm
电压 Rated voltage	DC3.0V	额定功率 Rated power	<2.2W
压力 Pressure	360-600mmHg	流量 Flow rate	1.0-1.5L/MIN
噪音 Noise level	<60db@30cm	寿命 Life test	> 30, 000 cycles (200cc/,10s on,5s off)

一二年 一二年 Product use

Mainly used for blood pressure monitors, eye massagers, beer machines, etc



产品型号 Product model	DQB436-A	尺寸 Diameter	36*36*96.7
电压 Rated voltage	DC13.5V	额定功率 Rated power	<4.8W
压力 Pressure	>90kPa	流量 Flow rate	6.5-8.5LPM
噪音 Noise level	<37dB @30cm@-50kPa	寿命 Life test	>1000cycles (20min on,10min off)

汽车座椅按摩系统,办公室座椅按摩,其他按摩器等
Mainly used for car seat massage system,
office seat massage, other massagers, etc



产品型号 Product model	DQB370-B2-1	尺寸 Diameter	φ27×65.6mm	
电压 Rated voltage	DC6.0V	额定功率 Rated power	<2.2W	
压力 Pressure	400-650mmHg	流量 Flow rate	1.5-2.3L/MIN	
噪音 Noise level	<60db@30cm	寿命 Life test	>30, 000 cycles (500cc/,10s on,5s off)	
	血压计, 监护仪, 眼部按摩器, 啤酒机			

字品用途 Product use

Mainly used for Blood pressure monitor, eye massager, beer machine, juice machine, smart toilet, coffee machine, etc



产品型号 Product model	DQB440-A	尺寸 Diameter	40*40*99.5
电压 Rated voltage	DC13.5V	额定功率 Rated power	<6.8W
压力 Pressure	>90kPa	流量 Flow rate	9-11LPM
噪音 Noise level	<50dB @30cm@50kPa	寿命 Life test	>1000cycles (20min on,10min of

汽车座椅按摩系统,其他按摩器等
Mainly used for car seat massage system, other massagers, etc



产品型号 Product model	DQB421-A	尺寸 Diameter	32×32×77.5mm
电压 Rated voltage	DC6.0V	额定功率 Rated power	<6.0W
压力 Pressure	600-850mmHg	流量 Flow rate	5.0-6.0L/MIN
噪音 Noise level	<62db@30cm	寿命 Life test	> 30, 000 cycles (500cc/,10s on,5s off)
	n+n+n == /		

脚机,雾化器,美容仪器,球泵等

Product use

Mainly used for foot massagers, nebulizer,
beauty instruments, ball pumps, etc



产品型号 Product model	DQB500-A	尺寸 Diameter	φ60×128.0mm
电压 Rated voltage	DC6.0V	额定功率 Rated power	<8.2W
压力 Pressure	600-800mmHg	流量 Flow rate	10-16L/MIN
噪音 Noise level	<60db@30cm	寿命 Life test	>30, 000 cycles (500cc/,10s on,5s off)

按摩椅, 医疗设备等

Product use

Mainly used for massage chair, medical devices.



产品型号 Product model	DQB421-D	尺寸 Diameter	32*32*78.2
电压 Rated voltage	DC12V	额定功率 Rated power	<5.5W
压力 Pressure	600-850mmHg	流量 Flow rate	5-6LPM
噪音 Noise level	<50dB@30cm	寿命 Life test	>800H(7s on, 5s off)

用于汽车座椅按摩, 腰部支撑等。 Mainly used for car seat massage, lumbar support etc.



产品型号 Product model	DHB15-24V	尺寸 Diameter	60.5*83*105.5mm
电压 Rated voltage	DC24.0V	额定功率 Rated power	≤12.5W
压力 Pressure	26-36Kpa	流量 Flow rate	>17LPM
介质 Media	Air	工作温度 Working temp	5°C~40°C
产品用途 Product use	主要用于按摩保健, 抗血栓泵, 淋巴循环治疗等		
	Mainl used for health and fitness, anti-thrombus pump and lymphatic circulation therapy etc.		







电压 DC3.0V 额定功率 <1.1W 电压	크 DQB380-FB-3 (Silent)	尺寸 Diameter	φ27×76.3mm
电压 DC3.0V 额定功率 < 1.1W 电压 Rated voltage Rated power	DC6.0V	额定功率 Rated power	<3.0W
压力 <-200mmHg 流量 D.2-0.8L/MIN Flow rate Pressure	<-450mmHg	流量 Flow rate	2.0-3.0L/MIN
噪音 Noise level <65db@30cm 寿命 Life test >30,000 cycles (100cc/,2s on,2s off)	<55db@30cm	寿命 Life test	>30, 000 cycles (500cc/, 2s on,1s off)
负压理疗, 美容仪, 成人用品	负压理疗,美	容仪,成人用品	, 真空保鲜等。
产品用途 Product use Mainly used for negative pressure physiotherapy, adult products, Vacuum fresh keeping box, gas detection etc	Mainly used for	r negative pressur cts,vacuum fresh	re physiotherapy, keeping box etc
产品型号 DQB030-FB 尺寸 12*21*43.8 产品型-Product model Product model	DQB380-FB-8	尺寸 Diameter	φ27×59.6mm
电压 Rated voltage DC6.0V 额定功率 Rated power < 1.7W Rated voltage Rated voltage	DC6.0V	额定功率 Rated power	<3.0W
压力 Pressure <-300mmHg 流量 Flow rate 0.6-1.2LPM	<-450mmHg	流量 Flow rate	2.0-3.0L/MIN
噪音 Noise level <65dB@30cm 寿命 Life test >30,000cycles (100cc/,10s on,5s off)	<60db@30cm	寿命 Life test	>500H(500cc/, Suction 1.7s,stop 0.6s,working 30min stop 10min)
主要用于美容保健,个人医用护理类,及家用电器等产品。 产品用途	吸奶器,美名	李仪,成人用品	,真空保鲜等
Product use Mainly for beauty care, personal medical care, and household appliances. Product use Product use and household appliances.	Mainly used to	r breast pump,be product,vacuum s	auty instrument, ealer etc.
产品型号 DQB031-FB 尺寸 12×27×47.6mm 产品型-Product model Product model		尺寸 Diameter	32×32×77.5mm
电压 Rated voltage DC3.0V 额定功率 Rated power < 1.1W Rated voltage Rated voltage	DC6.0V	额定功率 Rated power	<6.0W
压力 <-280mmHg 流量 Discontinuous	<-550mmHg		5.0-6.0L/MIN
噪音 Noise level <65db@30cm 寿命 Life test >30, 000 cycles (100cc/,10s on,5s off)	<62db@30cm	+4	> 30, 000 cycles (500cc/,10s on,5s off)
为压理疗,美容仪,成人用品 产品用途 产品用途 产品用途	 吸	奶器,扫地机器	
Product use Mainly used for negative pressure physiotherapy, adult products, Vacuum fresh keeping box, gas detection etc	Mainly	used for brea or cleaning ro	
产品型号 DQB130-FB 尺寸 φ21×52.6mm 产品型	号 DQB422-FB-1	尺寸	24*24*45 5
Product model Diameter Product model Product model	el	Diameter 额定功率	24*24*45.5
Rated voltage Rated power Rated power		Rated power	<3.1W
Pressure Flow rate Pressure T日立	<-60kPa	Flow rate	≥3.2 LPM >720,000cycles
噪音 <62db@30cm 寿命 >95,000cycles (500cc/,2s on,1s off) Noise level 负压理疗,美容仪,成人用品		Life test	(100cc/,1.7s on,0.8s off)
产品用途 真空保鲜,气体检测等。 产品用途	<u>余</u>	要用于穿戴式吸	乃器。
Product use Mainly used for negative pressure physiotherapy, adult products, Vacuum fresh keeping box, gas detection etc	Mainly use	ed for wearable b	reast pump.
产品型号 DQB320-FB-8 尺寸 Product model Product	DQB430-FB	尺寸 Diameter	40×43×98.0mm
电压 Rated voltage DC3.7V 额定功率 Rated power <1.9W Rated power Rated voltage	DC12V	额定功率 Rated power	<7.2W
压力 Pressure <-300mmHg 流量 Flow rate 0.6-1.2LPM Pressure	≤-50kPa	流量 Flow rate	>7LPM
噪音 Noise level <60dB@30cm 寿命 Life test >500H (100cc/1.7s on,0.6s off)	< 58db@30cm	寿命 Life test	>200H (500CC/20s on, 20s off)
吸奶器,负压伤口治疗仪,美容仪器,真空保鲜等	全	扫地机器人	
产品田徐		ed for floor clea	ning robot
产品用途 Product use Breast pump, negative pressure wound therapy device, beauty instrument, vacuum sealer etc			
产品用途 Product use Breast pump, negative pressure wound therapy Product us	를 DQB500-FB	尺寸 Diameter	φ60×128.0mm
デ品用途 Product use Breast pump, negative pressure wound therapy device, beauty instrument, vacuum sealer etc Product use Breast pump, negative pressure wound therapy device, beauty instrument, vacuum sealer etc Product use Product use DQB380-FB 尺寸 φ27*65.6mm 产品型号 DQB380-FB 尺寸 φ27*65.6mm	DQB500-FB		φ60×128.0mm <7.8W
ア品用途 Breast pump, negative pressure wound therapy device, beauty instrument, vacuum sealer etc	DQB500-FB	Diameter 额定功率 Rated power	
Product use Breast pump, negative pressure wound therapy device, beauty instrument, vacuum sealer etc Product use Pr	DQB500-FB DC6.0V OP <-400mmHg <60db@30cm	阿定功率 Rated power 添量 Flow rate	<7.8W
Breast pump, negative pressure wound therapy device, beauty instrument, vacuum sealer etc 产品型号	DQB500-FB DC6.0V -400mmHg <60db@30cm	阿定功率 Rated power 清量 Flow rate	< 7.8W 10-16L/MIN >30, 000 cycles



φ24*73mm

< 5.4W

0.4-1.3L/MIN

>50, 000 cycles

(30s on, 20s off)

φ27*72.8mm

< 5.4W

0.4-1.3L/MIN

>20,000cycles

(1min on, 1min off)

尺寸 Diameter

额定功率 Rated power

流量

Flow rate

寿命 Life test

尺寸

Diameter

额定功率

Rated power

流量

Flow rate

寿命 Life test


Mainly used in water dispensers,







产品型号 Product model	DRB413-B-HR	尺寸 Diameter	35×27×69.0mm
电压 Rated voltage	DC12.0V	额定功率 Rated power	<6.6W
最大水压力 Max pressure	20-40PSI	流量 Flow rate	0.5-1.1L/MIN
噪音 Noise level	<60db@30cm	寿命 Life test	>50, 000 cycles (30s on,20s off)
	电动拖把, 饮水机	, 净水器, 泡奶机,	泡茶机,咖啡机等





产品型号 Product model	DSB413-A	尺寸 Diameter	φ24*77.5mm
电压 Rated voltage	DC12.0V	额定功率 Rated power	<5.4W
最大水压力 Max pressure	30-50PSI	流量 Flow rate	0.7-1.5L/MIN
噪音 Noise level	<60db@30cm	寿命 Life test	>50, 000 cycles (30s on,20s off)
	咖啡机, 饮水机	l, 净水器, 泡如	3机,泡茶机等。

Mainly used for coffee machine, water dispenser,

Mainly used for electric spray mops, floor washing

machine, coffee machine, water dispenser, etc

		water purifier, milk machine, tea machine, etc.		
	产品型号 Product model	DSB412-H	尺寸 Diameter	φ24*76.3mm
	电压 Rated voltage	DC22V, 37HZ	额定功率 Rated power	<5.4W
	最大水压力 Max pressure	20-50PSI	流量 Flow rate	>300ML/MIN
	噪音 Noise level	<60db@30cm	寿命 Life test	>100,000 (2s on, 2s of
	产品用途	电动喷水拖把	,洗地机,咖啡	
	HHIII	Mainlumandfan		a flanconalita

Product use

Product use



产品型号 Product model	DSB413-B-7	尺寸 Diameter	φ24*72mm	
电压 Rated voltage	DC12V	额定功率 Rated power	<5.4W	
最大水压力 Max pressure	30-50PSI	流量 Flow rate	640-820ML/MIN	
噪音 Noise level	<60dB@30cm	寿命 Life test	>200,000cycles (2s on,2s off)	
产品用途	主要用于中高端饮水机.水簇设备,及家用电器等产品。			
Product use		e and high-end disp usehold appliances,		



产品型号 Product model	DSB413-B-6A	尺寸 Diameter	φ27*73mm
电压 Rated voltage	DC12V	额定功率 Rated power	<5.4W
最大水压力 Max pressure	30-50PSI	水流量 Water flow rate	590-610ML/MIN
寿命 Life test	>50,000cycles (30s on,20s off)	气流量 Air flow rate	≥1.1L/MIN
产品用途	主要用于咖啡机,饮水机,蒸汽烤箱等		
Product use	Mainly used for coffee machines,		



产品型号 Product model	DSB413-H	尺寸 Diameter	42×42×81.6mm
电压 Rated voltage	DC4.0V	额定功率 Rated power	< 2.5W
气流量 Air flow rate	≥1.4L/MIN	气液比 Gas liquid ratio	>1:12
噪音 Noise level	<60db@30cm	寿命 Life test	> 50, 000 cycles (1s on,1s off)
产品用途 Product use	泡沫皂液器。		
	Mainhuusad farsaan disnansar		

water dispensers, steam ovens, etc

Mainly used for soap dispenser.



产品型号 Product model	DSB415-A	尺寸 Diameter	50×38.5×70.9mm
电压 Rated voltage	DC12.0V	额定功率 Rated power	<3.6W
最大水压力 Max pressure	20-40PSI	流量 Flow rate	>2-2.5L/MIN
噪音 Noise level	<60db@30cm	寿命 Life test	>50, 000 cycles (30s on,20s off)
产品用途	咖啡机,饮水机,净水器,泡奶机,泡茶机等		
Product use	Mainly used for coffee machine, water dispenser, water purifier, milk machine, tea machine, etc.		



SOLENOID PUMP & BRUSHLESS WARTER PUMP





产品型号 Product model	DYX-SPS-02	尺寸 Diameter	38×40.8×76mm
电压 Rated voltage	AC230V,50HZ	额定功率 Rated power	≤15W
压力 Pressure	≥2.5bar	流量 Flow rate	0.13-0.17L/MIN
工作温度 Working temp	5°C~55°C	寿命 Life test	>500H(work for 1H stop for 30 mins
立旦田 诠		于扫地机器人, 巴,蒸汽熨斗,	洗地机, 蒸汽烤箱

Maily used for cleaning robot, floor-cleaning machine, steam mop, steam iron, steam oven etc



产品型号 Product model	DYX-SPS-06	尺寸 Diameter	40.5×38.0×71.5mm	
电压 Rated voltage	DC22V, 37HZ	额定功率 Rated power	≤22W	
压力 Pressure	≥1.2bar	流量 Flow rate	0.18-0.22L/MIN	
工作温度 Working temp	5°C~90°C	寿命 Life test	>500H (≤±20% initial value)	
产品用途	主要用于扫地机器人,洗地机,蒸汽拖把,蒸汽熨斗,蒸汽烤箱			
Product use	Maily used for	cleaning robot, f	loor-cleaning	

machine, steam mop, steam iron, steam oven etc



古品型号 roduct model	DYX-SPS-03	尺寸 Diameter	38×40.8×76.5mm
电压 Rated voltage	AC230V, 50HZ	额定功率 Rated power	≤15W
压力 Pressure	1.2-2.2bar	流量 Flow rate	1.0-1.5L/MIN
C作温度 Vorking temp	5°C~55°C	寿命 Life test	>1000 Hours (work for 1H stop for 30 mins
	+ # m -	T + T 1 L P P I	M-14-10

主要用于扫地机器人, 洗地机, 蒸汽拖把,蒸汽熨斗,蒸汽烤箱 产品用途 Product use

Maily used for cleaning robot, floor-cleaning machine, steam mop, steam iron, steam oven etc



产品型号 Product model	DYX-MPS-01	尺寸 Diameter	41.5×38.0×97mm
电压 Rated voltage	DC12.0V, 50HZ	额定功率 Rated power	≤22W
压力 Pressure	0.8-1.8bar	流量 Flow rate	0.7-0.9L/MIN
工作温度 Working temp	5°C~55°C	寿命 Life test	>500 H
	主要用于扫地机器人,洗地机,		

产品用途 Product use

Product use

蒸汽拖把,蒸汽熨斗,蒸汽烤箱 Maily used for cleaning robot, floor-cleaning machine, steam mop, steam iron, steam oven etc



产品型号 Product model	DQB421-SB-2	尺寸 Diameter	26*31*38mm
电压 Rated voltage	DC 18V	额定功率 Rated power	<1W
静态扬程 Static water head pressure	55±10cm	扬程33CM 流量 Flow rate @33cm lift	≥15.5L/h
噪音 Noise level	<40dB@30cm	寿命 Life test	>16000h
	加温哭	完物你水和	与净 化哭

加湿器,龙物饮水机,全气净化器 产品用途 Product use Mainly used for humidifier, pet water dispensers, air purifiers, etc




产品型号 Product model	DQB421-SB-7	尺寸 Diameter	40*45*51mm	
电压 Rated voltage	DC 12V	额定功率 Rated power	<0.7W	
静态扬程 Static water head pressure	50±10cm	流量 Flow rate	150-120L/h	
噪音 Noise level	<38dB@50cm	寿命 Life test	>10000h	
产品用途	加湿器,宠物饮水机,空气净化器			
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	NA '-1			

Mainly used for humidifier, pet water dispensers, air purifiers etc



蠕动泵

PERISTALTIC PUMP



产品型号 Product model	DRBN20A-01	尺寸 Diameter	15×15.9×37.6mm
电压 Rated voltage	DC5.0V	额定功率 Rated power	<0.4W
吸力值 Suction value	≦-5KPA	流量 Flow rate	1.5-10ML/MIN
噪音 Noise level	<60db@30cm	寿命 Life test	>100, 000 cycles (10s on,5s off)

产品用途 Product use

DRBN20A-01	Diameter	15×15.9×37.6mm
DC5.0V	额定功率 Rated power	<0.4W
≦-5KPA	流量 Flow rate	1.5-10ML/MIN
<60db@30cm	寿命 Life test	>100, 000 cycles (10s on,5s off)

Mainly used for robot vacuum cleaner, cosmetics dispensing machines, cooking robot, medical devices, etc

主要用于扫地机器人,化妆品分配机器,自动炒菜机,医疗产品等。

产品型号 Product model	DRB320A-01	尺寸 Diameter	37.9×31×44.5mm
电压 Rated voltage	DC3.2V	额定功率 Rated power	<1.6W
吸力值 Suction value	≦-20KPA	流量 Flow rate	70-130ML/MIN
噪音 Noise level	<55dB@30cm	寿命 Life test	> 60, 000 cycles (2s on,1s off)
÷ 🗆 🗆 🔥	主要用于扫地机器人,洗地机	机, 皂液器, 化妆品分配机器	,自动炒菜机,医疗产品等。

产品用途 Product use

Mainly used for robot vacuum cleaner, floor scrubbers, soap dispensers, cosmetics dispensing machines, cooking robot, medical devices, etc



产品型号 Product model	DRB030A-1	尺寸 Diameter	34.8*40.5*24.4mm
电压 Rated voltage	DC12V	额定功率 Rated power	<3.9W
压力 Pressure	≥80KPA	流量 Flow rate	12-18ml/min
噪音 Noise level	<60dB@30cm	寿命 Life test	>500Hour (1s on,1s off)

主要用于扫地机器人,洗地机,皂液器,化妆品分配机器,自动炒菜机,医疗产品等。 产品用途 Product use Mainly used for robot vacuum cleaner, floor scrubbers, soap dispensers, cosmetics dispensing machines, cooking robot, medical devices, etc

产品型号 Product model	DRB370A-01	尺寸 Diameter	34.8*40.5*24.4mm
电压 Rated voltage	DC12V	额定功率 Rated power	<3.9W
压力 Pressure	≥80KPA	流量 Flow rate	12-18ml/min
噪音 Noise level	<60dB@30cm	寿命 Life test	>500Hour (1s on,1s off)
→ □ □ \	主要用于扫地机器人,洗地	机,皂液器,化妆品分配机器	,自动炒菜机,医疗产品等。

产品用途 Product use

Mainly used for robot vacuum cleaner, floor scrubbers, soap dispensers, cosmetics dispensing machines, cooking robot, medical devices, etc



产品型号 Product model	DRB130A-01	尺寸 Diameter	φ21.8×52.8mm
电压 Rated voltage	DC12.0V	额定功率 Rated power	<2.4W
吸力值 Suction value	≦-20KPA	流量 Flow rate	32-48ML/MIN
噪音 Noise level	<60db@30cm	寿命 Life test	>500H (1s on, 1s off)
	十冊田工打掛打 嗯 人 选择:	6 百法员 化共口八型打员	

王要用于扫地机器人,洗地机,皂液器,化妆品分配机器,目动炒菜机,医疗产品等。 产品用途 Product use Mainly used for robot vacuum cleaner, floor scrubbers, soap dispensers, cosmetics dispensing machines, cooking robot, medical devices, etc



产品型号 Product model	DRB365-A	尺寸 Diameter	68.8×69×40mm
电压 Rated voltage	DC20.0V	额定功率 Rated power	<8W
吸力值 Suction value	≦-20KPA	流量 Flow rate	0.4-0.5L/MIN
噪音 Noise level	<70db@30cm	寿命 Life test	> 30, 000 cycles (30s on,10s off)

产品用途 Product use

Mainly used for robot vacuum cleaner, floor scrubbers, soap dispensers, cosmetics dispensing machines, cooking robot, medical devices, etc

主要用于扫地机器人,洗地机,皂液器,化妆品分配机器,自动炒菜机,医疗产品等。



PISTON PUMP



产品型号 Product model	DHB-ZK12	尺寸 Diameter	62.7×40.0×93.3mm
电压 Rated voltage	DC24V	额定功率 Rated power	<14.4W
负压力 Vacuum pressure	<-80Kpa	流量 Flow rate	>12L/MIN
正压力 Positive pressure	≥300kPa	工作温度 Working temp	5°C~55°C

真空破壁机,真空包装机,吸奶器,雾化器,咖啡机,医疗产品等 产品用途 Product use

Mainly used for vacuum blender, vacuum sealer, breast pump, nebulizer, coffee machine, medical devices etc.



产品型号 Product model	DHB-ZK65	尺寸 Diameter	51×30×75.6mm
电压 Rated voltage	DC12.0V	额定功率 Rated power	<9W
负压力 Vacuum pressure	<78kPa	流量 Flow rate	>7.5L/MIN
正压力 Positive pressure	≥200kPa	工作温度 Working temp	5°C~55°C
		+10 m1=00 =-11.00	

真空破壁机,真空包装机,吸奶器,雾化器,咖啡机,医疗产品等 产品用途 Product use

Mainly used for vacuum blender, vacuum sealer, breast pump, nebulizer, coffee machine, medical devices etc.



产品型号 Product model	DHB-ZK12B	尺寸 Diameter	66.5×40×101mm
电压 Rated voltage	DC24V	额定功率 Rated power	<14.4W
负压力 Vacuum pressure	<-82Kpa	流量 Flow rate	>12L/MIN
正压力 Positive pressure	≥300kPa	工作温度 Working temp	5°C~55°C
		+10 -01-00 = 11-00	

真空破壁机,真空包装机,吸奶器,雾化器,咖啡机,医疗产品等 产品用途 Product use

Mainly used for vacuum blender, vacuum sealer, breast pump, nebulizer, coffee machine, medical devices etc.



产品型号 Product model	DHB-ZK68	尺寸 Diameter	68.6×41.3×29mm	
电压 Rated voltage	DC12.0V	额定功率 Rated power	< 10W	
压力 Pressure	≥12 Bar	流量 Flow rate	100-300mL/MIN	
介质 Media	Water	工作温度 Working temp	5°C~55°C	

产品用途 Product use

Product use

主要用于咖啡机,喷雾装置等

Mainly used for coffee machine, spray equipment etc




产品型号 Product model	DHB-C	尺寸 Diameter	27*65*29mm	
电压 Rated voltage	DC12V	额定功率 Rated power	<14.4W	
负压力 Vacuum pressure	<-75Kpa	流量 Flow rate	>8L/MIN	
噪音 Noise level	<80dB@5cm	工作温度 Working temp	5°C ~55°C	
产品用途	真3	器等		
/ HH/IJ	N.A:	- l f		

Mainly used for vacuum sealer, breast pump etc



	产品型号 Product model	DSB755-A	尺寸 Diameter	81*46*122.7mm
)	电压 Rated voltage	DC12V	额定功率 Rated power	<48W
	压力 Pressure	>60Psi	流量 Flow rate	3.5L/MIN
	噪音 Noise level	<65dB@30cm	寿命 Life test	>300Hour (30s on,30s off)
	产品用途	高端饮水机,	净水器,气泡水	机, 饮料机等
	/ HH/13/22		r 1 2 11	

Mainly used for high-end water dispensers, water purifier, sparkling water maker, beverage dispensers, etc



电磁阀

SOLENOID VALVE



产品型号 Product model	DQF1-3A	尺寸 Diameter	12×10.0×25.6mm
电压 Rated voltage	DC3.0V	额定功率 Rated power	0.3-0.6W
压力 Pressure	0-350mmHg	泄气速度 Deflation speed	<3S(100CC, 280mmHg-15mmHg)
介质 Media	Air	寿命 Life test	>200, 000 cycles (100cc/,10s on,5s off)
	主要用于血压计,监护仪等。		

产品用途 Product use

DQF1-6A

DC6.0V

0-350mmHg

Air

产品型号 Product model

电压 Rated voltage

压力

Pressure

介质 Media

产品用途 Product use

Product use

Mainly used for blood pressure monitor and other medical monitor.

尺寸 Diameter

额定功率 Rated power

寿命 Life test

Mainly used for blood pressure monitor and other medical monitor.

主要用于血压计, 监护仪等。

15×13×28mm

0.4-0.7W

<4S(500CC,

>200, 000 cycles

(500cc/,10s on,5s off)

泄气速度 <4S(500CC, 280mmHg-15mmHg)



产品型号 Product model	DQF3-6A	尺寸 Diameter	12.5×21×36mm
电压 Rated voltage	DC4.5V	额定功率 Rated power	1.2-2.5W
压力 Pressure	0-350mmHg	泄气速度 Deflation speed	<3S(500CC, 280mmHg-15mmHg
介质 Media	Air	寿命 Life test	>200, 000 cycles (500cc/,10s on,5s off)
产品用途	主要用于头部/腰部/膝部/腿部按摩器, 气体检测等		
Product use	•	for head /wa s and gas det	× × × × × × × × × × × × × × × × × × ×

	产品型号 Product model	DQF3-6A-2	尺寸 Diameter	23*46*100
	电压 Rated voltage	DC12.0V	额定功率 Rated power	2.2-2.3W
	压力 Pressure	0-350mmHg	泄气速度 Deflation speed	<4S(1500CC, 350mmHg-20mmHg
	介质 Media	Air	寿命 Life test	>50, 000 cycles (30s on, 20s off)
	产品田途	主要用于按摩椅,脚机等		

一百用达 Product use

Mainly used for massage chair, foot
massager and so on.

massage mattress and so on.





产品型号 Product model	DQF1-6B-1	尺寸 Diameter	15×13×28.8mm	
电压 Rated voltage	DC6.0V	额定功率 Rated power	1.9-2.5W	
压力 Pressure	0-350mmHg	泄气速度 Deflation speed	<4S(500CC, -280mmHg-6mmHg)	
介质 Media	Air	寿命 Life test	>200, 000 cycles (500cc/,10s on,5s off)	
产品用途		主要用于电动吸奶器,负压理疗,智能扫地机,按摩器等		
Product use	Mainly used for ele physiothera	ectric breast pump, by,cleaning robot, m	negative pressure nassager etc.	

Product mod
电压 Rated volta
压力 Pressure
介质 Media
产品用)


	产品型号 Product model	DQF3-6A-7	尺寸 Diameter	15*35*163
	电压 Rated voltage	DC6V	额定功率 Rated power	1.84W
ĺ	压力 Pressure	0-350mmHg	泄气速度 Deflation speed	<6S(500CC, 280mmHg-15mmHg)
	介质 Media	Air	寿命 Life test	>200, 000 cycles (500CC,10s on, 5s off)
	产品用途 Product use	主要用于	按摩枕头,按摩	季床垫等。
		Mainly us	ed for massa	ge pillow,








	产品型号 Product model	DQF2-3B	尺寸 Diameter	12*10*32.8mm
DATE: 171228 DATE: 17120m DATE: 17120m	电压 Rated voltage	3V	额定功率 Rated power	<1.8W
	压力 Pressure	0.2-0.8MPA	流量 Flow rate	>0.5L/MIN
	介质 Media	Water	寿命 Life test	>200,000cycles (100cc/10s on,5s off)
	产品用途	主要用于扫地机器人,宠物饮水机等。		
	Product use	Mainly used for cleaning robot, pet water dispenser		





产品应用 Product Application



Coffee Machine



Water Dispenser



Vacuum&Wet-Dry Mop



Cleaning Robot



Car Massage System



Blood Pressure Monitor



Wearable Breast Pump



Vacuum Package Machine



Nebulizer



Sensor Foaming Soap Dispenser



Smart Toilet



Air Compression Therapy Machine