

MAXIMUM PERFORMANCE PROFESSIONAL POWER TOOLS SPARE PARTS & ACCESSORIES



2024-25



IDEAL INTERNATIONAL POWER TOOLS PVT. LTD



Established in 1997 as a hand and electric power tools sales and repair company, Ideal Power Tools (hereinafter referred to as 'Ideal') has grown to become India's go-to brand for power tools equipment and accessories.

The principal activities of Ideal Power Tools are to carry out business as a wholesaler and supply all power tools and its related spares and accessories to our end users. We have established a strong network with our Authorised Distributors throughout the Indian market and numerous countries in Africa, the Middle East, and Southeast Asia. To meet an even broader range of needs the company offers a comprehensive array of power tools ranging from DIY gardening tools to professional construction tools.

TRUSTED AND RELIABLE

The unsurpassed quality and reliability of these power tools and other products are made possible by Ideal's strong R&D capabilities and commitment to providing high-performance tools. This has earned Ideal products the trust of customers not only in India but also in numerous African and Middle Eastern countries. The growing international presence is a testament to Ideal's products, services, and capabilities.





POWER TOOLS

CONTENTS

Electric Drill	01	Spray Gun	27
Angle Drill	01	Foam Spray Gun	27
Impact Drill	02	Cement Spray Gun	27
Rotary Hammer	02	Handy Paint Roller	27
Angle Grinder	03	Electric Spray Gun	28
Die Grinder	05	Airless Spray Unit	28
Straight Grinder	05	Manual Sprayer	28
Power Carver	05	Battery Sprayer	28
Marble Cutter	06	Grease Dispenser	28
Tile Cutter	06	Welding Machine	29
Wall Chaser	07	Welding Accessories	31
Groove Cutter	07	Chain Block	32
Slab Cutter	07	Electric Rope Hoist	32
Drill Stand	07	Webbing Sling	32
Grinder Stand	07	Diamond Blade	33
Bench Drill	07	Glass Wheel	33
Cut-off Saw	08	TCT Blade	34
Mitre Saw	08	Cut-off Wheel	34
Demolition Hammer	09	Cutting Wheel	34
Core Drill	10	D.C. Wheel	35
Concrete Mixer	10	G.C. Wheel	35
Electric Tacker	10	W.A. Wheel	35
Air Nailer	10	Flap Disc	35
Concrete Vibrator & Shaft	11	Fiber Disc	35
Circular Saw	12	Polishing Wheel	35
Electric Mixer	12	Water Paper	35
Wood Router	13	HF Cut-off Wheel	35
Jig Saw	13	HF D.C. Wheel	35
Electric Planer	14	HF G.C. Wheel	35
Wood Trimmer	14	Spare Parts	36
Reciprocating Saw	14	Bearing Pullers	37
Chain Saw	15	Beaker Grease	37
Chain Saw Chain	15	Router Bits	39
Guide Bar	15	Router Bits Set	41
Brush Cutter	16	Wood Auger Bits	41
Auger Drill Machine	16	Auger Drill Bits	41
Lawn Mower	16	Groove Cutter	42
Hedge Trimmer	16	Planer Blade/knife	42
Power Tiller	16	Extension Pipe	42
Gasoline Water Pump	16	Pallet Truck	42
Gasoline Generator	17	Torpedo Level	43
Gasoline Engine	17	Spirit Level	43
Sander & Polisher	18	Combination Square	43
Air Blower	19	Hand Files	43
Heat Gun	19	Diamond File Sets	43
Chain Sharpener	19	Sharpening Tools	43
Vacuum Cleaner	19	Metal Tool Box	43
Cordless Drill	20	Caulking Gun	43
Magnetic Drill	20	Hand Riveter	44
Bench Grinder	21	Double Puller Riveter	44
Shear Machine	21	Riveting Gun	44
Electric Nibbler	21	Electric Riveter	44
Pressure Washer	22	PVC Pipe Cutter	44
Impact Wrench	23	Grease Gun	44
Drill & Screw Driver	23		
Pneumatic Tools	24		
Air Compressor	25		
Drywall Sander	27		
Pen Gun	27		



**ELECTRIC DRILL
ANGLE DRILL**

Ideally Advanced, Always!

► **ELECTRIC DRILL**

ID ED02-6RF Part No.: 26351
ELECTRIC DRILL



Rated Power Input	230w
No Load Speed	3800r/min
Max. Drilling Diameter	
Steel	6.5mm
Wood	9mm



ID SP10RE
ELECTRIC DRILL



Part No.: 26723

Rated Power Input	450w
No Load Speed	0-4500r/min
Max. Drilling Diameter	
Steel	10mm
Wood	18mm



ID ED10HQ Part No.: 21690
ID ED10AR (K.L.) Part No.: 26537
ID ED10AR Part No.: 26554
ELECTRIC DRILL



Rated Power Input	300w
No Load Speed	0-3000r/min
Max. Drilling Diameter	
Steel	10mm
Wood	18mm



ID ED16HQ Part No.: 26019
ID ED16A Part No.: 21693
ELECTRIC DRILL



Rated Power Input	800w
No Load Speed	680r/min
Max. Drilling Diameter	
Steel	16mm
Wood	36mm



ID DU10 Part No.: 20233
ID DU13VRF Part No.: 21686
ELECTRIC DRILL



Rated Power Input	500w
No Load Speed	0-1200r/min
Max. Drilling Diameter	
Steel	13mm
Wood	20mm



ID 2313VR
ELECTRIC DRILL



Part No.: 27187

Rated Power Input	500w
No Load Speed	0-2800r/min
Max. Drilling Diameter	
Steel	13mm
Wood	18mm



► **ANGLE DRILL**

ID AD06-10
ANGLE DRILL



Part No.: 21629

Rated Power Input	380w
No Load Speed	0-1400r/min
Max. Drilling Diameter	
Steel	10mm
Wood	15mm



► **IMPACT DRILL**

ID EID13 Part No.: 20239
ID EID13RF Part No.: 27827
ID EID03-13 Part No.: 26477

IMPACT DRILL



Rated Power Input	600w
No Load Speed	0-1450r/min
Max. Drilling Diameter	
Steel	10mm
Wood	20mm
Concrete	13mm



ID 950RF

IMPACT DRILL



Part No.: 21626

Rated Power Input	950w
No Load Speed	0-2800r/min
Max. Drilling Diameter	
Steel	10mm
Wood	18mm
Concrete	13mm



ID GSB13RE

IMPACT DRILL



Part No.: 21729

Rated Power Input	950w
No Load Speed	0-2800r/min
Max. Drilling Diameter	
Steel	10mm
Wood	18mm
Concrete	13mm



ID HKGSB13

IMPACT DRILL (TOOL KIT)



Part No.: 26348

Rated Power Input	500w
No Load Speed	2600r/min
Max. Drilling Diameter	
Steel	10mm
Wood	25mm
Concrete	13mm



ID ID16VR

IMPACT DRILL



Part No.: 26028

Rated Power Input	750w
No Load Speed	0-2800r/min
Max. Drilling Diameter	
Steel	10mm
Wood	18mm
Concrete	13mm



ID ID13RF

IMPACT DRILL



Part No.: 20258

Rated Power Input	750w
No Load Speed	0-2800r/min
Max. Drilling Diameter	
Steel	10mm
Wood	18mm
Concrete	13mm



ID PSB570VR

IMPACT DRILL



Part No.: 26960

Rated Power Input	650w
No Load Speed	2600r/min
Max. Drilling Diameter	
Steel	10mm
Wood	25mm
Concrete	13mm



ID 850RF

IMPACT DRILL



Part No.: 26695

Rated Power Input	850w
No Load Speed	0-2800r/min
Max. Drilling Diameter	
Steel	13mm
Wood	18mm
Concrete	13mm



► **ROTARY HAMMER**

ID HDC02-20

ROTARY HAMMER



Part No.: 21738

Rated Power Input	500w
No Load Speed	850r/min
Max. Drilling Diameter	20mm



ID GBH7DE

ROTARY HAMMER



Part No.: 26558

Rated Power Input	1100w
No Load Speed	320r/min
Max. Drilling Diameter	38mm



ID HDC03-26

ROTARY HAMMER



Part No.: 26478

Rated Power Input	750w
No Load Speed	500r/min
Max. Drilling Diameter	26mm



ID HD2-24SE

ROTARY HAMMER



Part No.: 26732

Rated Power Input	620w
No Load Speed	870r/min
Max. Drilling Diameter	24mm



► **ROTARY HAMMER**

**ID HD2-26QC
ROTARY HAMMER**



Part No.: 26229

Rated Power Input	800w
No Load Speed	900r/min
Max. Drilling Diameter	26mm



**ID HD2-26SE
ROTARY HAMMER**



Part No.: 26733

Rated Power Input	800w
No Load Speed	900r/min
Max. Drilling Diameter	26mm



**ID HDC05-26B
ROTARY HAMMER**



Part No.: 20253

Rated Power Input	720w
No Load Speed	1200r/min
Max. Drilling Diameter	26mm



**ID HD2-28SE
ROTARY HAMMER**



Part No.: 27592

Rated Power Input	800w
No Load Speed	1100r/min
Max. Drilling Diameter	28mm



**ID HD2-32QC
ROTARY HAMMER**



Part No.: 27593

Rated Power Input	950w
No Load Speed	1300r/min
Max. Drilling Diameter	32mm



**ID RH38E
ROTARY HAMMER**



Part No.: 20279

Rated Power Input	800w
No Load Speed	400r/min
Max. Drilling Diameter	38mm



**ID GSH388
ROTARY HAMMER**



Part No.: 26694

Rated Power Input	1500w
No Load Speed	305r/min
Max. Drilling Diameter	45mm



► **ANGLE GRINDER**

**ID DW8-100
ANGLE GRINDER**



Part No.: 26809

Rated Power Input	850w
No Load Speed	13000r/min
Max. Wheel Diameter	100mm



**ID DW803HQ
ANGLE GRINDER**



Part No.: 26352

Rated Power Input	850w
No Load Speed	11000r/min
Max. Wheel Diameter	100mm



**ID AG801
ANGLE GRINDER**



Part No.: 20220

Rated Power Input	850w
No Load Speed	11000r/min
Max. Wheel Diameter	100mm



**ID AG801N
ANGLE GRINDER**



Part No.: 26724

Rated Power Input	850w
No Load Speed	11000r/min
Max. Wheel Diameter	100mm



► **ANGLE GRINDER**

ID AGB100 Part No.: 26958
ID AG6-100HQ Part No.: 21637
ID AG6-100 Part No.: 21635

ANGLE GRINDER



Rated Power Input	750w
No Load Speed	13000r/min
Max. Wheel Diameter	100mm

ID GWS6-100HQ Part No.: 27820
ID AG100HQ Part No.: 27819
ID AGH100 Part No.: 26726

ANGLE GRINDER



Rated Power Input	560w
No Load Speed	13000r/min
Max. Wheel Diameter	100mm

ID AGH10-100V

ANGLE GRINDER



Part No.: 21631

Rated Power Input	1020w
No Load Speed	13000r/min
Max. Wheel Diameter	100mm

ID PDM100

ANGLE GRINDER



Part No.: 21757

Rated Power Input	705w
No Load Speed	12000r/min
Max. Wheel Diameter	110mm

ID G10SS

ANGLE GRINDER



Part No.: 20246

Rated Power Input	650w
No Load Speed	11000r/min
Max. Wheel Diameter	110mm

ID AG812

ANGLE GRINDER



Part No.: 26725

Rated Power Input	850w
No Load Speed	11000r/min
Max. Wheel Diameter	115mm

ID AG812HQ

ANGLE GRINDER



Part No.: 27089

Rated Power Input	850w
No Load Speed	11000r/min
Max. Wheel Diameter	115mm

ID AG115DC

ANGLE GRINDER



Part No.: 26014

Rated Power Input	750w
No Load Speed	11800r/min
Max. Wheel Diameter	115mm

ID AG125HQ
ID AGH125B

ANGLE GRINDER



Part No.: 26549

Rated Power Input	1200w
No Load Speed	11800r/min
Max. Wheel Diameter	125mm

ID AG125NH

ANGLE GRINDER



Part No.: 27078

Rated Power Input	1200w
No Load Speed	11000r/min
Max. Wheel Diameter	125mm

ID AGH125

ANGLE GRINDER



Part No.: 21644

Rated Power Input	850w
No Load Speed	11800r/min
Max. Wheel Diameter	125mm

ID AGH180

ANGLE GRINDER



Part No.: 26550

Rated Power Input	2200w
No Load Speed	8300r/min
Max. Wheel Diameter	180mm

**ANGLE GRINDER
DIE GRINDER / STRAIGHT GRINDER
POWER CARVER**

Ideally Advanced, Always!

► **ANGLE GRINDER**

**ID AGH230
ANGLE GRINDER**



Part No.: 21645

Rated Power Input	2200w
No Load Speed	6600r/min
Max. Wheel Diameter	230mm



**ID GWS26-230H
ANGLE GRINDER**



Part No.: 26547

Rated Power Input	2200w
No Load Speed	6600r/min
Max. Wheel Diameter	230mm



**ID 24-230DC
ANGLE GRINDER**



Part No.: 21761

Rated Power Input	2200w
No Load Speed	6600r/min
Max. Wheel Diameter	230mm



► **DIE GRINDER**

**ID DG3
DIE GRINDER**



Part No.: 21681

Rated Power Input	105w
No Load Speed	30000r/min
Size Diameter	
G.W. Diameter	10mm
Collet Diameter	03mm



**ID DG6S
DIE GRINDER**



Part No.: 26484

Rated Power Input	240w
No Load Speed	26000r/min
Size Diameter	
G.W. Diameter	25mm
Collet Diameter	06mm



**ID DG02-6
DIE GRINDER**



Part No.: 26632

Rated Power Input	400w
No Load Speed	27000r/min
Size Diameter	
G.W. Diameter	25mm
Collet Diameter	03 & 06mm



**ID DG200
DIE GRINDER**



Part No.: 21680

Rated Power Input	180w
No Load Speed	0-35000r/min
Size Diameter	
G.W. Diameter	10mm
Collet Diameter	03mm



► **STRAIGHT GRINDER / POWER CARVER**

**ID GQ5HQ
STRAIGHT GRINDER**



Part No.: 27817

Rated Power Input	710w
No Load Speed	5300r/min
Size Diameter	
G.W. Diameter	125mm



**ID HDG6
POWER CARVER**



PEDAL OPERATED FLEXIBLE POWER CARVER Part No.: 20254

Rated Power Input	270w
No Load Speed	0-18000r/min
Chuck Capacity	0.3-4mm



► **MARBLE CUTTER**

ID MC4 Part No.: 20264
ID CM4HQ Part No.: 21604
ID CM4SM Part No.: 20227
ID SA03-110 Part No.: 26477

MARBLE CUTTER



Rated Power Input	1050w
No Load Speed	13300r/min
Max. Cutting Capacity	34mm
Blade Diameter	110/125mm



ID SB02-110 Part No.: 26570
ID MC04-110 Part No.: 20263
ID MC02-110HQ Part No.: 27958

MARBLE CUTTER



Rated Power Input	1240w
No Load Speed	13000r/min
Max. Cutting Capacity	34mm
Blade Diameter	110mm



ID SB02-110T
MARBLE CUTTER



Part No.: 26571

Rated Power Input	1240w
No Load Speed	13000r/min
Max. Cutting Capacity	30mm
Blade Diameter	110mm
Bevel Cutting Angle	0-45°



ID MT625
MARBLE CUTTER



Part No.: 26627

Rated Power Input	1300w
No Load Speed	12400r/min
Max. Cutting Capacity	38mm
Blade Diameter	110/125mm
Bevel Cutting Angle	0-45°



ID CM5SB
MARBLE CUTTER



Part No.: 20228

Rated Power Input	1480w
No Load Speed	14000r/min
Max. Cutting Capacity	38mm
Blade Diameter	110/125mm
Bevel Cutting Angle	0-45°



ID GDC121
MARBLE CUTTER



Part No.: 26378

Rated Power Input	1250w
No Load Speed	12000r/min
Max. Cutting Capacity	40mm
Blade Diameter	110/125mm



ID MC6 Part No.: 21748
ID CM6HQ Part No.: 26049
MARBLE CUTTER



Rated Power Input	1420w
No Load Speed	11000r/min
Max. Cutting Capacity	50mm
Blade Diameter	150mm



ID MCH180 Part No.: 26959
ID MC180HQ Part No.: 27821
MARBLE CUTTER



Rated Power Input	1520w
No Load Speed	5000r/min
Max. Cutting Capacity	50mm
Blade Diameter	180mm



► **MANUAL TILE CUTTER**

ID HTC24/36/48
TILE CUTTER



Part No.: 23290/91/92

Vitrified Tile Cutter	
ID HTC24	23290
ID HTC36	23291
ID HTC48	23292



**WALL CHASER / GROOVE CUTTER
SLAB CUTTER / DRILL STAND
GRINDER STAND / MINI BENCH DRILL**

Ideally Advanced, Always!

▶▶ WALL CHASER / GROOVE CUTTER

**ID GC135
WALL CHASER**



Part No.: 26224

Rated Power Input	3000w
No Load Speed	5000r/min
Max. Cutting Capacity	42X41mm
Blade Diameter	135mm



**ID WC135HQ
WALL CHASER**

NEW



Part No.: 28637

Rated Power Input	3600w
No Load Speed	5000r/min
Max. Cutting Capacity	42X41mm
Blade Diameter	135mm



**ID 2535
WALL CHASER**



Part No.: 21614

Rated Power Input	1100w
No Load Speed	1600r/min
Max. Cutting Capacity	35mm

High Quality Wall Chaser



**ID GC110
GROOVE CUTTER**



Part No.: 26559

Rated Power Input	1600w
No Load Speed	10800r/min
Max. Cutting Capacity	
Width	50mm
Depth	9mm



▶▶ SLAB CUTTER

**ID CM14YSB
SLAB CUTTER**



Part No.: 26347

Rated Power Input	2400w
No Load Speed	5000r/min
Max. Cutting Capacity	125mm
Blade Diameter	355mm
Bore Diameter	25.4mm



**ID CM14Y
SLAB CUTTER**



Part No.: 26771

Rated Power Input	4000w
No Load Speed	4800r/min
Max. Cutting Capacity	125mm
Blade Diameter	355mm
Bore Diameter	25.4mm



**ID CM4016Y
SLAB CUTTER**

NEW



Part No.: 28163

Rated Power Input	4600w
No Load Speed	4800r/min
Max. Cutting Capacity	125mm
Blade Diameter	405mm
Bore Diameter	25.4mm



▶▶ DRILL STAND / GRINDER STAND / MINI BENCH DRILL

**ID CDS13
DRILL STAND**



Part No.: 23335

Max. Drill Depth	60mm
Column Height	32x400mm
Clamp Diameter	44mm

**ID DS13H
DRILL STAND**



PRECISE DRILL STAND Part No.: 20354

Max. Drill Depth	60mm
Column Height	32x400mm
Clamp Diameter	44mm

**ID GS45C/GS7-9
GRINDER STAND**



Part No.: 23336-38

23336 - Stand For	4" & 5" Angle Grinder.
23338 - Steel, 23337 - Alu.	Stand For
	7" & 9" Angle Grinder.

**ID BDS13
MINI BENCH DRILL**



Part No.: 20224

Rated Power Input	1050w
	3-13mm
Max. Drilling Diameter	
Wood	35mm
Iron	13mm



► **CUT-OFF SAW**

**ID CO205(8")
CUT-OFF SAW**



Part No.: 26811

Rated Power Input	1200w
No Load Speed	3800r/min
Max. Wheel Diameter	205mm(8")
Mitre Cutting Angle	0-45°



**ID CO355HQ Part No.: 21678
ID DCO355 Part No.: 26552
CUT-OFF SAW**



Rated Power Input	2000w
No Load Speed	3800r/min
Max. Wheel Diameter	355mm(14")
Mitre Cutting Angle	0-45°



**ID 7614NB
CUT-OFF SAW**



Part No.: 26578

Rated Power Input	2300w
No Load Speed	3800r/min
Max. Wheel Diameter	355mm(14")
Mitre Cutting Angle	0-45°



**ID CO3000DH
CUT-OFF SAW**



Part No.: 28572

Rated Power Input	3300w
No Load Speed	3800r/min
Max. Wheel Diameter	355mm(14")
Mitre Cutting Angle	0-45°



► **MITRE SAW**

**ID MSM255
MITRE SAW**



Part No.: 26566

Rated Power Input	1650w
No Load Speed	4600r/min
Max. Wheel Diameter	255mm(10")
Mitre Cutting Angle	0-45°
Bevel Cutting Angle	0-45°



**ID LS1040
MITRE SAW**



Part No.: 20262

Rated Power Input	1650w
No Load Speed	5000r/min
Max. Wheel Diameter	255mm(10")
Mitre Cutting Angle	0-45°
Bevel Cutting Angle	0-45°



**ID LS1050D
MITRE SAW**



Part No.: 26432

Rated Power Input	1800w
No Load Speed	6000r/min
Max. Wheel Diameter	255mm(10")
Mitre Cutting Angle	0-45°
Bevel Cutting Angle	0-45°



**ID MS255[S]
MITRE SAW**



SLIDING MITRE SAW Part No.: 20267

Rated Power Input	1900w
No Load Speed	4500r/min
Max. Wheel Diameter	255mm(10")
Mitre Cutting Angle	0-45°
Bevel Cutting Angle	0-45°



**ID MS305
MITRE SAW**



**MITRE SAW
BIG SIZE BASE** Part No.: 20268

Rated Power Input	1800w
No Load Speed	5000r/min
Max. Wheel Diameter	305mm(12")
Mitre Cutting Angle	0-45°
Bevel Cutting Angle	0-45°



**ID MS355
MITRE SAW**



**MITRE SAW
BIG SIZE BASE** Part No.: 21751

Rated Power Input	2000w
No Load Speed	3500r/min
Max. Wheel Diameter	355mm(14")
Mitre Cutting Angle	0-45°
Bevel Cutting Angle	0-45°



► DEMOLITION HAMMER

ID 820THQ Part No.: 26579
ID DL810M Part No.: 26048
ID DL820T Part No.: 26884

DEMOLITION HAMMER



Rated Power Input	900w
Rated Impacting	2900./min
Weight	5kg



ID HM810S Part No.: 26491
ID HM810T Part No.: 26476

DEMOLITION HAMMER



Rated Power Input	1050w
Rated Impacting	2900./min
Weight	5kg



ID MX810T
DEMOLITION HAMMER



Part No.: 26031

Rated Power Input	1350w
Rated Impacting	3900./min
Weight	5kg



ID 0835T
DEMOLITION HAMMER



Part No.: 27583

Rated Power Input	2000w
Rated Impacting	3200./min
Weight	9.8kg



ID 0850T
DEMOLITION HAMMER



Part No.: 26011

Rated Power Input	1050w
Rated Impacting	3000./min
Weight	5kg



ID GDC11E
DEMOLITION HAMMER



Part No.: 26560

Rated Power Input	1500w
Rated Impacting	18900./min
Weight	11kg



ID GSH11E
DEMOLITION HAMMER



Part No.: 26095

Rated Power Input	1500w
Rated Impacting	2000./min
Weight	11kg



ID GBH11DE
DEMOLITION HAMMER



Part No.: 21718

Rated Power Input	1500w
Rated Impacting	1890./min
Weight	11kg



ID PH65M
DEMOLITION HAMMER



Part No.: 21759

Rated Power Input	1200w
Rated Impacting	1400./min
Rated Power Capacity	45J
Weight	16kg



ID PH65HC
DEMOLITION HAMMER



Part No.: 26350

Rated Power Input	1010w
Rated Impacting	1300./min
Rated Power Capacity	45J
Weight	16kg



ID PH65HD
DEMOLITION HAMMER



Part No.: 26535

Rated Power Input	1240w
Rated Impacting	1300./min
Rated Power Capacity	45J
Weight	16.0kg



ID GSH16-50
DEMOLITION HAMMER



Part No.: 26704

Rated Power Input	1700w
Rated Impacting	2900./min
Weight	16.5kg

Anti - Kick Back



►► **CORE DRILL**

**ID CDC110
CORE DRILL**



Part No.: 21662

Rated Power Input	1800w
No Load Speed	0-2000r/min
Max. Drilling Diameter	110mm



**ID CDC130H
CORE DRILL**



Part No.: 21663

Rated Power Input	1800w
No Load Speed	0-1200r/min
Max. Drilling Diameter	130mm



**ID CDC200S
CORE DRILL**



Part No.: 26483

Rated Power Input	3300w
No Load Speed	0-500r/min
Max. Drilling Diameter	200mm



**ID CC280
CORE DRILL**



Part No.: 20225

Rated Power Input	3750w
No Load Speed	0-4000r/min
Max. Drilling Diameter	280mm



►► **CONCRETE MIXER**

**ID CM210C
CONCRETE MIXER**



GEAR TYPE
CONCRETE MIXER

Part No.: 21675

Rated Power Input	850w
No Load Speed	0-2800r/min
Drum Capacity	180L
Drum Speed	28r/min



►► **AIR NAILER / ELECTRIC TACKER**

**ID ANF50
AIR NAILER**



Part No.: 27614

Rated Power Input	70-100PSI
	4.8-7.5Bar
Max. Pressure	120PSI
	8.3Bar
Weight	1.4kg
	3.0lb

**ID GT13
ELECTRIC TACKER**



Part No.: 23371

Rated Power Input	2000w
No Load Speed	20Pcs/min
Staple Spec.(Type 53)	L=8-16mm
Brad Nail Spec.(Type 53)	L=15-16mm



CONCRETE VIBRATOR VIBRATOR SHAFT

Ideally Advanced, Always!

► CONCRETE VIBRATOR / VIBRATOR SHAFT

ID VR860 CONCRETE VIBRATOR



Part No.: 20285

Rated Power Input	860w
No Load Speed	5000r/min
Dia. of Vibrating Shaft	35mm



ID VR900 CONCRETE VIBRATOR



Part No.: 20284

Rated Power Input	900w
No Load Speed	5000r/min
Dia. of Vibrating Shaft	35mm



ID VR1000 CONCRETE VIBRATOR



Part No.: 26032

Rated Power Input	1200w
No Load Speed	5000r/min
Dia. of Vibrating Shaft	35-60mm



ID VR1200 CONCRETE VIBRATOR



Part No.: 28748

Rated Power Input	1200w
No Load Speed	4000r/min
Dia. of Vibrating Shaft	35mm



ID VR1600 CONCRETE VIBRATOR

Part No.: 21678



Part No.: 21775

Rated Power Input	2000w
No Load Speed	4000r/min
Dia. of Vibrating Shaft	50mm



ID VR2250M CONCRETE VIBRATOR



Part No.: 26495

Rated Power Input	2250w
No Load Speed	4000r/min
Dia. of Vibrating Shaft	35-60mm

Can Be Use 3 Mtr Shaft

ID SHAFT VIBRATOR SHAFT



CONCRETE VIBRATOR SHAFT

ID FS1M	1Mx35MM	20344
ID FS1.5M	1.5Mx35MM	26382
ID FS2M	2Mx35MM	20345
ID FS3M	3Mx35MM	20346
ID FS4M	4Mx35MM	26829
ID FS450	4Mx40MM	23165
ID FS12M	12Mx50MM	23164



► **CIRCULAR SAW**

**ID C7SC
CIRCULAR SAW**



Part No.: 26731

Rated Power Input	1050w
No Load Speed	5000r/min
Max. Cutting Capacity	64mm
Max. Cutting Angle	45°



**ID WCS185
CIRCULAR SAW**



Part No.: 26482

Rated Power Input	1100w
No Load Speed	4900r/min
Max. Cutting Capacity	64mm
Max. Cutting Angle	45°



**ID WCS235
CIRCULAR SAW**



Part No.: 26481

Rated Power Input	1520w
No Load Speed	4100r/min
Max. Cutting Capacity	84mm
Max. Cutting Angle	45°



**ID WCS305
CIRCULAR SAW**



Part No.: 20289

Rated Power Input	2300w
No Load Speed	3700r/min
Max. Blade Diameter	305mm
Max. Cutting Capacity	84mm
Max. Cutting Angle	45°



**ID WCS350
CIRCULAR SAW**



Part No.: 27183

Rated Power Input	2400w
No Load Speed	3300r/min
Max. Blade Diameter	350mm
Max. Cutting Capacity	157mm
Max. Cutting Angle	45°



**ID N5900DC
CIRCULAR SAW**



Part No.: 27227

Rated Power Input	2000w
No Load Speed	4100r/min
Max. Blade Diameter	235mm
Max. Cutting Capacity	85
Max. Cutting Angle	45°



► **ELECTRIC MIXER**

**ID GPM800
ELECTRIC MIXER**



Part No.: 26023

Rated Power Input	800w
No Load Speed	550r/min
Stirring Paddle Diameter	160mm

(Plate Type Rod)



**ID EM160S
ELECTRIC MIXER**



Part No.: 26021

Rated Power Input	800w
No Load Speed	680r/min
Stirring Paddle Diameter	160mm

(Spiral Type Rod)



**ID EM160HQ
ID EM160P
ELECTRIC MIXER**



Part No.: 26020

Rated Power Input	800w
No Load Speed	680r/min
Stirring Paddle Diameter	160mm

(Plate Type Rod)



**ID EM180HQ
ELECTRIC MIXER**



Part No.: 26020

Rated Power Input	1450w
No Load Speed	780r/min
Stirring Paddle Diameter	160mm

(Spiral Type Rod)



WOOD ROUTER JIG SAW

Ideally Advanced, Always!

▶▶ WOOD ROUTER

ID WR8E WOOD ROUTER



Part No.: 21779

Rated Power Input	900w
No Load Speed	26000r/min
Collet Chuck Capacity	8mm



ID WR12E WOOD ROUTER



Part No.: 26572

Rated Power Input	1600w
No Load Speed	23000r/min
Collet Chuck Capacity	8-12.7mm



ID WR12HQ WOOD ROUTER



Part No.: 26536

Rated Power Input	1650w
No Load Speed	22000r/min
Collet Chuck Capacity	8-12.7mm



ID WR12G WOOD ROUTER



Part No.: 20291

Rated Power Input	1850w
No Load Speed	23000r/min
Collet Chuck Capacity	8-12.7mm



▶▶ WOOD ROUTER / JIG SAW

ID 3712SH WOOD ROUTER



Part No.: 26007

Rated Power Input	1650w
No Load Speed	22000r/min
Collet Chuck Capacity	8-12.7mm



ID GST80 JIG SAW

NEW



Part No.: 26024

Rated Power Input	580w
No Load Speed	0-3100r/min
Max. Cutting Capacity	
Steel	10mm
Wood	80mm
Bevel Cutting Angle	45°



▶▶ JIG SAW

ID JDC85 JIG SAW



Part No.: 26565

Rated Power Input	580w
No Load Speed	0-3100r/min
Max. Cutting Capacity	
Steel	10mm
Wood	85mm
Bevel Cutting Angle	45°



ID JS670C JIG SAW



Part No.: 20219

Rated Power Input	580w
No Load Speed	0-3100r/min
Max. Cutting Capacity	
Steel	10mm
Wood	70mm
Bevel Cutting Angle	45°



► **ELECTRIC PLANER**

ID EP82X1 Part No.: 27182

ID EP82X2 Part No.: 26557

ELECTRIC PLANER



Rated Power Input	500w
No Load Speed	0-16000r/min
Max. Planing Width	82mm
Max. Planing Depth	1mm



ID GH082-2

ELECTRIC PLANER



Part No.: 27075

Rated Power Input	560w
No Load Speed	0-16000r/min
Max. Planing Width	82mm
Max. Planing Depth	1mm



ID EP82HD

ELECTRIC PLANER



Part No.: 21706

Rated Power Input	700w
No Load Speed	0-16000r/min
Max. Planing Width	82mm
Max. Planing Depth	1mm



ID EP90M

ELECTRIC PLANER



Part No.: 21707

Rated Power Input	850w
No Load Speed	0-16000r/min
Max. Planing Width	90mm
Max. Planing Depth	2mm



ID EP110X2

ELECTRIC PLANER



Part No.: 26556

Rated Power Input	840w
No Load Speed	0-16500r/min
Max. Planing Width	110mm
Max. Planing Depth	2mm



► **WOOD TRIMMER / RECIPROCATING SAW**

ID WTM6

WOOD TRIMMER



Part No.: 26355

Rated Power Input	350w
No Load Speed	0-3000r/min
Collet Chuck Capacity	6/6.35mm



ID GWT6

WOOD TRIMMER



Part No.: 26480

Rated Power Input	550w
No Load Speed	0-3000r/min
Collet Chuck Capacity	6/6.5mm



ID RS30

RECIPROCATING SAW



Part No.: 26197

Rated Power Input	500w
No Load Speed	0-2300r/min
Length of Strokes	30mm
Max. Cutting Capacity	90mm



**ELECTRIC CHAIN SAW
GASOLINE CHAIN SAW
CHAIN SAW CHAIN / GUIDE BAR**

Ideally Advanced, Always!

► **ELECTRIC CHAIN SAW**

**ID ES505
ELECTRIC CHAIN SAW**



Part No.: 27842

Rated Power Input	2200w
No Load Speed	0-4000r/min
Guide Bar Length	555mm
Can Be Use	18"/22"

With Change The Bar & Chain

**ID ES605N
ELECTRIC CHAIN SAW**



Part No.: 28085

Rated Power Input	2400w
No Load Speed	0-4000r/min
Guide Bar Length	405mm
Can Be Use	18"/22"

With Change The Bar & Chain



► **GASOLINE CHAIN SAW**

**ID 5818
ID 5822
GASOLINE CHAIN SAW**



Part No.: 21619

Part No.: 21620

Rated Power Input	3.5kw
No Load Speed	0-11000r/min
Guide Bar Length	505/555mm
Rated Power Capacity	58cc

Guide Bar : 18" & 22"(Optional)

**ID 6218
ID 6222
GASOLINE CHAIN SAW**



Part No.: 21621

Part No.: 21622

Rated Power Input	3.5kw
No Load Speed	0-11000r/min
Guide Bar Length	505/555mm
Rated Power Capacity	62cc

Guide Bar : 18" & 22"(Optional)

**ID 58HQ-18
ID 58HQ-22
GASOLINE CHAIN SAW**



Part No.: 28301

Part No.: 21624

Rated Power Input	3.5kw
No Load Speed	0-11000r/min
Guide Bar Length	505/555mm
Rated Power Capacity	58cc

Guide Bar : 18" & 22"(Optional)

**ID 62HQ
GASOLINE CHAIN SAW**



Part No.: 27234

Rated Power Input	2.6w
No Load Speed	0-3000r/min
Guide Bar Length	560mm
Rated Power Capacity	62cc

Guide Bar : 18" & 22"(Optional)

► **GASOLINE CHAIN SAW / SAW CHAIN / GUIDE BAR**

**IDGCS45HQ
GASOLINE CHAIN SAW**

NEW



Part No.: 28223

Rated Power Input	2.6w
No Load Speed	0-3000r/min
Guide Bar Length	560mm
Rated Power Capacity	62cc

Guide Bar : 18" & 22"(Optional)



**ID SAW CHAIN
CHAIN SAW CHAIN**



16" 18" 22"
Ideal Professional
Ideal Plus
Ideal Platinum

**ID GUIDE BAR
SAW GUIDE BAR**



CHAINSAW GUIDE BAR

GUIDE BAR FOR CHAIN SAW
SIZE: 16", 18", 22"

Ideally Advanced, Always!

**BRUSH CUTTER
AUGER DRILL MACHINE / HEDGE TRIMMER
/ POWER TILLER
GASOLINE WATER PUMP**

►► BRUSH CUTTER

**ID BC582S
BRUSH CUTTER**

NEW



(BAG PACK)
BRUSH CUTTER

Part No.: 28303

Engine Capacity	35cc
Fuel Tank Capacity	1L
Stroke	2



**ID BC584S
BRUSH CUTTER**

NEW



(BAG PACK)
BRUSH CUTTER

Part No.: 26826

Engine Capacity	35cc
Fuel Tank Capacity	1L
Stroke	4



►► AUGER DRILL MACHINE / HEDGE TRIMMER / POWER TILLER

**ID AD600
AUGER DRILL MACHINE**

NEW



Part No.: 21602

Rated Power Input	1700w
Engine Capacity	52cc
Fuel Ratio	1:25

Auger Drill Bit Size Available
100mm, 150mm, 200mm,
250mm, 300mm



**ID EA1520
AUGER DRILL MACHINE**

NEW



Part No.: 28304

Rated Power Input	1700w
Engine Capacity	52cc
Fuel Ratio	1:25

Auger Drill Bit Size Available
100mm, 150mm, 200mm,
250mm, 300mm



**ID HT400
HEDGE TRIMMER**



Part No.: 21605

Rated Power Input	0.7w
No Load Speed	7500r/min
Engine Capacity	22.5cc
Width of Cut	600mm
Blade Type	Double-edge Tooth



**ID PT24
POWER TILLER**



GASOLINE
POWER TILLER

Part No.: 21607

Rated Power Input	0.7w
No Load Speed	7500r/min
Engine Capacity	22.5cc
Width of Cut	600mm
Blade Type	Double-edge Tooth



►► GASOLINE WATER PUMP

**ID PW38
WATER PUMP**



GASOLINE WATER PUMP

Part No.: 26326

Max. Output of Engine	7.5HP
Inlet / Outlet Size	38mm(1-1.5")
Rated Self-Suction	5m(Max. 8m)
Engine Model	170F
Rated Pump Lift	22m



**ID PW50
WATER PUMP**



GASOLINE WATER PUMP

Part No.: 26325

Max. Output of Engine	7.5HP
Inlet / Outlet Size	50mm(2")
Rated Self-Suction	5m(Max. 8m)
Engine Model	170F
Rated Pump Lift	26m



**ID PW80
WATER PUMP**



GASOLINE WATER PUMP

Part No.: 26327

Max. Output of Engine	7.5HP
Inlet / Outlet Size	80(3")
Rated Self-Suction	5m(Max. 8m)
Engine Model	170F
Rated Pump Lift	29m



**ID PW100
WATER PUMP**



GASOLINE WATER PUMP

Part No.: 27148

Max. Output of Engine	7.5HP
Inlet / Outlet Size	100mm(4")
Rated Self-Suction	5m(Max. 8m)
Engine Model	170F
Rated Pump Lift	35m



**PETROL GENERATOR
WELDING GENERATOR
GASOLINE ENGINE**

Ideally Advanced, Always!

▶▶ PETROL GENERATOR

**ID PG1500S
PETROL GENERATOR**



Part No.: 26318

AC Rated Power	0.9kw
Phase	1.0kw
Rated Welding Current	SINGLE
Engine Model	154FAE
Starting Type	Self-Starter With Battery



**ID PG3600
ID PG3605S
PETROL GENERATOR**

Part No.: 26349

Part No.: 26319



Rated Power	2.8kw
Max. Power	3.0kw
Phase	SINGLE
Engine Model	170FE
Starting Type	Self-Starter With Battery



**ID PG6500S
PETROL GENERATOR**



Part No.: 26320

Rated Power	5.0kw
Max. Power	5.5kw
Phase	SINGLE
Engine Model	188FE
Starting Type	Self-Starter With Battery



**ID PG9500S
PETROL GENERATOR**



Part No.: 26321

AC Rated Power	7.0kw
Phase	7.5kw
Rated Welding Current	SINGLE
Engine Model	192FE
Starting Type	Self-Starter With Battery



▶▶ WELDING GENERATOR

**ID PG200A
WELDING GENERATOR**



Part No.: 26322

AC Rated Power	5.0kw
Phase	SINGLE
Rated Welding Current	200
Engine Model	192FE
Starting Type	Self-Starter With Battery



▶▶ GASOLINE ENGINE

**ID PEW170
GASOLINE ENGINE**



Part No.: 27594

Max. Power	7.0HP
Engine Capacity	212CC
Compression Ratio	8.2:1
Oil Capacity	0.6L
Fuel Tank Capacity	3.6L



Ideally Advanced, Always!

**ROTARY SANDER/ BELT SANDER / DISC POLISHER
/ ELECTRIC SANDER POLISHER
ORBITAL SANDER / FLAT SANDER**

▶▶ ROTARY SANDER/ BELT SANDER / DISC POLISHER / ELECTRIC SANDER POLISHER

**ID GEX150H
ROTARY SANDER**



Part No.: 21726

Rated Power Input	430w
No Load Speed	13000r/min
Max. Disc Diameter	150mm



**ID PEX125
ROTARY SANDER**



Part No.: 26310

Rated Power Input	300w
No Load Speed	12000r/min
Max. Disc Diameter	125mm



**ID DSP180
SANDER POLISHER**



ELECTRIC SANDER POLISHER Part No.: 26553

Rated Power Input	750w
No Load Speed	3200r/min
Max. Disc Diameter	180mm



**ID DSP03-180
SANDER POLISHER**



ELECTRIC SANDER POLISHER Part No.: 21683

Rated Power Input	1020w
No Load Speed	3600r/min
Max. Disc Diameter	180mm



ID SP180FC Part No.: 21767
ID SP18C Part No.: 27581
SANDER POLISHER



ELECTRIC SANDER POLISHER

Rated Power Input	1200w
No Load Speed	2300r/min
Max. Disc Diameter	180mm



**ID GPS100
SANDER POLISHER**



Part No.: 26479

ELECTRIC SANDER POLISHER

Rated Power Input	1400w
No Load Speed	3800r/min
Max. Disc Diameter	120x100mm



▶▶ ORBITAL SANDER / FLAT SANDER

**ID OS100
ORBITAL SANDER**



Part No.: 26567

Rated Power Input	150w
No Load Speed	12000r/min
Pad Size	100x110mm



**ID OS185
ORBITAL SANDER**



Part No.: 26568

Rated Power Input	180w
No Load Speed	10000r/min
Pad Size	93x185mm



**ID OS234
FLAT SANDER**



Part No.: 26569

Rated Power Input	520w
No Load Speed	10000r/min
Pad Size	114x234mm



**ID FS210AC
FLAT SANDER**



Part No.: 21716

Rated Power Input	200w
No Load Speed	7200r/min
Pad Size	110x210mm

Induction Motor Type



**AIR BLOWER
HEAT GUN / CHAIN SHARPENER
VACUUM CLEANER**

Ideally Advanced, Always!

► AIR BLOWER / HEAT GUN / CHAIN SHARPENER

**ID BL1100
AIR BLOWER**



Part No.: 26569

Rated Power Input	500w
No Load Speed	0-13000r/min
Air Circulation	2.3m³/min



**ID GBL32
AIR BLOWER**



Part No.: 21722

Rated Power Input	680w
No Load Speed	0-16300r/min
Air Circulation	3.2m³/min



**ID EBC40V
AIR BLOWER**



Part No.: 21688

Rated Power Input	550w
No Load Speed	0-13000r/min
Air Circulation	2.3m³/min



**ID GBL16V C
AIR BLOWER**



Part No.: 21720

Rated Power Input	840w
No Load Speed	0-15000r/min
Air Circulation	2.8m³/min



**ID GBL38SA
AIR BLOWER**

NEW



Part No.: 27074

Rated Power Input	850w
No Load Speed	0-16000r/min
Air Circulation	2.8m³/min



**ID HG2000
HEAT GUN**



Part No.: 26562

Rated Power Input	2000w
Temp. Low	50-480°C
Temp. High	50-600°C
Air Flow(Low Temp.)	210-250l/min
Air Flow(High Temp.)	340-380l/min



**ID HAG2200
HEAT GUN**



Part No.: 21734

Rated Power Input	2000w
Temp. Low	50-480°C
Temp. High	50-600°C
Air Flow(Low Temp.)	210-250l/min
Air Flow(High Temp.)	340-380l/min



**ID CS100
CHAIN SHARPENER**



Part No.: 27932

Rated Power Input	180w
No Load Speed	6300r/min
Max. Disc Diameter	100mm



► VACUUM CLEANER

ID HVC15 Part No.: 26580
ID HVC20 Part No.: 26581
ID HVC30 Part No.: 26582

VACUUM CLEANER



Part No.: 26582

Rated Power Input	1200w
Capacity	15l-20l-30l
Cooling System	Recycle
Max.Vacuum Pressure	18 kpa
430 Stainless Steel Tank with Hepa Filter	



**ID HVC50
VACUUM CLEANER**



Part No.: 26583

Rated Power Input	1200w
Capacity	50l
Cooling System	Recycle
Max.Vacuum Pressure	18 kpa
430 Stainless Steel Tank with Hepa Filter	



**ID HVC80
VACUUM CLEANER**



Part No.: 27527

Rated Power Input	3600w
Barrel Size	80L
Cooling System	Recycle
Max.Vacuum Pressure	21.5 kpa
430 Stainless Steel Tank with Hepa Filter	



► **CORDLESS DRILL**

**ID CL12V
CORDLESS DRILL(LI-ION)**



Part No.: 20226

Max. Torque	17Nm
No Load Speed	0-600r/min
Max. Drill Capacity Dia.	0.8-10mm
Rechargeable Battery	12v
(Li-ion)	
Charge Time	60min
Battery Capacity	1.3Ah



**ID ED-CL12V
CORDLESS DRILL**



Part No.: 26584

Max. Torque	17Nm
No Load Speed	0-600r/min
Max. Drill Capacity Dia.	0.8-10mm
Rechargeable Battery	12v
(Li-ion)	
Charge Time	60min
Battery Capacity	1.3Ah



**ID CL14.4V
CORDLESS DRILL(LI-ION)**



Part No.: 21671

Max. Torque	19Nm
No Load Speed	0-700r/min
Max. Drill Capacity Dia.	0.8-10mm
Rechargeable Battery	14.4v
(Li-ion)	
Charge Time	60min
Battery Capacity	1.3Ah



**ID ED-CL14.4V
CORDLESS DRILL**



Part No.: 27388

Max. Torque	19Nm
No Load Speed	0-700r/min
Max. Drill Capacity Dia.	0.8-10mm
Rechargeable Battery	14.4v
(Li-ion)	
Charge Time	60min
Battery Capacity	1.3Ah



**ID ED-CL18V
CORDLESS DRILL**



Part No.: 27389

Max. Torque	19Nm
No Load Speed	0-700r/min
Max. Drill Capacity Dia.	0.8-10mm
Rechargeable Battery	18v
(Li-ion)	
Charge Time	60min
Battery Capacity	1.5Ah



**ID CL18V
CORDLESS DRILL**



Part No.: 21672

Max. Torque	19Nm
No Load Speed	0-700r/min
Max. Drill Capacity Dia.	0.8-10mm
Rechargeable Battery	18v
(Li-ion)	
Charge Time	60min
Battery Capacity	1.5Ah



**ID CL36
CORDLESS DRILL(LI-ION)**



Part No.: 21667

Max. Torque	5Nm
No Load Speed	0-200r/min
Max. Drill Capacity Dia.	6mm
Rechargeable Battery	3.6v
(Li-ion)	
Charge Time	180-300min
Battery Capacity	1.3Ah



**ID KCS615
CORDLESS DRILL(LI-ION)**



Part No.: 21745

Max. Torque	5Nm
No Load Speed	0-180r/min
Max. Drill Capacity Dia.	6mm
Rechargeable Battery	3.6v
(Li-ion)	
Charge Time	180-300min
Battery Capacity	1.3Ah



► **MAGNETIC DRILL**

**ID EMD16
MAGNETIC DRILL**



Part No.: 20242

Rated Power Input	900w
No Load Speed	450r/min
Max. Drilling Diameter	16mm
Magnetism	11500w
Connector	MT 2 Shank



**ID EMD30
MAGNETIC DRILL**



Part No.: 26354

Rated Power Input	900w
No Load Speed	450r/min
Max. Drilling Diameter	30mm
Magnetism	11500w
Connector	Straight Shank



**ID MD50HQ
MAGNETIC DRILL**



Part No.: 26956

Rated Power Input	1600w
No Load Speed	450r/min
Max. Drilling Diameter	50mm
Magnetism	15000w
Connector	MT 2 Shank
Twist Drill Bit	23mm
Core Drill Bit	50mm



► **BENCH GRINDER**

**ID BG150
BENCH GRINDER**



Part No.: 21652

Rated Power Input	150w
No Load Speed	2950r/min
Max. G.W. Diameter	150mm

**ID BG200
BENCH GRINDER**



Part No.: 21653

Rated Power Input	550w
No Load Speed	2950r/min
Max. G.W. Diameter	200mm

**ID HBG6DC
BENCH GRINDER**



Part No.: 26475

Rated Power Input	250w
No Load Speed	2950r/min
Max. G.W. Diameter	150mm

**ID HBG8DC
BENCH GRINDER**



Part No.: 21736

Rated Power Input	250w
No Load Speed	2950r/min
Max. G.W. Diameter	200mm


**ID HBG10DC
BENCH GRINDER**



Part No.: 26027

Rated Power Input	150w
No Load Speed	2950r/min
Max. G.W. Diameter	150mm

(3 PHASE MOTOR)



► **SHEAR MACHINE / ELECTRIC NIBBLER**

**ID ESH2.5
SHEAR MACHINE**



Part No.: 26541

Rated Power Input	620w
No Load Strokes	0-1600./min
Max. Cutting Diameter	
Steel	3.2mm
Aluminium	4.0mm

**ID NIB32
ELECTRIC NIBBLER**



Part No.: 20273

Rated Power Input	620w
No Load Strokes	0-1300./min
Max. Cutting Diameter	
Steel	3.2mm
Wood	2.5mm



► **PRESSURE WASHER**

**ID SR110CL
PRESSURE WASHER**



**CORDLESS
PRESSURE WASHER** Part No.: 27833

Rated Power Input	2950w
Max. Working Pressure	110bar
Battery Specification	
Power	24V
Capacity	4000mAH



**ID PW180
PRESSURE WASHER**



Part No.: 27457

Rated Power Input	2200w
Max. Working Pressure	180bar
Flow	390lh



**ID SR185
PRESSURE WASHER**



Part No.: 27933

Rated Power Input	1500w
Max. Working Pressure	185bar
Flow	420lh



**ID SR195
PRESSURE WASHER**



Part No.: 21769

Rated Power Input	1500w
Max. Working Pressure	195bar
Flow	390lh



**ID SR210
PRESSURE WASHER**



Part No.: 20283

Rated Power Input	2200w
Max. Working Pressure	210bar
Flow	480lh



**ID SR220
PRESSURE WASHER**



Part No.: 27458

Rated Power Input	1200w
Max. Working Pressure	220bar
Flow	330lh



**ID SR230
PRESSURE WASHER**



Part No.: 27965

Rated Power Input	1500w
Max. Working Pressure	230Bar
Flow	390lh



**ID SR250
PRESSURE WASHER**



Part No.: 21770

Rated Power Input	2800w
Max. Working Pressure	250bar
Flow	520lh



**ID SR255
PRESSURE WASHER**



Part No.: 26846

Rated Power Input	2200w
Max. Working Pressure	255bar
Flow	720lh



**ID SR280
PRESSURE WASHER**



Part No.: 27966

Rated Power Input	1300w
Max. Working Pressure	280bar
Flow	600lh



**ID SR310
PRESSURE WASHER**



Part No.: 21771

Rated Power Input	3500w
Max. Working Pressure	310bar
Flow	610lh



**IMPACT WRENCH
DRILL & SCREW DRIVER
IMPACT SCREW DRIVER**

Ideally Advanced, Always!

►► IMPACT WRENCH

**ID EW12
IMPACT WRENCH**



Part No.: 26380

Rated Power Input	300w
No Load Speed	1800r/min
Impact	2000im/min
Bolt Size	M8-M12
Square Driver	12.7x12.7mm
Max. Torque	188Nm



**ID EW20
IMPACT WRENCH**



Part No.: 26961

Rated Power Input	340w
No Load Speed	1700r/min
Impact	2000im/min
Bolt Size	M12-M20
Square Driver	12.7x12.7mm
Max. Torque	294Nm



**ID EW22
IMPACT WRENCH**



Part No.: 21713

Rated Power Input	620w
No Load Speed	1700r/min
Impact	1600im/min
Bolt Size	M16-M32
Square Driver	19x19mm
Max. Torque	588Nm



►► DRILL & SCREW DRIVER

**ID SD8-10
DRILL & SCREW DRIVER**



Part No.: 21763

Rated Power Input	250w
No Load Speed	0-850r/min
Max. Drilling Diameter	
Steel	10mm
Wood	20mm



**ID EDS10
DRILL & SCREW DRIVER**



Part No.: 21701

Rated Power Input	250w
No Load Speed	0-800r/min
Max. Drilling Diameter	10mm



**ID EDS10N
DRILL & SCREW DRIVER**



Part No.: 20237

Rated Power Input	700w
No Load Speed	0-750r/min
Max. Drilling Diameter	10mm



**ID 101D
DRILL & SCREW DRIVER**



Part No.: 21608

Rated Power Input	230w
No Load Speed	0-3600r/min
Max. Drilling Diameter	6mm



►► IMPACT SCREW DRIVER

**ID ISD6
IMPACT SCREW DRIVER**

NEW



Part No.: 20259

Rated Power Input	710w
No Load Speed	4300r/min
Self Drilling Screw	6mm
Drywall Screw	5mm



► AIR DIE GRINDER / AIR ORBITAL SANDER

**ID ADG66
AIR DIE GRINDER**



MINI AIR
AIR DIE GRINDER

Part No.: 20405

Air Cons.	4CFM@90PSI
No Load Speed	25000r/min
Air Inlet Diameter	1/4Inch

**ID ADG88
AIR DIE GRINDER**



Part No.: 20406

Air Cons.	7CFM@90PSI
No Load Speed	22000r/min
Air Inlet Diameter	1/4Inch

**ID AOS55
AIR ORBITAL SANDER**



Part No.: 20407

Air Cons.	3CFM@90PSI
No Load Speed	10500r/min
Air Inlet Diameter	1/4Inch
Pad Size	5"(127mm)

**ID AOS66
AIR ORBITAL SANDER**



Part No.: 26853

Air Cons.	3CFM@90PSI
No Load Speed	10500r/min
Air Inlet Diameter	1/4Inch
Pad Size	6"(150mm)

► AIR IMPACT WRENCH

**ID AW110
AIR IMPACT WRENCH**



Part No.: 20409

Air Cons.	4CFM@90PSI
No Load Speed	10000r/min
Air Inlet Dia.	1/4Inch
Max. Torque	102 Nm
Square Drive	10mm

**ID AW313
AIR IMPACT WRENCH**



Part No.: 20412

Air Cons.	5CFM@90PSI
No Load Speed	7000r/min
Air Inlet Dia.	1/4Inch
Max. Torque	312 Nm
Square Drive	14mm

**ID AW17K
AIR IMPACT WRENCH**



AIR
IMPACT WRENCH KIT

Part No.: 20410

Air Cons.	5CFM@90PSI
No Load Speed	7000r/min
Air Inlet Dia.	1/4Inch
Max. Torque	312 Nm
Square Drive	14mm

**ID AW222
AIR IMPACT WRENCH**



Part No.: 20411

Air Cons.	8CFM@90PSI
No Load Speed	4800r/min
Air Inlet Dia.	1/4Inch
Max. Torque	500 Nm
Square Drive	19mm

► AIR RATCHET WRENCH / AIR ANGLE GRINDER / AIR DRILL / AIR IMPACT WRENCH

**ID AR1013
AIR RATCHET WRENCH**



Part No.: 20408

Air Cons.	5CFM@90PSI
No Load Speed	150r/min
Air Inlet Dia.	1/4Inch
Max. Torque	61 Nm

**ID AIG100
AIR ANGLE GRINDER**



Part No.: 26855

Air Cons.	6CFM@90PSI
No Load Speed	10000r/min
Air Inlet Dia.	1/4Inch

**ID AD10
AIR DRILL**



Part No.: 26854

Air Cons.	5CFM@90PSI
No Load Speed	1800r/min
Air Inlet Dia.	1/4Inch

**ID AW425
AIR IMPACT WRENCH**



Part No.: 20413

Air Cons.	15CFM@90PSI
No Load Speed	4200r/min
Air Inlet Dia.	1/2Inch
Max. Torque	2180 Nm
Square Drive	50mm

► **AIR COMPRESSOR**

**ID AC10
AIR COMPRESSOR**



Part No.: 17388

Rated Power Input	1HP
No Load Speed	2800r/min
Air Pressure	125l/min
Working Pressure	8bar
Volume of Gas Tank	10L
Cylinder Diameter	42mm



**ID AC20
AIR COMPRESSOR**



Part No.: 20392

Rated Power Input	1HP
No Load Speed	2800r/min
Air Pressure	125l/min
Working Pressure	8bar
Volume of Gas Tank	20L
Cylinder Diameter	42mm



**ID AC30
AIR COMPRESSOR**



Part No.: 20393

Rated Power Input	2.5HP
No Load Speed	2800r/min
Air Pressure	147l/min
Working Pressure	8bar
Volume of Gas Tank	30L
Cylinder Diameter	42mm



**ID AC50
AIR COMPRESSOR**



Part No.: 27801

Rated Power Input	3HP
No Load Speed	2800r/min
Air Pressure	185l/min
Working Pressure	8bar
Volume of Gas Tank	50L
Cylinder Diameter	47mm



**ID ACV35
AIR COMPRESSOR**



Part No.: 20396

Rated Power Input	1HP
No Load Speed	1380r/min
Air Pressure	135l/min
Working Pressure	8bar
Volume of Gas Tank	35L
Cylinder Diameter	63.7mm x 2



**ID ACV50
AIR COMPRESSOR**



Part No.: 20397

Rated Power Input	1HP
No Load Speed	1380r/min
Air Pressure	135l/min
Working Pressure	8bar
Volume of Gas Tank	50L
Cylinder Diameter	63.7mm x 2



**ID ACS30HQ
AIR COMPRESSOR**



Part No.: 26282

Rated Power Input	1HP
No Load Speed	1380r/min
Air Pressure	135l/min
Working Pressure	8bar
Volume of Gas Tank	30L
Cylinder Diameter	63.7mm x 2



**ID ACS50HQ
AIR COMPRESSOR**



Part No.: 27782

Rated Power Input	1HP
No Load Speed	1380r/min
Air Pressure	135l/min
Working Pressure	8bar
Volume of Gas Tank	50L
Cylinder Diameter	63.7mm x 2



**ID ACS50DM
AIR COMPRESSOR**



Part No.: 20395

Rated Power Input	2HP
No Load Speed	1380r/min
Air Pressure	270l/min
Working Pressure	8bar
Volume of Gas Tank	50L
Cylinder Diameter	63.7mm x 4



**ID ACB40-1
AIR COMPRESSOR**



Part No.: 27813

Rated Power Input	1HP
No Load Speed	1150r/min
Air Pressure	40l/min
Working Pressure	8bar
Volume of Gas Tank	40L
Cylinder Diameter	51mm x 1



**ID ACB85-1
AIR COMPRESSOR**



Part No.: 27812

Rated Power Input	1HP
No Load Speed	1150r/min
Air Pressure	40l/min
Working Pressure	8bar
Volume of Gas Tank	85L
Cylinder Diameter	51mm x 1



**ID ACB100-2
AIR COMPRESSOR**



Part No.: 27807

Rated Power Input	2HP
No Load Speed	1020r/min
Air Pressure	170l/min
Working Pressure	8bar
Volume of Gas Tank	100L
Cylinder Diameter	51mm x 1



► **AIR COMPRESSOR**

**ID ACB150-2
AIR COMPRESSOR**



Part No.: 27806

Rated Power Input	2HP
No Load Speed	1020r/min
Air Pressure	170l/min
Working Pressure	8bar
Volume of Gas Tank	150L
Cylinder Diameter	51mm x 2



**ID ACB150-3
AIR COMPRESSOR**



Part No.: 27804

Rated Power Input	3HP
No Load Speed	1020r/min
Air Pressure	250l/min
Working Pressure	8bar
Volume of Gas Tank	150L
Cylinder Diameter	65mm x 2



**ID ACB150-5
AIR COMPRESSOR**



Part No.: 27808

Rated Power Input	5.5HP
No Load Speed	850r/min
Air Pressure	600l/min
Working Pressure	8bar
Volume of Gas Tank	150L
Cylinder Diameter	90mm x 2



**ID ACB200-3
AIR COMPRESSOR**



Part No.: 27805

Rated Power Input	3HP
No Load Speed	1020r/min
Air Pressure	250l/min
Working Pressure	8bar
Volume of Gas Tank	200L
Cylinder Diameter	65mm x 2



**ID ACB200-5
AIR COMPRESSOR**



Part No.: 27809

Rated Power Input	5.5HP
No Load Speed	850r/min
Air Pressure	600l/min
Working Pressure	8bar
Volume of Gas Tank	200L
Cylinder Diameter	90mm x 2



**ID ACB200-10
AIR COMPRESSOR**



Part No.: 27810

Rated Power Input	10HP
No Load Speed	950r/min
Air Pressure	900l/min
Working Pressure	8bar
Volume of Gas Tank	200L
Cylinder Diameter	90mm x 3



**ID ACB300-10
AIR COMPRESSOR**




Part No.: 27811

Rated Power Input	10HP
No Load Speed	950r/min
Air Pressure	900l/min
Working Pressure	8bar
Volume of Gas Tank	300L
Cylinder Diameter	90mm x 3



**ID ACBH
COMPRESSOR HEAD**



1) ID ACBH-1	27203
2) ID ACBH-2	27204
3) ID ACBH-3	27205
4) ID ACBH-5	27206
5) ID ACBH-10	27803



**DRYWALL SANDER / PEN GUN
 SPRAY GUN / FOAM SPRAY GUN
 CEMENT SPRAY GUN / HANDY PAINT ROLLER**

Ideally Advanced, Always!

►► DRYWALL SANDER / PEN GUN

**ID DWS180
 DRYWALL SANDER**



Part No.: 27840

Rated Power Input	950w
No Load Speed	0-2600r/min
Max. Paper Diameter	180mm
Max. Pad Diameter	175mm



**ID DWS225
 DRYWALL SANDER**



Part No.: 27915

Rated Power Input	710w
No Load Speed	0-1850r/min
Max. Disc Diameter	225mm



**ID PEN GUN
 PEN GUN**



Part No.: 22554

Ideal Pen Gun	
A-130	

►► SPRAY GUN / FOAM SPRAY GUN

**ID 827
 SPRAY GUN**



Part No.: 23308

H.V.L.P	1-PINT

**ID 990P
 SPRAY GUN**



Part No.: 23309

H.V.L.P	1-PINT

**ID IFG1000
 FOAM SPRAY GUN**



Part No.: 20351

Working Pressure	5-8 Bar
Inter Size Dia.	1/4"

**ID IFG1200
 FOAM SPRAY GUN**



Part No.: 20352

Working Pressure	5-8 Bar
Inter Size Dia.	1/4"

►► FOAM SPRAY GUN / CEMENT SPRAY GUN / HANDY PAINT ROLLER

**ID IFG500
 FOAM SPRAY GUN**



Part No.: 26328

Working Pressure	5-8 Bar
Inter Size Dia.	1/4"

**ID CG5L
 CEMENT SPRAY GUN**



Part No.: 21666

Capacity	5 L
Can Be Use With Any Air Compressor	

**ID PR700
 HANDY PAINT ROLLER**



Part No.: 22536

Paint Finish Type	All Paint Finishes Rapid Hand Paint Roller
Suitable Surface	Smooth, Semi-Smooth, Semi-Rough, Extra Smooth
Suitable Paint	All Paints



Ideally Advanced, Always!

**ELECTRIC SPRAY GUN
AIRLESS SPRAY UNIT / MANUAL SPRAYER
BATTERY SPRAYER / GREASE DISPENSER**

►► ELECTRIC SPRAY GUN

**ID SG300E
ELECTRIC SPRAY GUN**



Part No.: 23310

Rated Power Input	800w
Nozzle Size	0.8mm
Max. Viscosity	0.1-0.2bar
Flow Rate	250ml/min
Container Cap.	800ml



**ID SG400E
ELECTRIC SPRAY GUN**



Part No.: 23311

Rated Power Input	400w
Nozzle Size	2.5mm
Max. Viscosity	0.1-0.2bar
Flow Rate	700ml/min
Container Cap.	800ml




**ID SG500E
ELECTRIC SPRAY GUN**



Part No.: 23312

Rated Power Input	500w
Nozzle Size	2.5mm
Max. Viscosity	0.1-0.2bar
Flow Rate	800ml/min
Container Cap.	700ml
Hose Length	2m



►► AIRLESS SPRAY UNIT / MANUAL SPRAYER / BATTERY SPRAYER

**ID ASG53
AIRLESS SPRAY UNIT**



Part No.: 23303

Rated Power Input	750w
Max. Pressure Flow	1000ml/min
Max. Spraying Pressure	23mpa
Spray Distance	250-350mm



**ID MS16
MANUAL SPRAYER**

NEW



Part No.: 26742

Tank Capacity	16l
Pressure	3-4 Bar
Sprayer Type	Backsack
Operated Type	Manual
Material Type	PP,PE
No. of Pcs	1

**ID BS16
BATTERY SPRAYER**

NEW



Part No.: 26743

Rated Power Output	12v
Output DC	2amp
Battery Capacity	12V8AH
Tank Capacity	16l
Max. Pressure	2-45 Bar
Sprayer Type	BACKSACK
Operated Type	Battery Operated
Material Type	PP,PE



►► GREASE DISPENSER

**ID GB5
GREASE DISPENSER**



Part No.: 27910

GREASE DISPENSER
5kg - GREASE BUCKET

**ID GB10
GREASE DISPENSER**



Part No.: 27911

GREASE DISPENSER
10kg - GREASE BUCKET



► IGBT WELDING

**ID AW280
IGBT WELDING**

NEW



Part No.: 28185

KVA	8.6
I/P Volt	220
O/P Amp	30-280
Duty Cycle	60%
I/P Frequency	50/60hz
Electrode Diameter	2-3.15mm

**ID AW230
IGBT WELDING**

NEW



Part No.: 28184

KVA	8.6
I/P Volt	220
O/P Amp	30-230
Duty Cycle	60%
I/P Frequency	50/60hz
Electrode Diameter	2-3.15mm

**ID IGB500HQ-3P
IGBT WELDING**

NEW



Part No.: 28247

KVA	18.2
I/P Volt	440
O/P Amp	50-450
Duty Cycle	60%
I/P Frequency	50/60hz
Electrode Diameter	2.5-5mm

**ID IGB450HQ-3P
IGBT WELDING**

NEW



Part No.: 28246

KVA	13
I/P Volt	440
O/P Amp	50-450
Duty Cycle	60%
I/P Frequency	50/60hz
Electrode Diameter	2.5-5mm

**ID IGB410HQ1+2+3
IGBT WELDING**

NEW



Part No.: 28799

KVA	9.5
I/P Volt	220/380/440
O/P Amp	40-410
Duty Cycle	60%
I/P Frequency	50/60hz
Electrode Diameter	3.2-5mm

**ID IGB410HQ1+2
IGBT WELDING**

NEW



Part No.: 28244

KVA	9.5
I/P Volt	220/380
O/P Amp	40-380
Duty Cycle	60%
I/P Frequency	50/60hz
Electrode Diameter	3.2-5mm

**ID IGB400HQ-3P
IGBT WELDING**

NEW



Part No.: 28245

KVA	9.5
I/P Volt	440
O/P Amp	50-400
Duty Cycle	60%
I/P Frequency	50/60hz
Electrode Diameter	2.5-5mm

**ID IGB325HQ1+2
IGBT WELDING**

NEW



Part No.: 28242

KVA	8.5
I/P Volt	220/380
O/P Amp	30-325
Duty Cycle	60%
I/P Frequency	50/60hz
Electrode Diameter	2.5-4mm

**ID IGB305HQ
IGBT WELDING**

NEW



Part No.: 28240

KVA	7.2
I/P Volt	220
O/P Amp	30-305
Duty Cycle	60%
I/P Frequency	50/60hz
Electrode Diameter	2.5-3.2mm

**ID IGB275HQ1+2
IGBT WELDING**

NEW



Part No.: 28241

KVA	8.2
I/P Volt	220/380
O/P Amp	30-275
Duty Cycle	60%
I/P Frequency	50/60hz
Electrode Diameter	2.5-3.2mm

**ID IGB255HQ
IGBT WELDING**

NEW



Part No.: 28239

KVA	6.5
I/P Volt	220
O/P Amp	30-255
Duty Cycle	60%
I/P Frequency	50/60hz
Electrode Diameter	2.5-3.2mm

**ID IGB205HQ
IGBT WELDING**

NEW



Part No.: 28238

KVA	5.6
I/P Volt	220
O/P Amp	30-205
Duty Cycle	60%
I/P Frequency	50/60hz
Electrode Diameter	2.5-3.2mm

►► **IGBT WELDING / TRANSFORMER WELDING MACHINE**

ID ARC255DV
IGBT WELDING



Part No.: 27889

Rated Voltage	220	380
KVA	6.8	5.8
O/P Volt	28	28
O/P Amp	20-255	20-255
Duty Cycle	40%	60%
I/P Frequency	50/60hz	50/60hz
Electrode Dia.	2.5-3.15mm	2.5-3.15mm

ID G220A
IGBT WELDING



Part No.: 26044

KVA	7
O/P Volt	28
O/P Amp	20-220
Duty Cycle	60%
I/P Frequency	50/60hz
Phase	1
Electrode Diameter	2.5-3.15mm

ID G230A
IGBT WELDING



Part No.: 27207

KVA	6.3
O/P Volt	29
O/P Amp	20-140
Duty Cycle	60%
I/P Frequency	50/60hz
Phase	1
Electrode Diameter	2.5-3.15mm

ID SUPER60
IGBT WELDING



Part No.: 23866

KVA	7
O/P Volt	28
O/P Amp	20-200
Duty Cycle	60%
I/P Frequency	50/60hz
Phase	1
Electrode Diameter	2.5-3.15mm

►► **ARC WELDING MACHINE(ARC / TIG / MIG)**

ID ARC-TIG300HQ
ARC WELDING

NEW



Part No.: 28252

KVA	8.4
I/P Volt	220
TIG Amp	300
MMA Amp	300
Duty Cycle	60%
I/P Frequency	50/60hz

ID TIG-ARC400HQ 3P
ARC WELDING

NEW



Part No.: 28253

KVA	12
I/P Volt	440
TIG Amp	400
MMA Amp	400
Duty Cycle	60%
I/P Frequency	50/60hz

ID MIG400HQ-3P
ARC WELDING MIG

NEW



Part No.: 28248

KVA	13.9
I/P Volt	440
TIG Amp	400
MMA Amp	50-400
Duty Cycle	60%
I/P Frequency	50/60hz

ID CUT-130HQ-3P
ARC WELDING

NEW



Part No.: 28251

KVA	19.4
I/P Volt	440
Real Max Current	130
Air Pressure	6
Duty Cycle	60%
I/P Frequency	50/60hz
Max Cutting Thickness	1-50mm

ID CUT-100HQ-3P
ARC WELDING

NEW



Part No.: 28250

KVA	14.1
I/P Volt	440
Real Max Current	100
Air Pressure	6
Duty Cycle	60%
I/P Frequency	50/60hz
Max Cutting Thickness	1-40mm

ID CUT-80HQ-3P
ARC WELDING

NEW



Part No.: 28249

KVA	11.3
I/P Volt	440
Real Max Current	80
Air Pressure	6
Duty Cycle	60%
I/P Frequency	50/60hz
Max Cutting Thickness	1-30mm



► WELDING TORCH / CUTTING TORCH

ID CT11

WELDING TORCH



Part No.: 21485

This Torch used for Cutting Material by the Gas.

ID CT12

WELDING TORCH



Part No.: 21486

This Torch used for Cutting Material by the Gas.

ID CT22

CUTTING TORCH



Part No.: 21156

This Torch used for Cutting Material by the Gas.

ID CT33

CUTTING TORCH



Part No.: 21157

This Torch used for Cutting Material by the Gas.

► CUTTING NOZZLES / REGULATOR

**CUTTING NOZZLES
CUTTING NOZZLES**



Part No.: 21150-21155

A1/16	21150
A1/32	21151
A3/64	21152
B1/16	21153
B1/32	21154
B3/64	21155

**ID ArR252B
REGULATOR**



Part No.: 21463

Gas Type Argon

**ID OR64G/B
REGULATOR**



Part No.: 21464

Gas Type Oxygen

**ID OR74C/TR64B
REGULATOR**



Part No.: 21465

Gas Type Co₂

**ID OR84A/ArR64B
REGULATOR**



Part No.: 21466

Gas Type Argon



► **CHAIN BLOCK**

**ID CHAIN BLOCK
CHAIN BLOCK**

- 1) Professional Quality
- 2) G-80 Hardened Alloy Load Chain
- 3) Tried & Tested To Lift 1.5% Additional



WITH LOAD CHAIN					WITHOUT LOAD CHAIN
SIZE	LOAD CHAIN	LIFT			SIZE
1 TON	6mm	3mtr	6mtr	10mtr	1 TON
2 TON	8mm	3mtr	6mtr	10mtr	2 TON
3 TON	8mm	3mtr	6mtr	10mtr	3 TON
5 TON	10mm	3mtr	6mtr	10mtr	5 TON

► **WIRE ROPE HOIST**



**ID ROPE HOIST
ELECTRIC WIRE ROPE HOIST**



- 1) Professional Wire Rope Hoist With New Emergency Stop Switch
- 2) Protection Class Up To Ip54
- 3) Unique Design And Elegant Shape
- 4) Steel Wire Rope With Thermal Prevention Technology

MODEL	METHOD OF USE	RATED LIFTING	
		WEIGHT (Kg)	LIFTING HEIGHT (m)
ID PA500 X 12m	SINGLE HOOK	250	12
	DOUBLE HOOK	500	6
ID PA500 X 20m	SINGLE HOOK	250	20
	DOUBLE HOOK	500	10
ID PA1000 X 12m	SINGLE HOOK	500	12
	DOUBLE HOOK	1000	6
ID PA1000 X 20m	SINGLE HOOK	500	20
	DOUBLE HOOK	1000	10
ID PA1200 X 12m	SINGLE HOOK	600	12
	DOUBLE HOOK	1200	6
ID PA1200 X 20m	SINGLE HOOK	600	20
	DOUBLE HOOK	1200	10

► **WEBBING SLING**

**ID
WEBBING SLINGS**

Part No.	Description	Item	Part No.	Description	Item	Part No.	Description	Item
27845	- 1TON X 3MTR - Webbing Sling		27855	- 4TON X 3MTR - Webbing Sling		27866	- 10TON X 3MTR - Webbing Sling	
27846	- 1TON X 6MTR - Webbing Sling		27856	- 4TON X 6MTR - Webbing Sling		27867	- 10TON X 4MTR - Webbing Sling	
27847	- 2TON X 3MTR - Webbing Sling		27857	- 5TON X 3MTR - Webbing Sling		27868	- 10TON X 5MTR - Webbing Sling	
27848	- 2TON X 4MTR - Webbing Sling		27858	- 5TON X 4MTR - Webbing Sling				
27850	- 2TON X 6MTR - Webbing Sling		27859	- 5TON X 5MTR - Webbing Sling				
27851	- 3TON X 3MTR - Webbing Sling		27860	- 5TON X 6MTR - Webbing Sling				
27852	- 3TON X 4MTR - Webbing Sling		27862	- 6TON X 3MTR - Webbing Sling				
27853	- 3TON X 5MTR - Webbing Sling		27863	- 6TON X 4MTR - Webbing Sling				
27854	- 3TON X 6MTR - Webbing Sling		27864	- 6TON X 5MTR - Webbing Sling				



► **DIAMOND BLADE**

**HUI-FENG
DIAMOND BLADE**



Diamond Blades
&
Cup Wheel (Hot Press).

**ID "PRO."
DIAMOND BLADE**



Diamond Blades,
Cup Wheel
&
Tuck Point.
(Sizes-2"-32")

**ID "PRO. TEZ"
DIAMOND BLADE**



Diamond Blades
(Semi Hot Press).

(Size-4")

**ID "IGS SERIES"
DIAMOND BLADE**



IDEAL "IGS SERIES"
Granite Special Diamond Blade.

Diamond Blades,
Flat Turbo(Hot Press)
(Size-4"-14")

**ID "Z-SERIES"
DIAMOND BLADE**



IDEAL "IGS SERIES"
Granite Special Diamond Blade.

Diamond Blades,
(Hot Press)
(Size-4"-14")

**ID "NF438-SERIES"
DIAMOND BLADE**



Segment, Rim, Turbo

Size: 4"

**ID "X-SERIES"
DIAMOND BLADE**



Segment, Rim, Turbo

Size: 4"-5"

**ID "IDSS-SERIES"
DIAMOND BLADE**



Segment, Rim, Turbo

Size: 4"-5"

► **DIAMOND BLADE / GLASS WHEEL**

**ID "MS-SERIES"
DIAMOND BLADE**



Segment, Rim, Turbo

Size: 4"-14"

**ID
GLASS WHEEL**



Segment, Rim, Turbo Type.
Vacuum Brazed Wheel.



Ideally Advanced, Always!

**TCT BLADE
CUT-OFF WHEEL
CUTTING WHEEL**

► **TCT BLADE**

**ID "THIN KERF"
TCT BLADE**



IDEAL "THIN KERF(1.6mm)".
TCT Blade

For Wood:
4"(110mm)-12"(300mm)

**ID "GOLD"
TCT BLADE**



"GOLD SERIES" TCT Blade.

For Wood:
4"(110mm)-14"(355mm)
For Aluminium:
10"(250mm)-14"(355mm)

**ID "IGS SERIES"
TCT BLADE**



IDEAL "IGS" TCT Blade.

For Wood:
4"(110mm)-14"(355mm)
For Aluminium:
10"(250mm)-14"(355mm)

**HUI-FENG
TCT BLADE**



"HUI FENG" TCT Blade.

For Wood:
4"(110mm)-14"(355mm)
For Aluminium:
10"(250mm)-14"(355mm)

► **CUT-OFF WHEEL / CUTTING WHEEL**

**ID "GREEN-SERIES"
CUT-OFF WHEEL**



GREEN SERIES

4"(107mm), 4-1/2"(115mm),
5"(125mm), 7"(180mm),
9"(230mm), 12"(305mm),
14"(355mm)
1Net

**ID "RED-SERIES"
CUT-OFF WHEEL**



RED SERIES

4"(107mm), 14"(355mm)
2Net

**ID "IGC-SERIES"
CUTTING WHEEL**



"IGC SERIES" "GREEN"
Cutting Wheels

4"(100mm) & 14"(355mm)
2Net

**ID "IGC-SERIES"
CUTTING WHEEL**



"IGC SERIES" "BLACK"
Cutting Wheels

4"(100mm)
2Net

► **CUTTING WHEEL**

**ID "IGC-SERIES"
CUTTING WHEEL**




"IGC SERIES" "RED"
Cutting Wheel

4"(100mm)



►► D.C./ G.C./ W.A. WHEELS / FLAP DISC

ID
D.C. WHEEL



"GREEN SERIES"
 D.C. WHEEL.

4"(100mm), 4-1/2"(115mm), 5"(125mm),
 7"(180mm), 9"(230mm)

ID
G.C. WHEEL



G.C. WHEEL.

Stone Polishing

ID
W.A. WHEEL



IDEAL FLEXIBLE
 GRINDING WHEELS

WA#36, #46, #60, #80

ID
FLAP DISC



SUPER INOX "METAL HEAD"
 4"(100mm), 5"(125mm),
 7"(180mm)

►► FIBER, VELCRO DISC / POLISHING WHEEL / WATER PAPER

ID
FIBER, VELCRO DISC



FIBER & VELCRO DISC

4"(100mm), 5"(125mm),
 7"(180mm)

ID
POLISHING WHEEL



Non-Woven, FELT & STONE
 POLISHING WHEEL

For Steel & Stone Polishing

ID
WATER PAPER WET & DRY



Available GRIT#
 80#, 120#, 150#, 180#, 220#,
 320#, 400#, 600#, 800#, 1000#,
 2000#, 3000#



►► CUT-OFF WHEEL / D.C. / G.C. WHEEL


HUI-FENG
CUT-OFF WHEEL



HUI-FENG
 CUT-OFF WHEELS(2NET)

4"(105mm), 5"(125mm), 7"(180mm),
 9"(230mm), 12"(305mm)
 14"(355mm)

HUI-FENG
D.C. WHEEL



HUI-FENG D.C. WHEELS

4"(100mm), 5"(125mm),
 7"(180mm)

HUI-FENG
G.C. WHEEL



HUI-FENG G.C. WHEELS

For Stone Polishing



► **CARBON BRUSHES / A.B. WASHER / GEAR & PINION / FRAME/COVER**

**IDEAL & HUI-FENG
 CARBON BRUSHES**



Ideal & Hui Feng Carbon Brushes
 All Types of Carbon Brushes For
 Multiple Types of Machines.

**ID
 A.B. WASHER**



All Types of A.B. Washers.

**ID
 GEAR & PINION**



All Types of Gear & Pinions For
 Multiple Types of Machines.

**ID
 FRAME/COVER**



Multi Types of Frame/Cover For
 Multi Types Gears/Machines.

► **SPINDLES / CHUCKS / ARMATURES & STATOR / SWITCHES**

**ID
 SPINDLES**



Multi Types of Spindles.

**ID
 CHUCKS**



1. Drill Chucks
2. Taper Chucks
3. Key-Less Chucks
4. Chuck Keys

**ID
 ARMATURES & STATOR**



Multi Types Of Armatures
 Multi Types Of Stator Coils

**ID
 SWITCHES**



Multi Types Of Switches

► **CHISELS / CORE BITS / HOLESAW/ADAPTORS / SDS + BITS**

**ID
 CHISELS**



CHISELS
 (SDS PLUS, HEX, MAX & PH65)

**ID
 CORE BITS**



Multiple Types of Corbits For
 Stone & Concrete.

**ID SDS
 HOLESAW/ADAPTORS**



CONCRETE SDS
 HOLESAW & ADAPTORS

**ID
 SDS + BITS**



SDS + BITS
 4mm-30mm
 (110mm-600mm LONG)

SPARE PARTS

(BROACH CUTTER / CARBIDE HOLESAW / HOLESAW SETS /
STEP DRILL BITS / WIRE BRUSHES / BEARING PULLERS / PAINT MIXER ROD /
BUFFING PADS / BREAKER GREASE)

Ideally Advanced, Always!

►► BROACH CUTTER / CARBIDE HOLESAW / HOLESAW SETS / STEP DRILL BITS

ID

BROACH CUTTER



Broach Cutter
Available in Multi size.

ID

CARBIDE HOLESAW



TCT Carbide Holesaw
Available in multiple Sizes.

ID

HOLESAW SETS



Holesaw Sets

20690 - 12pcs - Bimetal Holesaw Set
23204 - 16pcs - Wood Holesaw Set
20209 - 6pcs - Wood Holesaw Set

ID

STEP DRILL BITS



Step Drill Bit / Bits Set

21098 - 12mm - Step Drill Bit
20698 - 20mm - Step Drill Bit
20699 - 32mm - Step Drill Bit
20700 - 3pcs(12,20,32mm) - Step Drill Bit

►► WIRE BRUSHES / BEARING PULLER / PAINT MIXER ROD / BUFFING PADS

ID

WIRE BRUSHES



1. Cup Wire Brush
2. Circular Type
3. Rod Type (Circular/Straight)
4. Wire Brush Set (5 Pcs)

ID AB-1/AB-2/AB-3

BEARING PULLER



Part No.: Model No.: Size:

20093	AB - 1	25mm
21100	AB - 2	50mm
20457	AB - 3	75mm

ID

PAINT MIXER ROD



Part No.:	Model No.:	
22528	IMR400H	
22532	IMR600H	
22529	IMR400S	
22533	IMR600H	
22530	IMR45Z	
22531	IMR55C	
22534	IMR612	

ID

BUFFING PADS



1. Rubber Backing Pads
2. Velcro Backing Pads
3. Sponges Pads
4. Wool Bonnets

►► BREAKER GREASE

ID BKG100

BREAKER GREASE



Part No.: 26358

High Density Breaker Grease
for Multi Uses.

ID BKG100 in 100g.

ID BKG150HQ

BREAKER GREASE



Part No.: 28059

High Density Breaker Grease
for Multi Uses.

ID BKG150HQ in 150g.

ID BKG500

BREAKER GREASE



Part No.: 20014


High Density Breaker Grease
for Multi Uses.

ID BKG500 in 500g.



► ROUTER BITS

ID
CORNER BITS




BEARING SIZE :
D-13 x B-5 x Thick-4

Model	Wood Size (mm)	Dia (mm)	Shank (mm)
ID135	15x10	38	8
ID140	22x10	50	8
ID141	22x12	50	8
ID145	25x15	55	8
ID152	35x15	72	8

ID
REBBETING BITS


FOUR SIDE
REBBETING BITS



Model	Thick (mm)	Depth (mm)	Shank (mm)
ID126	6	12	8
ID128	10	12	8
ID1210	35	12	8

ID
SLOTING CUTTER


V-TYPE
SLOTING CUTTER



Model	D	H	Shank (mm)
ID934	12.7	12.7	8

ID
FLUSH TRIM BITS

FLUSH TRIM
BITS WITH BEARING




BEARING SIZE :
D-13 x B-5 x Thick-4

Model	Dia (mm)	Cutting Length (mm)	Shank (mm)
ID5001	4	8	8
ID5002	6	15	8
ID5003	8	20	8
ID5004	10	20	8

ID
FLUSH TRIM BITS

FLUSH TRIM BITS
WITH BEARING LONG (50mm)



BEARING SIZE :
D-13 x B-5 x Thick-4

Model	Dia (mm)	Cutting Length (mm)	Shank (mm)
ID5002	6	15	8
ID5003	8	20	8
ID5004	10	20	8

ID
OVOLO BITS

OVOLO BITS
(BEADING BITS)



BEARING SIZE :
D-13 x B-5 x Thick-4

Model	Dia (mm)	Cutting Length (mm)	Radius
ID9031	21	10	4
ID9032	25	12	6
ID9033	29	14	8
ID9034	33	16	10
ID9035	37	18	12
ID9036	43	21	15
ID9037	53	26	20
ID9038	63	31	25

ID
COVE BEAD BITS

BEARING SIZE :
D-13 x B-5 x Thick-4

Model	Dia (mm)	Cutting Length (mm)	Radius
ID9041	25	8	4
ID9042	29	10	6
ID9043	33	12	8
ID9044	37	14	10
ID9045	43	16	12
ID9046	53	20	15
ID9047	63	25	20
ID9048	73	30	25


ID
COVE BEAD BITS

BEARING SIZE :
D-13 x B-5 x Thick-4

Model	Dia (mm)	Cutting Length (mm)	Radius
ID9051	29	14	3
ID9052	37	18	5
ID9053	33	10	4
ID9054	38	12	6


ID
COVE-OVOLO PROFILE

COVE-OVOLO
PROFILE BITS




Model	Dia (mm)	Cutting Length (mm)	Cutting Area (mm)
ID9061	29	14	10x10
ID9062	37	18	15x15
ID9063	33	10	10x8
ID9064	38	12	15x12

ID
OGEE FILLET BITS



Model	Dia (mm)	Cutting Length (mm)	Cutting Area (mm)
ID9071	29	14	10x10
ID9072	37	18	15x15
ID9073	33	10	10x8

ID
ROMAN OGEE BITS



Model	Dia (mm)	Cutting Length (mm)	Cutting Area (mm)
ID9081	29	14	10x10
ID9082	37	18	15x15
ID9083	33	10	10x8
ID9084	38	12	15x12

ID
REBBETING

REBBETING
(SLOT BITS)




Model	Dia (mm)	Cutting Length (mm)	Cutting Area (mm)
ID9091	35	4	4x12
ID9092	35	6	6x12
ID9093	35	8	8x12
ID9094	35	9	9x12
ID9095	35	10	10x12
ID9096	35	12	12x12
ID9097	35	15	15x12
ID9098	35	20	20x12
ID9099	35	25	25x12
ID9100	35	32	32x12
ID9200	35	38	38x12

► ROUTER BITS

ID

CORE BOX ROUND


CORE BOX ROUND BITS



Model	Dia (mm)	Cutting Length (mm)	Cutting Area (mm)
ID9101	6	8	6x5
ID9102	8	9	8x6
ID9103	10	10	10x7
ID9104	12	11	12x8
ID9105	14	12	14x9
ID9106	16	13	16x10
ID9107	18	14	18x12
ID9108	20	15	20x14

ID


STEP & ROUND BITS



Model	Dia (mm)	Cutting Length (mm)	Cutting Area (mm)
ID9201	10	8	10x5
ID9202	12	9	12x6
ID9204	14	10	14x7
ID9205	16	11	16x8
ID9206	20	13	20x10
ID9207	22	14	22x12
ID9208	24	15	24x14

ID


STEP BITS



Model	Dia (mm)	Cutting Length (mm)	Cutting Area (mm)
ID9301	21	8	10x10
ID9302	25	12	15x15
ID9303	29	8	10x8
ID9304	33	12	15x12

ID


CHAMFER BIT



Model	Dia (mm)	Cutting Length (mm)	Cutting Area (mm)
ID9401	29	10	10x10
ID9402	37	16	15x15
ID9403	33	10	10x8
ID9404	38	12	15x12
ID9405	40	14	12x10
ID9406	48	18	15x12

ID

STRAIGHT BITS (20mm)



BEARING SIZE : D-13 x B-5 x Thick-4

Model	Dia (mm)	Cutting Length (mm)	Cutting Area (mm)
ID9501	4	8	3x4
ID9502	6	15	15x6
ID9503	8	20	20x8
ID9504	10	20	20x10
ID9505	12	20	20x12
ID9506	12.7	20	20x12.7
ID9507	15	20	20x15
ID9508	19	20	20x19
ID9509	20	20	20x20
ID9510	25	20	20x25

ID

STRAIGHT BITS (38mm)




BEARING SIZE : D-13 x B-5 x Thick-4

Model	Dia (mm)	Cutting Length (mm)	Cutting Area (mm)
ID9503	8	38	38x8
ID9504	10	38	38x10
ID9505	12.7	38	38x12.7

ID

STRAIGHT BITS (50mm)




BEARING SIZE : D-13 x B-5 x Thick-4

Model	Dia (mm)	Cutting Length (mm)	Cutting Area (mm)
ID9503	8	50	50x8
ID9504	10	50	50x10
ID9505	12.7	50	50x12.7

ID

STRAIGHT BITS (75mm)




BEARING SIZE : D-13 x B-5 x Thick-4

Model	Dia (mm)	Cutting Length (mm)	Cutting Area (mm)
ID9503	8	75	75x8
ID9504	10	75	75x10
ID9505	12.7	75	75x12.7

ID

CLASSICAL PLUNGE

CLASSICAL PLUNGE CUT BEADING BITS




Model	Dia (mm)	Cutting Length (mm)	Cutting Area (mm)
ID9601	16	11	16x8
ID9602	20	13	20x10
ID9603	24	15	24x12
ID9604	28	18	28x14

ID

PLUNGE CUT BITS

PLUNGE CUT BEADING BITS




BEARING SIZE : D-13 x B-5 x Thick-4

Model	Dia (mm)	Cutting Length (mm)	Cutting Area (mm)
ID9701	6	7	6x7
ID9702	8	8	8x5
ID9703	10	10	10x6
ID9704	12	11	12x7

ID

DOUBLE FILLET BITS


DOUBLE FILLET COVE BITS



Model	D	H	Cutting Area (mm)
ID9801	29	14	10x10
ID9802	37	18	15x15
ID9803	33	10	10x8
ID9804	38	12	15x12

ID

BOTTOM LOGO BITS




Model	D	H	Cutting Area (mm)
ID9901	29	14	10x10
ID9902	37	18	15x15
ID9903	33	10	10x8
ID9904	38	12	15x12

► ROUTER BITS

ID


TOP OLOGO BITS



Model	D	H	Cutting Area (mm)
ID9911	29	14	10x10
ID9912	37	18	15x15
ID9913	33	10	10x8
ID9914	38	12	15x12

ID

DOUBLE OLOGO BITS




BEARING SIZE :
D-13 x B-5 x Thick-4

Model	D	H	Cutting Area (mm)
ID9921	29	14	10x10
ID9922	37	18	15x15
ID9923	33	10	10x8
ID9924	27	12	15x12

ID

CENTER OLOGO BITS


CENTER OLOGO BITS
(THREAD BITS)



Model	Dia (mm)	Cutting Length (mm)	Cutting Area (mm)
ID9933	10	7	10x7
ID9934	12	8	12x8
ID9935	14	9	14x9
ID9936	16	10	16x10
ID9937	18	11	18x11
ID9938	20	12	20x12
ID9939	24	13	24x13
ID9940	30	14	30x14

ID

CENTER(CARVING BITS)




Model	Dia (mm)	Cutting Length (mm)	Cutting Area (mm)
ID9943	10	7	10x7
ID9944	12	8	12x8
ID9945	14	9	14x9
ID9946	16	10	16x10
ID9947	18	11	18x11
ID9948	20	12	20x12
ID9949	24	13	24x13
ID9950	30	14	30x14

ID

CLASSIC ROMAN OGEE

CLASSIC ROMAN OGEE
(CEBTER BITS)




BEARING SIZE :
D-13 x B-5 x Thick-4

Model	Dia (mm)	Cutting Length (mm)	Cutting Area (mm)
ID9951	29	14	20x10
ID9952	37	18	16x16
ID9953	33	10	28x10
ID9954	38	12	32x10

ID

OVOLO BITS

THUMB
MOULD BITS)




BEARING SIZE :
D-13 x B-5 x Thick-4

Model	Dia (mm)	Cutting Length (mm)	Cutting Area (mm)
ID9961	29	14	10x10
ID9962	37	18	15x15
ID9963	33	10	10x8
ID9964	38	12	15x12

ID

CORNER ROUND BITS




BEARING SIZE :
D-13 x B-5 x Thick-4

Model	Dia (mm)	B	Shank (mm)
IDTS-1	14	2.5	6
IDTS-2	15.5	3	6
IDTS-3	26	6.5	6

ID

TRIM BITS




BEARING SIZE :
D-13 x B-5 x Thick-4

Model	Dia (mm)	H	Shank (mm)
IDTS-4	7	20	6
IDTS-5	9.5	25	6
IDTS-6	13	25	6

ID

STRAIGHT BITS




Model	Dia (mm)	Cutting Length (mm)	Shank (mm)
IDTS-10	6	20	6
IDTS-10AY	4	13	6.35
IDTS-11	8	20	6
IDTS-11A	10	20	6
IDTS-11AY	8	20	6.35
IDTS-11Y	10	20	6.35
IDTS-12	12	20	6

ID

TRIMMER TOP BERING


TRIMMER TOP
BERING BITS



Model	Dia (mm)	B	Shank (mm)
IDTS-15	12.7	25.4	6
IDTS-15Y	12.7	25.4	6

ID


V-GROOVE BITS



Model	Dia (mm)	H	Shank (mm)
IDTS-24Y	8	8	6.35
IDTS-25Y	10	10	6.35
IDTS-26Y	12	12	6.35

ID

BEADING BITS



Model	Dia (mm)	H	Shank (mm)
IDTS-41Y	35	6	6.35
IDTS-42Y	35	8	6.35
IDTS-43Y	35	10	6.35
IDTS-44Y	35	12	6.35

**HINGE BORING BIT / ROUTER BITS SET
COUNTER PROFILE BITS SET / TRIMMER BIT SET
WOOD AUGER BIT / AUGER DRILL BIT**

Ideally Advanced, Always!


▶▶ HINGE BORING BIT / ROUTER BITS SET

**ID HINGE BIT
HINGE BORING BIT**



Part No.: 21043
Ideal Hinge Boring Bit
Size:
35mm

**ID PRO12
ROUTER BITS SET**




Part No.: 21278
ID PRO12
12PCS of BITS.

**ID PLUS12
ROUTER BITS SET**



Part No.: 21183
ID PLUS12
12PCS of BITS.

**ID PRO35
ROUTER BITS SET**



Part No.: 21279
ID PRO35
35PCS of BITS.

▶▶ ROUTER BITS SET / COUNTER PROFILE BITS SET / TRIMMER BIT SET

**ID PRO87
ROUTER BITS SET**



Part No.: 21280
ID PRO87
87PCS of BITS.

**ID RB3S
COUNTER PROFILE BIT**



COUNTER PROFILE
ROUTER BITS SET
ID RS3S
3PCS of BITS.
8mm(26116) & 12mm(25999)

**ID TRIMMER BIT SET
ROUTER BITS SET**



TRIMMER BITS SET
Part No.: 21281
ID TRIMMER BIT SET
6PCS of BITS.



▶▶ WOOD AUGER BITS / AUGER DRILL BITS

**ID WAB...
WOOD AUGER BIT**



ID WOOD AUGER BITS
Size:
12mm(26075)
16mm(26076)
19mm(26077)
25mm(26078)

**ID ADB...
AUGER DRILL BIT**



EARTH
AUGER DRILL BITS
ID AUGER DRILL BITS
Size:
100mm(20453), 120mm(26818)
150mm(20454), 200mm(20455)
250mm(26819), 300mm(26820)



► **GROOVE CUTTER / PLANER BLADES/KNIFE**

**ID
GROOVE CUTTER**



Grooving Cutter
("V" Type And FIL FIL Type)

3" & 4" (4mm-12mm)

**ID
TCT PLANER BLADE**



TCT PLANER BLADE

F20A, 1900B, BOSCH B&D

**ID
HAND PLANER BLADE**



TCT Hand Planner Blade
(Hole & Without Hole)

1" , 1-1/4", 1-1/2", 1-3/4", 2" and 2-1/2"

**ID
TCT PLANER KNIFE**



TCT PLANNER KNIFE

(9"-24")


► **PLANER BLADE**

**ID
PLANER BLADE**



HSS Planer Blade
(82mm)

F20A, 1900B, BOSCH B&D



► **EXTENSION PIPE/ PALLET TRUCK**

**ID PE25 / PE50
EXTENSION PIPE**



Part No.: 26388-89

Extension Pipe
For Pressure Washer

26388 - ID PE25 - 250mm
26389 - ID PE50 - 500mm

**ID
PALLET TRUCK**



Part No.: 27962

ID PALLET TRUCK

2.5TON.



► **TORPEDO LEVEL / SPIRIT LEVEL / COMBINATION SQUARE / HANDLE FILE**

**ID LVE200 / LVE235
TORPEDO LEVEL**



Part No.: 21553,26739

ID LVE200-21553
ID LVE235-26739

Torpedo levels with only two tubes are used to determine true horizontal or vertical -- level or plumb.

A level with a third tube set on a 45-degree diagonal is used to check for a 45-degree angle.

**ID LVH...
SPIRIT LEVEL**

NEW



Part No.:	Model No.:	Size:
26740	ID LVH100	4" (100mm)
21545	ID LVH300	12" (300mm)
21548	ID LVH450	18" (450mm)
21549	ID LVH600	24" (600mm)
21550	ID LVH900	36" (900mm)

**ID 65X / 305X
COMBINATION SQUARE**



Part No.: 26755,20747

ID 65X-26755
ID 305X-20747

A combination square is a tool used for multiple purposes in woodworking, stonemasonry and metalworking.

**ID HF.
HANDLE FILE**

(FLAT, HALF ROUND, WOOD ROSE)



Part No.: 20017-26,27997

Model No.:	Type:		
	Flat	Half Round	Wood Rosp
ID HF6	20022	20023	27797
ID HF8	20024	20025	20026
ID HF10	20017	20018	20019
ID HF12	20020	20021	

► **DIAMOND FILE SETS / SHARPENING TOOL / METAL TOOL BOX / CAULKING GUNS**

**ID DF14/16/18/16F
DIAMOND FILE SETS**



Part No.: 21836-39

ID DF14 - 20836
ID DF16 - 20838
ID DF18 - 20839
ID DF16F - 20837

**ID DS6
SHARPENING TOOL**



Part No.: 21158

SHARPENING TOOL
(DIAMOND PATTI)

**ID TB17/21
METAL TOOL BOX**

NEW



Part No.: 20355,20356

ID TB17 - 20355
ID TB21 - 20356

5 Compartments (Press To Open).

ID CGA9 Part No.: 23168
ID CGA15 Part No.: 23167

CAULKING GUN



ID CGA9 (23168) 9 inch

ID CGA15 (23167) 15 inch

CAULKING GUN.

ID ISG295 Part No.: 20347
ID ISG405/465 Part No.: 23170

CAULKING GUN



Part No.: 20347

ID ISG295 - 295GMS

ID ISG405(23170) - 405GSM/

ID ISG465(23171) - 465GSM

CAULKING GUN.

**ID ISG360
CAULKING GUN**



Part No.: 23169

ID ISG360 - 360GMS

CAULKING GUN.

**ID ISG510A
CAULKING GUN**



Part No.: 20348

ID ISG510A - 510GMS

CAULKING GUN.

**ID ISG900D
CAULKING GUN**



Part No.: 20349

ID ISG900D - 900GMS

CAULKING GUN.

Ideally Advanced, Always!

**HAND RIVETER / DOUBLE PULL RIVETER / HAND RIVETER /
PNEUMATIC RIVETING GUN / ELECTRIC RIVETER /
PVC PIPE CUTTER / GREASE GUN**

► **HAND RIVETER / DOUBLE PULL RIVETER**

**ID HRD250
HAND RIVETER**



Part No.: 25995

Plier Type Hand Riveter

10"(250mm)

**ID HRD260
HAND RIVETER**



Part No.: 25994

Plier Type Hand Riveter

10"(250mm)

**ID HRD17
DOUBLE PULL RIVETER**



Part No.: 25996

Bold Cutter Type Hand Riveter

17"(430mm)

**ID HRD21
DOUBLE PULL RIVETER**



Part No.: 25997

Bold Cutter Type Hand Riveter

21"(533mm)

► **HAND RIVETER / PNEUMATIC RIVETING GUN / ELECTRIC RIVETER / PVC PIPE CUTTER**

**IDHR32
HAND RIVETER**



Part No.: 26068

Lazy Tong Hand Riveter

32"(812mm)

**ID AR53
PNEUMATIC RIVETING GUN**



Part No.: 26072

Pneumatic Riveting Gun.

**ID ERC52
ELECTRIC RIVETER**



Part No.: 25992

Rivet Attachment For
Drill Machine.

**ID PC42
PVC PIPE CUTTER**



Part No.: 26071

PVC Pipe Cutter.

► **GREASE GUN**

**ID GG450
GREASE GUN**



Part No.: 26070

Grease Gun

18"(450mm).





ASIA'S MOST POPULAR BRAND

DEALER

IDEAL POWERHUB

8 Bedok Reservoir View, Singapore 479235

Tasneem Topiwala +65 96710193