



总公司地址：上海市浦东新区启帆路515号南楼710室

联系人：刘先生 0086-18018684619（微信同号）

邮箱：sales@dp-pipeline.com

法兰管件第一分厂：河北省沧州市孟村回族自治县挂甲林工业区

紧固件第二分厂：宁波市镇海区九龙湖镇田顾工业区

联系人：彭先生 0086-13751061199

HEAD OFFICE ADDRESS: Room 710, South Building 515 Qifan Road,
Pudong New District, Shanghai

CONTACT PERSON: Mr. Liu 0086-18018684619

EMAIL : sales@dp-pipeline.com

CANGZHOU BRANCH ADDRESS: HEBEI PROVINCE CANGZHOU MENGUN
HUI AUTONOMOUS COUNTY JIA LIN INDUSTRIAL ZONE

NINGBO BRANCH ADDRESS: TIANGU INDUSTRIAL ZONE, JIULONGHU
TOWN, ZHENHAI DISTRICT, NINGBO CITY

CONTACT PERSON: Mr. Peng 0086-13751061199

Discovery Technology

Discovery oil & Gas Pipeline Technology
(Shanghai)Co.,Ltd



目录 CONTENTS

 公司简介 COMPANY PROFILE	01
 公司资质 COMPANY QUALIFICATION	03
 井口装置及采油（气）树 WELLHEAD DEVICE & CHRISTMAS TREES	05
 API 6A阀门 API 6A VALVE	07
 船用钢材 SHIP STEEL	09
 法兰 FLANGE	12
 管件 PIPING PRODUCTS	17
 紧固件 FASTENERS	19
 垫片 GASKET	21
 生产设备 PRODUCTION EQUIPMENT	23
 质量管控 QUALITY CONTROL	25





公司简介

COMPANY PROFILE



蒂咖沃石油管道科技(上海)有限公司 (DP) 成立于2008年6月。公司的主要成员都具有十多年的石油化工行业工作经验。我们立志成为专业堆焊加工服务、机加工服务、专业阀门、特种法兰生产和管道产品集成供应的服务商。公司总部及销售中心位于中国上海，地址为上海市浦东新区盛荣路88弄1号楼306室，生产基地分别位于江苏苏州、河北沧州、甘肃兰州、浙江宁波。

目前，公司的主要方向是海洋工业和石化工业，通过团队的不懈努力，得到了客户的一致认可。主要的国际客户有：MODEC OFFSHORE、SBM OFFSHORE、YINSON OFFSHORE、BP OFFSHORE NOV、ADNOC 国内客户：中远船舶重工、大连船舶重工、神华集团博迈科海洋工程、中石化、中石油、中海油等。

DISCOVERY OIL&GAS PIPELINE TECHNOLOGY (SHANGHAI) CO., LTD WAS ESTABLISHED IN JUNE, 2008. THE MAIN MEMBERS OF DP COMPANY ARE ALL WITH MORE THAN TEN YEARS' WORKING EXPERIENCE IN PETROCHEMICAL INDUSTRY. WE ARE DETERMINED TO BECOME A SERVICE PROVIDER PROVIDING PROFESSIONAL SURFACING PROCESSING SERVICE, MACHINING SERVICE, PROFESSIONAL VALVE, SPECIAL FLANGE PRODUCTION AND INTEGRATOR OF PIPELINE PRODUCT AND SUPPLY. OUR HEADQUARTERS AND SALES CENTER ARE LOCATED IN SHANGHAI, CHINA, THE ADDRESS IS ROOM 306, BUILDING 1, LANE 88, SHENGRONG ROAD, PUDONG NEW AREA, SHANGHAI, AND OUR PRODUCTION BASES ARE LOCATED SUZHOU OF JIANGSU PROVINCE CANGZHOU OF HEBEI PROVINCE LANZHOU OF PROVINCE NINGBO OF ZHEJIANG PROVINCE

AT PRESENT, THE COMPANY'S MAIN DIRECTION IS THE MARINE INDUSTRY AND PETROCHEMICAL INDUSTRY, THROUGH THE UNREMITTING EFFORTS OF THE TEAM, HAS BEEN RECOGNIZED BY CUSTOMERS. THE MAIN INTERNATIONAL CUSTOMERS ARE: MODEC OFFSHORE、SBM OFFSHORE、YINSON OFFSHORE、BP OFFSHORE NOV、ADNOC。THE MAIN DOMESTIC CUSTOMERS ARE: COSCO SHIPPING HEAVY INDUSTRY (SHANGHAI) Co., Ltd.、DALIAN SHIPBUILDING INDUSTRY Co., Ltd.、BOMESC OFFSHORE ENGINEERING COMPANY LIMITED、SINOPEC GROUP、CHINA NATIONAL PETROLEUM CORPORATION、CHINA NATIONAL OFFSHORE OIL CORPORATION。

▶ 公司资质 | COMPANY QUALIFICATION



井口装置及采油（气）树

WELLHEAD DEVICE & CHRISTMAS TREES

在钻井和油气生产过程中，主要用于监控生产井口的压力，调节油（气）井的流量、控制有挥发性和有毒的液体、气体被释放到地面和水中，同时也可用于酸化、压裂、注水、测试等各种措施作业，道森股份和DP公司致力于为客户提供特定工况下较为合理的井口装置解决方案，提供满足客户现场使用要求的井口设备，充分保证井口装置及采油树使用的安全性和可靠性。

IN THE PROCESS OF DRILLING AND OIL AND GAS PRODUCTION, IT IS MAINLY USED TO MONITOR THE PRESSURE AT THE PRODUCTION WELLHEAD, REGULATE THE FLOW OF OIL AND GAS WELLS, CONTROL THE RELEASE OF VOLATILE AND TOXIC LIQUIDS AND GASES TO THE SURFACE AND WATER, AND ALSO USED FOR VARIOUS MEASURES SUCH AS ACIDIFICATION, FRACTURING, WATER INJECTION AND TESTING. DOUSON & DP IS COMMITTED TO PROVIDING CUSTOMERS WITH MORE REASONABLE WELLHEAD EQUIPMENT SOLUTIONS UNDER SPECIFIC WORKING CONDITIONS, PROVIDING WELLHEAD EQUIPMENT MEETING CUSTOMERS' ON-SITE USE REQUIREMENTS, AND FULLY ENSURING THE SAFETY AND RELIABILITY OF WELLHEAD EQUIPMENT.

- 分体式常规井口装置采油（气）树
SPLIT CONVENTIONAL WELLHEAD DEVICE AND CHRISTMAS TREE
- 整体式快装井口装置及采油（气）树
INTEGRAL CONVENTIONAL WELLHEAD DEVICE AND CHRISTMAS TREE
- 单筒双井井口装置及采油（气）树
SINGLE BARREL DOUBLE WELL WELLHEAD DEVICE AND CHRISTMAS TREE
- 单井双油管井口装置及采油（气）树
SINGLE WELL DOUBLE TUBING WELLHEAD DEVICE AND CHRISTMAS TREE
- 地热井口装置
GEOTHERMAL WELLHEAD DEVICE
- HH级井口装置及采油（气）树
HH WELLHEAD DEVICE AND CHRISTMAS TREE
- 压裂井口装置及压裂树
FRACTURING WELLHEAD DEVICE AND FRACTURING TREE




▶ API 6A阀门 | API 6A VALVE

- 平板闸阀产品系列
FLAT GATE VALVE SERIES
- SSV地面安全阀产品系列
SSV GROUND SAFETY VALVE SERIES
- 节流阀产品系列
CHOKE VALVE SERIES
- 止回阀产品系列
CHECK VALVE SERIES
- 旋塞阀产品系列
PLUG VALVE SERIES




► 船用钢材 | SHIP STEEL

►► 船用无缝钢管 MARINE SEAMLESS STEEL PIPE




►► 船舶板 | SHIP PLATE



通过GL, DNV, LR, CCS,
BV及其他船级社证书

THROUGH GL, DNV, LR, CCS, BV AND OTHER
CLASSIFICATION SOCIETY CERTIFICATIO

►► 球扁钢 | SPHERICAL FLAT STEELN




▶ 船用钢材 | SHIP STEEL

▶▶ 角钢 ANGLE STEEL



▶▶ 型钢 | PROFILE STEEL



▶ 法兰 | FLANGE

▶▶ 高压自紧卡箍法兰 | CLAMP HUB FLANGE



卡箍轮毂法兰具有重量轻、安全可靠、安装更方便等优点
主要用于海底管道连接和FPSO工艺管道连接。

CLAMP HUB FLANGES HAS THE ADVANTAGES OF LIGHT WEIGHT, GOOD SAFETY AND RELIABILITY AND MORE CONVENIENT INSTALLATION; IT IS MAINLY USED IN SUBSEA PIPELINE CONNECTION AND FPSO PROCESS PIPELINE CONNECTION.



▶ 法兰 | FLANGE

▶▶ 紧凑型法兰 COMPACT FLANGE(RCF)



紧凑型法兰是按照NORSOK L005生产的，新设计产品的重量比相同尺寸和相同压力等级的PERT法兰轻70%-80%

THE COMPACT FLANGES ARE PRODUCED AS PER NORSOK L005, THE NEW DESIGN PRODUCTS WHOSE WEIGHT ARE 70%-80% LIGHTER THAN THAT OF SAME SIZE AND SAME PRESSURE RATING FLANGES AS PER TRADITIONAL ASME STANDARD.

▶▶ 旋转法兰 | SWIVEL RING FLANGE(RSR)

可用于海上平台、海底管道、FPSO和单点系泊系统等。使用旋转环法兰可大大节省成本。旋转环法兰具有重量轻、安全可靠性高和安装更方便的优点；它主要用于海底管道连接和FPSO工艺管道连接。



▶ 法兰 | FLANGE

▶▶ 堆焊法兰 CLADDING FLANGE(RCW)



包覆法兰意味着成本更低，交货更快，现场焊接问题更少。它们是碳素钢和合金钢的强力学性能(高屈服强度)和耐腐蚀合金钢的高耐腐蚀能力的结合。

THE CLADDING FLANGES MEANS LESS COST, FASTER DELIVERY, LESS ON-SITE WELDING PROBLEMS. THEY ARE COMBINATIONS

OF THE STRONG MECHANICAL PROPERTIES OF CARBON AND ALLOY STEELS (HIGH YIELD STRENGTH) AND HIGH CORROSION-RESISTANT ABILITIES OF CORROSION RESISTANCE ALLOY STEELS.

▶▶ 孔板法兰 | ORIFICE FLANGE SETS

孔板法兰组用于将孔板和密封组件安装到管道上。孔板固定在两个孔板法兰之间，差压流量变送器通过法兰上的孔得到信号，并根据贝莫里方程进行计算，得到流量。

ORIFICE FLANGE SETS ARE USED FOR INSTALLING THE ORIFICE PLATE AND SEALING KITS TO PIPELINE. THE ORIFICE PLATE WILL BE FIXED BETWEEN TWO ORIFICE FLANGES. THROUGH THE HOLE ON THE FLANGES, A DIFFERENTIAL PRESSURE FLOW TRANSMITTER GET THE SIGNAL AND DO THE CALCULATION ACCORDING TO BERNOULLI -EQUATION AND WE GET THE FLOW RATE.



▶ 法兰 | FLANGE

▶▶ 常用法兰 | COMMON FLANGE



• 板式平焊法兰 PL FLANGE



• 带颈平焊法兰 SO FLANGE



• 带颈对焊法兰 WN FLANGE



• 承插焊法兰 SW FLANGE



• 螺纹法兰
TH FLANGE



• 对焊环松套法兰
PJ/SE



• 整体法兰
IF FLANGE



• 盲板
BL FLANGE



• 平焊松环套法兰
PJ/RJ

▶ 管件 | PIPING PRODUCTS

▶▶ 钢管 | ASME PIPES

▶▶ RGS电线管 | RGS

▶▶ IMC电线管 | IMC

▶▶ EMT 电线管 | EMTS

▶▶ 钛合金管材/管件 | TITANIUM ALLOY PIPING PRODUCTS

▶▶ 堆焊管件 | ASTM / ASME BW PIPE AND FITTINGS

▶▶ 锻造法兰 | FORGED FLANGES

▶▶ 锻造管件 | FORGED FITTINGS

▶▶ 紫铜管及管件 | COPPER PIPES AND FITTINGS

▶▶ 铜镍合金管及管件 | CU/Ni PIPES, FITTINGS & FLANGES

▶▶ 镀锌及玛钢管件 | THREADED PIPE FITTING



▶▶ 紧固件 | FASTENERS

▶▶ 双头螺栓 | STUDBOLT

▶▶ 六角头螺栓 | HEXBOLT

▶▶ 螺母 | NUT

▶▶ 垫圈 | WASHER

▶▶ 华富涂层紧固件 | XYLAN[®] COATED FASTENERS

▶▶ U型螺栓 | U-RUBBER COATED BOLT

▶▶ PTFE内衬U型螺栓 | PTFE LINED U-BOLTS



▶▶ 垫片 | GASKET

▶▶ 金属缠绕垫片 | SPIRAL WOUND GASKET

▶▶ 石墨垫片 | REINFORCED GRAPHITE GASKET

▶▶ 金属包覆垫片 | METAL CLAD GASKET

▶▶ 波齿复合垫片 | CORRUGATED METAL GASKET

▶▶ 齿形垫片 | KAMMPROFILE GASKET

▶▶ 无石棉垫片 | NON ASBESTOS GASKET

▶▶ 石棉垫片 | ASBESTOS GASKET

▶▶ 八角垫 | OCTANGONAL RING GASKET

▶▶ 椭圆垫 | OVAL RING GASKET

▶▶ 四氟垫片 | PTFE GASKET





► 生产设备 | PRODUCTION EQUIPMENT



专业的管道流体系统供应商
PROFESSIONAL PIPELINE FLUID SYSTEM SUPPLIER



► 质量管控 | QUALITY CONTROL



专业的管道质量管控流程
PROFESSIONAL PIPELINE FLUID SYSTEM SUPPLIER





THANK YOU

Looking forward to your cooperation

