

Your Perfect Wood Floor & More

Global Floorings Introduction



Source Factory



Safety Production



Quality Assurance

Product Icons

Your will notice these icons throughout the catalogue, which show you the key characteristics of each collection at a glance.



Lacquer Finish



Oil Finish

Wear Rating





Suitable For Under Floor Heating Floated Installation On Underlay



Direct Fixed With Adhesive



Micro-Bevelled On 4 Sides



Tongue & Groove Fitting




Lock System Fitting

GLOBAL FLOORINGS PRODUCT LIST & PRICE

Laminate Floor

Laminate flooring offers core values of beauty and durability. We brings distinguished water resistant property and the optional waterproof substrate gives it a true version of waterproof performance



Floor Construction	Style No	Floor Name	Plank/Tile Thickness	LxW	Edge Treatment	Abrasion Class	Profile	Image	Customizable	Price/SP.ft
Imprint Collection : Indisplayed under the lig		by the old sp	irit of ingenuity. Th	e graphic design in	ncorporates the	e classic hand	d carving, so	that the design	details can be in	distinctly
Laminate	GL-L-P01	Oak Twilight	10.0mm	1214 x 200 mm	V-Bevel	AC3	Uniclic		V	\$0.25/SP.ft
Laminate	GL-L-P02	Oak Fairyland	10.0mm	1214 x 200 mm	V-Bevel	AC3	Uniclic		√	\$0.25/SP.ft

Laminate	GL-L-P03	Oak Fullmoon	10.0mm	1214 x 200 mm	V-Bevel	AC3	Uniclic		V	\$0.25/SP.ft
Laminate	GL-L-P04	Oak Glamour	10.0mm	1214 x 200 mm	V-Bevel	AC3	Uniclic		V	\$0.25/SP.ft
Laminate	GL-L-P05	Oak Fabrics	10.0mm	1214 x 200 mm	V-Bevel	AC3	Uniclic		V	\$0.25/SP.ft
Ego Collection : Ego is the timeless colour tre		th characteris	tics that speak typica	l European modei	rn spirit, such a	as knots and	cracks, coloi	variations and	effects of oak we	ood. Comes in
Waterproof Laminate	GL-L-E06	Oak Highway	8.0mm + 2.0mm EVA / IXPE	1286 x 195 mm	V-Bevel	AC3	Uniclic		V	\$0.25/SP.ft
Waterproof Laminate	GL-L-E07	Oak Frost	12.0mm + 2.0mm EVA / IXPE	1212 x 190 mm	Pressed - Bevel	AC3	Uniclic		V	\$0.25/SP.ft
Waterproof Laminate	GL-L-E08	Oak Sierra	12.0mm + 2.0mm EVA / IXPE	1212 x 190 mm	Pressed- Bevel	AC3	Uniclic		V	\$0.25/SP.ft
Waterproof Laminate	GL-L-E09	Oak Cinder	12.0mm + 2.0mm EVA / IXPE	1212 x 161 mm	Pressed- Bevel	AC3	Uniclic	4F .	V	\$0.25/SP.ft

Waterproof Laminate	GL-L-E10	Oak Lisboa	11.0mm + 2.0mm EVA / IXPE	2048 x 190 mm	V-Bevel	AC3	Uniclic	V	\$0.32/SP.ft
Waterproof Laminate	GL-L-E11	Oak Pearl	10.0mm + 2.0mm EVA / IXPE	1287 x 248 mm	V-Bevel	AC3	Uniclic	V	\$0.25/SP.ft
Waterproof Laminate	GL-L-E12	Oak Bronzo	10.0mm + 2.0mm EVA / IXPE	1287 x 196 mm	V-Bevel	AC3	Uniclic	√	\$0.25/SP.ft
Waterproof Laminate	GL-L-E13	Oak Copper	10.0mm + 2.0mm EVA / IXPE	1287 x 196 mm	V-Bevel	AC3	Uniclic	V	\$0.25/SP.ft
Waterproof Laminate	GL-L-E14	Oak Maize	11.0mm + 2.0mm EVA / IXPE	1287 x 192 mm	V-Bevel	AC3	Uniclic	V	\$0.25/SP.ft
Waterproof Laminate	GL-L-E15	Oak Aroma	8.0mm + 2.0mm EVA / IXPE	1800 x 200 mm	V-Bevel	AC3	Uniclic	V	\$0.25/SP.ft
Waterproof Laminate	GL-L-E16	Oak Papyrus	8.0mm + 2.0mm EVA / IXPE	1800 x 200 mm	V-Bevel	AC3	Uniclic	V	\$0.28/SP.ft

Ease Collection: Ease is a statement of Eastern calmness with harmonious oak grains and neutral tones ranging from light, natural to brown. Ease is just a palette for people dreaming of a comfortable harbor home.

Waterproof Laminate	GL-L-E17	Oak Fabbri	12.0mm + 2.0mm EVA / IXPE	1215 x 198 mm	V-Bevel	AC3	Uniclic	√	\$0.25/SP.ft
Waterproof Laminate	GL-L-E18	Oak Alabaster	12.0mm + 2.0mm EVA / IXPE	1214 x 194 mm	V-Bevel	AC3	Uniclic	V	\$0.25/SP.ft
Waterproof Laminate	GL-L-E19	Oak Dew	12.0mm + 2.0mm EVA / IXPE	1215 x 161 mm	V-Bevel	AC3	Uniclic	√	\$0.25/SP.ft
Waterproof Laminate	GL-L-E20	Oak Sandbank	12.0mm + 2.0mm EVA / IXPE	1215 x 161 mm	V-Bevel	AC3	Uniclic	√	\$0.25/SP.ft
Waterproof Laminate	GL-L-E21	Oak Ripton	12.0mm + 2.0mm EVA / IXPE	1215 x 161 mm	V-Bevel	AC3	Uniclic	√	\$0.25/SP.ft
Waterproof Laminate	GL-L-E22	Oak Vario Greige	12.0mm + 2.0mm EVA / IXPE	1215 x 161 mm	V-Bevel	AC3	Uniclic	V	\$0.25/SP.ft

Engineered Floor

Engineered wood extends its core Engineered Floors extends its core values of beauty and durability to natural wood and bamboo materials and take advantages of HDF to further enhance the performance



Floor Construction	Style No	Floor Name	Plank/Tile Thickness	LxW	Edge Treatment	Veneer	Profile	Image	Customizable	Price/SP.ft
Sarek Collection : Sare	ek inherits the co	mfort and sta	bility of multi-layer	hardwood floors						
Multi-layer Engineered Wood	GL-E-S01	Walnutt	15.0mm	1900 x 190 mm	V-Bevel	1.5mm	T&G		V	\$0.65/SP.ft
Multi-layer Engineered Wood	GL-E-S02	Oak	14.0mm	1210 x 165 mm	V-Bevel	1.0mm	T&G		V	\$0.65/SP.ft
Multi-layer Engineered Wood	GL-E-S03	Oak	15.0mm	1900 x 190 mm	V-Bevel	1.5mm	T&G		٧	\$0.65/SP.ft
Multi-layer Engineered Wood	GL-E-S04	Oak	15.0mm	1900 x 190 mm	V-Bevel	1.5mm	T&G		V	\$0.65/SP.ft

Multi-layer Engineered Wood	GL-E-S08	Oak	14.0mm	1220 x 165 mm	V-Bevel	1.0mm	T&G		√	\$0.65/SP.ft
	GL-E-S08	Oak	14.0mm	1220 x 165 mm	V-Bevel	1.0mm	T&G		٧	\$0.65/SP.ft
Multi-layer Engineered Wood	GL-E-S09	Oak	15.0mm	1900 x 190 mm	V-Bevel	1.5mm	T&G		٧	\$0.65/SP.ft
Multi-layer Engineered Wood	GL-E-S10	Oak	15.0mm	1900 x 190 mm	V-Bevel	1.5mm	T&G		٧	\$0.65/SP.ft
Multi-layer Engineered Wood	GL-E-S11	Walnut	15.0mm	1900 x 190 mm	V-Bevel	1.5mm	T&G		V	\$0.65/SP.ft
Floor Construction	Style No	Floor Name	Plank/Tile Thickness	L×W	Edge Treatment	Veneer	Profile	Image	Customizable	Price/SP.ft

Vogue Collection : Volume but some are enhance	gue features stri d with wire brus	ips that are po thed or hand-s	sitioned randomly, sculptured finish cr	which creates a flo	or with individe with livelier a	dual charactei ambience	r. Usually, V	ogue comes with	flat finish for ti	ranquil feeling,
Engineered Wood	GL-E-V12	Louvre Oak	9.0mm	1840 x 166 mm	V-Bevel	1.0mm	T&G		√	\$0.65/SP.ft
Engineered Wood	GL-E-V13	Pamirs Oak	9.0mm	1840 x 166 mm	V-Bevel	1.0mm	T&G		V	\$0.65/SP.ft
Engineered Wood	GL-E-V14	Mengen Oak	20.0mm	2200 x 260 mm	V-Bevel	6.0mm	T&G		V	\$0.65/SP.ft
Engineered Wood	GL-E-V15	Bitburg Oak	14.0mm	1900 x 190 mm	V-Bevel	3.0mm	T&G		V	\$0.65/SP.ft
Engineered Wood	GL-E-V16	Habor Oak	15.0mm	1830 x 190 mm	V-Bevel	2.0mm	T&G		V	\$0.65/SP.ft
Engineered Wood	GL-E-V17	Verona Oak	14.0mm	1880 x 180 mm	V-Bevel	3.0mm	T&G		V	\$0.65/SP.ft
Engineered Wood	GL-E-V18	Palermo Oak	14.0mm	1900 x 190 mm	V-Bevel	3.0mm	T&G		V	\$0.65/SP.ft

Engineered Wood	GL-E-V19	Trieste Oak	14.0mm	1900 x 190 mm	V-Bevel	3.0mm	T&G		√	\$0.65/SP.ft
Engineered Wood	GL-E-V20	Khalifa Oak	15.0mm	1830 x 190 mm	V-Bevel	2.0mm	T&G		√	\$0.65/SP.ft
Engineered Wood	GL-E-V21	Times Oak	15.0mm	1830 x 190 mm	V-Bevel	2.0mm	T&G		√	\$0.65/SP.ft
Floor Construction	Style No	Floor Name	Plank/Tile Thickness	LxW	Edge Treatment	Veneer	Profile	Image	Customizable	Price/SP.ft
		Ivallic	HIIICKIICSS		Heatillelit					
Eternity Collection : Et	ternity is sophist			an exotic feel. Ban		ionally hard,	resilient, dui	rable and resista	nt to wear and o	lamage.
Eternity Collection: Et	ternity is sophist			920 x 132 mm		ionally hard, 1.2mm	resilient, dui T&G	rable and resista	nt to wear and o	\$0.65/SP.ft
		icated and eco	o-friendly to create (nboo is excepti			rable and resista		

Engineered Wood	GL-E-E25	Carbonlite Bamboo	12.0mm	920 x 132 mm	V-bevel	1.2mm	T&G	V	\$0.65/SP.ft
Engineered Wood	GL-E-E26	Forest Bamboo	12.0mm	915 x 125 mm	Micro-bevel	1.2mm	T&G	V	\$0.65/SP.ft
Engineered Wood	GL-E-E27	Mayan Bamboo	12.0mm	980 x 127 mm	Micro-bevel	1.2mm	T&G	٧	\$0.65/SP.ft

SPC Floor

SPC inherits its core values of beauty and durability with distinguished stain resistance property.




Floor Construction	Ctula Na	Floor	Plank/Tile	L v/M/	Edge	Voncor	Profile	Imaga	Customizable	Price/SP.ft
Floor Construction	Style No	Name	Thickness	LxW	Treatment	Veneer	Prome	Image	Customizable	Price/SP.It

Calmness Collection: Calmness is a collection of global aesthetics, inlcudes various patterns that have long been popular on the market.

SPC	GL-S-C01	Oak	3.2 - 7.0mm + 1.0 - 2.0mm IXPE	1220 x 180 mm	Micro-Bevel	Uniclic	V	\$0.32/SP.ft
SPC	GL-S-C02	Oak	3.2 - 7.0mm + 1.0 - 2.0mm IXPE	1220 x 180 mm	Micro-Bevel	Uniclic	V	\$0.32/SP.ft
SPC	GL-S-C03	Oak	3.2 - 7.0mm + 1.0 - 2.0mm IXPE	1220 x 180 mm	Micro-Bevel	Uniclic	V	\$0.32/SP.ft
SPC	GL-S-C04	Oak	3.2 - 7.0mm + 1.0 - 2.0mm IXPE	1220 x 180 mm	Micro-Bevel	Uniclic	V	\$0.32/SP.ft
SPC	GL-S-C05	Oak	3.2 - 7.0mm + 1.0 - 2.0mm IXPE	1220 x 180 mm	Micro-Bevel	Uniclic	V	\$0.32/SP.ft
SPC	GL-S-C06	Oak	3.2 - 7.0mm + 1.0 - 2.0mm IXPE	1220 x 180 mm	Micro-Bevel	Uniclic	V	\$0.32/SP.ft
SPC	GL-S-C07	Oak	3.2 - 7.0mm + 1.0 - 2.0mm IXPE	1220 x 180 mm	Micro-Bevel	Uniclic	V	\$0.32/SP.ft
				LVT	loor	-		

LVT Floor

LVT inherits its core values of beauty and durability with distinguished stain resistance property.



Floor Construction	Style No	Floor Name	Plank/Tile Thickness	L x W	Edge Treatment	Veneer	Profile	Image	Customizable	Price/SP.ft
Calmness Collection :	Calmness is a co	ollection of gl	obal aesthetics, inlcu	des various patte	rns that have lo	ong been po	oular on the	market.		
LVT	GL-I-C01	Oak	3.2 - 7.0mm + 1.0 - 2.0mm IXPE	1220 x 180 mm	Micro-Bevel		Uniclic		V	\$0.32/SP.ft
LVT	GL-I-C02	Oak	3.2 - 7.0mm + 1.0 - 2.0mm IXPE	1220 x 180 mm	Micro-Bevel		Uniclic		V	\$0.32/SP.ft
LVT	GL-I-C03	Oak	3.2 - 7.0mm + 1.0 - 2.0mm IXPE	1220 x 180 mm	Micro-Bevel		Uniclic		V	\$0.32/SP.ft

LVT	GL-I-C04	Oak	3.2 - 7.0mm + 1.0 - 2.0mm IXPE	1220 x 180 mm	Micro-Bevel	Uniclic	V	\$0.32/SP.ft
LVT	GL-I-C05	Oak	3.2 - 7.0mm + 1.0 - 2.0mm IXPE	1220 x 180 mm	Micro-Bevel	Uniclic	V	\$0.32/SP.ft
LVT	GL-I-C06	Oak	3.2 - 7.0mm + 1.0 - 2.0mm IXPE	1220 x 180 mm	Micro-Bevel	Uniclic	V	\$0.32/SP.ft
LVT	GL-I-C07	Oak	3.2 - 7.0mm + 1.0 - 2.0mm IXPE	1220 x 180 mm	Micro-Bevel	Uniclic	٧	\$0.32/SP.ft

Carbon Neutral Printing

To help reduce its impact on the environment, this brochure was produced with carbon neutral printing. With that in mind we ask you to please recycle, or reuse by sharing it with friends, family and colleagues. Thank you for your support.







bring nature inside

Contact our commercial team to arrange free sampling or a consultation at our design centre, email support@globalfloorings or call 086-195-3130-3356









