

YXPS-01 4 Rows 40L Pneumatic Seeder



The Pneumatic Seeders and Fertilizer product from YongXiang you have the possibility to customize your professional agriculture implement according to your needs.

Our 4 rows Pneumatic Seeders are suitable for rice seeds sowing and spreading fertilizer. Due to their non-corrosive design, you also benefit during seed and fertilizer distribution to your paddy land.

Using intelligent central system with radar sensor to precise control the seeding volume and the electrically regulated metering roller, the seed enters the air channel where the electric fan conveys it through plastic hoses to the dispersion plates, from there it is evenly distributed near the ground. This enables precise seeding or fertilizing even when the wind is blowing.

Description:

- 40L polyethylene hopper, capacity: 1 to 4 outlets(optional)
- Intelligent tablet APP control seeding volume precisely
- Adjustable seeds rate from 1 to 300kg / ha.
- Equipped with a air blower driven by a 12-volt electric motor.
- Shaft roller is driven by a stepping electric motor.
- The airflow delivery the seed into flexible plastic hoses evenly.
- Radar monitor and control seeding rate synchronizes tractor speed
- Multiple seed roller optional, Low hopper sensor alarm
- Robust construction, easy operate and install on most implements.
- Size: 50x50x80cm Weight: 35KGS Working Width: 1-3m

YXPS-02 8 Rows 75L Pneumatic Seeder



The Pneumatic Seeders or Fertilizer Machine from YongXiang make you have the possibility to customize your professional agriculture implement according to your needs.

Yongxiang Pneumatic Seeders are suitable for most seeds (rice, wheat, rapeseed, soybean, sorghum, grass.etc) sowing and spreading fertilizer. The precise spreading of seeds, fertilizer and micro granules(1 to10mm) helps you obtain excellent yield.

Using seeder intelligent central system with radar sensor to precise control the seeding volume and the electrically regulated metering roller, the seed enters the air channel where the electric fan conveys it through plastic hoses to the dispersion plates, from there it is evenly distributed near the ground. This enables precise seeding or fertilizing even when the wind is blowing.

Description:

- 75L polyethylene hopper, capacity: 1 to 8 outlets(optional)
- Intelligent tablet APP control seeding volume precisely
- Adjustable seeds rate from 1 to 300kg / ha
- Equipped with dual 12 volt electric air blower(fans)
- Shaft roller is driven by a stepping electric motor.
- The airflow delivery the seed into flexible plastic hoses evenly
- Radar monitor and control seeding rate synchronizes tractor speed
- Multiple seed roller optional, Low hopper sensor alarm
- Robust construction, easy operate and install on most implements
- Size: 70x42x82cm Weight: 50KGS Working Width: 1-6m

YXPS-03 12 Rows 100L Pneumatic Seeder



Yongxiang 12 rows Pneumatic Seeder or Fertilizer Spreader with 100L medium-sized hopper allows you to customize professional agricultural machinery such as combined rotary tillers, cultivators, disc harrows, compaction rollers and other equipment for small and medium-sized farmlands.

Multiple selection of hopper sizes, seeding shafts and seeding rows allow us to offer you a customized solution for every need and budget in different application scenarios, and to save seeds, fertilizer volume and labor cost. The precise spreading of seeds, fertilizer and micro granules(1 to10mm) helps you obtain excellent yield and increase your income in agriculture business.

Using excellent intelligent central system with radar sensor to precise control the seeding volume and the electrically regulated metering roller, the seed enters the air channel where the electric fan conveys it through plastic hoses to the dispersion plates, from there it is evenly distributed near the ground. This enables precise seeding or fertilizing even when the wind is blowing.

Description:

- 100L polyethylene hopper, capacity: 1 to 12 outlets(optional)
- Intelligent tablet APP control seeding volume precisely
- Adjustable seeds rate from 1 to 300kg / ha.
- Equipped with air blower driven by dual 12-volt electric motor.
- Shaft roller is driven by a stepping electric motor.
- The airflow delivery the seed into flexible plastic hoses evenly.
- Multiple seed roller optional, Low hopper sensor alarm
- Robust construction, easy operate and install on most implements.
- Size: 86x42x82cm Weight: 70KGS Working Width: 1-6m

YXPS-04 12 Rows 150L Pneumatic Seeder



Yongxiang 12 rows Pneumatic Seeder or Fertilizer Spreader with 150L large-sized hopper allows you to customize professional agricultural machinery such as combined rotary tillers, cultivators, disc harrows, compaction rollers and other equipment for large farmlands.

Multiple selection of hopper sizes, seeding shafts and seeding rows allow us to offer you a customized solution for every need and budget in different application scenarios, and to save seeds, fertilizer volume and labor cost. The precise spreading of seeds, fertilizer and micro granules(1 to10mm) helps you obtain excellent yield and increase your income in agriculture business.

Using excellent intelligent central system with radar sensor to precise control the seeding volume and the electrically regulated metering roller, the seed enters the air channel where the electric fan conveys it through plastic hoses to the dispersion plates, from there it is evenly distributed near the ground. This enables precise seeding or fertilizing even when the wind is blowing.

Description:

- 150L stainless steel hopper, capacity: 1 to 12 outlets(optional)
- Intelligent tablet APP control seeding volume precisely
- Adjustable seeds rate from 1 to 300kg / ha.
- Equipped with air blower driven by a dual 12-volt electric motor.
- Shaft roller is driven by a stepping electric motor.
- The airflow delivery the seed into flexible plastic hoses evenly.
- Multiple seed roller optional, Low hopper sensor alarm
- Robust construction, easy operate and install on most implements.
- Size: 85x78x87cm Weight: 90KGS Working Width: 1-6m

YXPS-05 12 Rows 300L Pneumatic Seeder



Yongxiang 12 rows Pneumatic Seeder or Fertilizer Spreader with 300L large-sized hopper allows you to customize professional agricultural machinery such as combined rotary tillers, cultivators, disc harrows, compaction rollers and other equipment for large farmlands.

Multiple selection of hopper sizes, seeding shafts and seeding rows allow us to offer you a customized solution for every need and budget in different application scenarios, and to save seeds, fertilizer volume and labor cost. The precise spreading of seeds, fertilizer and micro granules(1 to10mm) helps you obtain excellent yield and increase your income in agriculture business.

Using excellent intelligent central system with radar sensor to precise control the seeding volume and the electrically regulated metering roller, the seed enters the air channel where the electric fan conveys it through plastic hoses to the dispersion plates, from there it is evenly distributed near the ground. This enables precise seeding or fertilizing even when the wind is blowing.

Description:

- 300L stainless steel hopper, capacity: 1 to 12 outlets(optional)
- Intelligent tablet APP control seeding volume precisely
- Adjustable seeds rate from 1 to 300kg / ha.
- Equipped with air blower driven by a dual 12-volt electric motor.
- Shaft roller is driven by a stepping electric motor.
- The airflow delivery the seed into flexible plastic hoses evenly.
- Multiple seed roller optional, Low hopper sensor alarm
- Robust construction, easy operate and install on most implements.
- Size: 114x78x100cm Weight: 140KGS Working Width: 1-6m

YXPS-06 8 Rows 350L Pneumatic Seeder



The Pneumatic Seeders or Fertilizer Machine with 350L large hopper from YongXiang make you have the possibility to customize your professional agriculture implement according to your farmland needs or your local demands.

Multiple selection of hopper sizes, seeding shafts and seeding rows allow us to offer you a customized solution for every need and budget in different application scenarios, and to save seeds, fertilizer volume and labor cost. The precise spreading of seeds, fertilizer and micro granules(1 to10mm) helps you obtain excellent yield and increase your income in agriculture business.

Using excellent intelligent central system with radar sensor to precise control the seeding volume and the electrically regulated metering roller, the seed enters the air channel where the electric fan conveys it through plastic hoses to the dispersion plates, from there it is evenly distributed near the ground. This enables precise seeding or fertilizing even when the wind is blowing.

Description:

- 350L stainless steel hopper, capacity: 1 to 8 outlets(optional)
- Intelligent tablet APP control seeding volume precisely
- Adjustable seeds rate from 1 to 300kg / ha.
- Equipped with air blower driven by a dual 12-volt electric motor.
- Shaft roller is driven by a stepping electric motor.
- The airflow delivery the seed into flexible plastic hoses evenly.
- Multiple seed roller optional, Low hopper sensor alarm
- Robust construction, easy operate and install on most implements.
- Size: 110x80x110cm Weight: 130KGS Working Width: 1-6m

YXPS-07 12 Rows 600L Pneumatic Seeder



Yongxiang 12 rows Pneumatic Seeder with 12 Rows Fertilizer Spreader equipped 600L large-sized hopper allows you to customize professional agricultural machinery such as combined rotary tillers, cultivators, disc harrows, compaction rollers and other equipment for large farmlands.

Multiple selection of hopper sizes, seeding shafts and seeding rows allow us to offer you a customized solution for every need and budget in different application scenarios, and to save seeds, fertilizer volume and labor cost. The precise spreading of seeds, fertilizer and micro granules(1 to10mm) helps you obtain excellent yield and increase your income in agriculture business.

Using excellent intelligent central system with radar sensor to precise control the seeding volume and the electrically regulated metering roller, the seed enters the air channel where the electric fan conveys it through plastic hoses to the dispersion plates, from there it is evenly distributed near the ground. This enables precise seeding or fertilizing even when the wind is blowing.

Description:

- 600L stainless steel hopper, capacity: 1 to 12 outlets(optional)
- Intelligent tablet APP control seeding volume precisely
- Adjustable seeds rate from 1 to 300kg / ha.
- Equipped with air blower driven by a dual 12-volt electric motor.
- Shaft roller is driven by a stepping electric motor.
- The airflow delivery the seed into flexible plastic hoses evenly.
- Multiple seed roller optional, Low hopper sensor alarm
- Robust construction, easy operate and install on most implements.
- Size: 140x135x110cm Weight: 300KGS Working Width: 1-6m