



مجموعة واي كيه ام
YKM Group

Wire Mesh Specialist
Since 1984



We believe to provide the permanent solution with best quality at competitive price. Our Corporate Policy is to work as a partner with our clients. YKM Group is a Branded Wire Mesh Manufacturer



WHO WE ARE

YKM is one of the Internationally Leading Manufacturers for Wire mesh, Chain-link Fence, Shade Nets and Wires.



HISTORY

Established in the year 1984. YKM Group is the MENA Subdivision of YingKaimo Metal Net Company Ltd has always been one of the leading choice for metal meshes across the world. Our annual sales volume has been over 50 million, 90% of which are from overseas, covering over 70 countries and regions.

YKM comprises of two factories with a total production area of 156,000 square meters. In 2003, Our Quality Management System & EMS was certified to meet ISO9001 & ISO14001 standards. Subsequently we established our International Office in Dubai, UAE in 2004.






R&D POLICY

YKM R&D is the result of combination of information and resource from technical, production & sales department. Our team consist of 2 material engineers, 4 weaving engineers, 4 painting engineers, 2 electronic engineers, 2 mechanical engineers, 2 IE engineers and 1 Switzer professor with more than 40 years experience in wire mesh industry.

YKM self-developed epoxy coated wire mesh, fuel cell mesh, exhaust emission control system mesh, Auto safety system mesh, Oil industry mesh are environmental and clean energy oriented and innovative alternative solutions.

Our laboratory is qualified with corrosion limit test, metal's inner structure analysis and the assessment of filtration stability, which can offer environmental simulation and data support for new product development.





WOVEN MESH

MATERIAL

1. Stainless Steel Mesh
2. Nickel Wire Mesh
3. Epoxy Coated Wire Mesh
4. Copper / Brass Wire Mesh
5. Aluminium Screen


GRADES

- SS316
- SS304
- SS310
- SS321
- SS330
- SS347
- SS410
- SS430
- SS910 & more



"YKM" is a huge brand for Woven Wire Mesh. Our Processing Plant is around 156,000 square meters within excess of 400 sets of world-class facility of assembling machines, fundamental machines including Worldwide Advanced Innovative Japanese-made RGK, German-made Jager, and high specialized machines. The annual manufacturing capacity for stainless steel mesh is over 10 million square meters, ranging upto 635 square mesh and 2,800 mesh to the largest Dutch weave. We are capable of manufacturing Stainless Steel, Epoxy, Nickel, Copper & Carbon Steel Woven Meshes of Microns as low as 5.






APPLICATIONS

- Petroleum
- Chemical, Ionic Towers
- Automotive
- New Energy
- Food
- Pharmaceutical
- Pharmacy
- Oil & Gas
- Metal Power Filtration
- Ceramic Printing & Shielding
- Plastic Recycling/Rubber Extrusion
- Grain Separation
- Water Treatment
- Cable Manufactures/Tray
- Pet/HDPE/PP Recycling Plant
- Deep Drilling
- Tyre/Tube Manufacturers
- and many other Industries

Meshes Per Linear Inch	Wire Diameter	Width Of Opening	Open Area
	mm	mm	Percent
1x1	4	21.4	71
2x2	2.5	10.2	64
3x3	2	6.4	58
4x4	1.6	4.75	56
4x4	1.39	5.16	65.9
5x5	1.4	3.68	52
6x6	1.2	3.03	51
8x8	1.1	2.08	42
10x10	1	1.54	36
10x10	0.51	2.03	64
12x12	0.584	1.52	51.8
12x12	0.508	1.6	57.2
14x14	0.584	1.22	45.2
14x14	0.508	1.3	51
16x16	0.457	1.13	50.7
18x18	0.432	0.98	48.3
20x20	0.508	0.76	36

SQUARE MESH

Meshes Per Linear Inch	Wire Diameter	Width Of Opening	Open Area
	mm	mm	Percent
20x20	0.406	0.86	46.2
24x24	0.356	0.7	44.2
30x30	0.33	0.52	37.1
30x30	0.305	0.54	40.8
30x30	0.229	0.62	53.1
35x35	0.279	0.45	37.9
40x40	0.254	0.38	36
50x50	0.229	0.28	30.3
50x50	0.203	0.31	36
60x60	0.191	0.23	30.5
60x60	0.178	0.25	33.9
70x70	0.165	0.2	29.8
80x80	0.165	0.15	23
80x80	0.14	0.18	31.4
90x90	0.127	0.16	30.1
100x100	0.114	0.14	30.3
100x100	0.102	0.15	36
100x100	0.089	0.17	42.3
110x110	0.1016	0.1295	30.7
120x120	0.094	0.1168	30.7
150x150	0.006	0.1041	37.4
180x180	0.0635	0.0965	36.4
180x180	0.0584	0.0838	34.7
200x200	0.0533	0.0737	33.6
250x250	0.0406	0.061	36
270x270	0.0406	0.0533	32.2
300x300	0.0381	0.0457	29.7
325x325	0.0356	0.0432	30
400x400	0.0254	0.037	36
500x500	0.0254	0.0254	25
635x635	0.0203	0.0203	25



TWILL DUTCH


Mesh Count Per Inch	Wire Diameter Inches	Absolute Filter Rating Microns	Nominal Filter Rating Microns
20x260	.0098x.0079	110-120	98-105
30x360	.0098x.0060	90-100	80-84
40x560	.0070x.0040	70-75	47-52
80x700	.0040x.0030	35-40	24-26
200x600	.0024x.0018	28-32	19-21
165x800	.0028x.0020	24-26	14-16
165x1400	.0028x.0016	16-18	09-11
200x1400	.0028x.0016	12-14	05-06
250x1400	.0022x.0016	11-12	03-04
325x2300	.0015x.0010	08-09	02-03
400x2800	.0011x.0008	05-06	-

REVERSE TWILL DUTCH

YKM-Code	Mesh	Wire Diameter (µm)		Micron Retention (µm)		Porosity Theory (%)	Weight (kg/m ²)	Cloth Thickness (mm)
		Warp	Weft	Nominal	Absolute			
RFD400	84x14	-	-	-	450-530	62	3.5	1.15
RFD125	260x40	-	-	125	112-125	54	2.25	0.62
RFD90	170x40	-	-	90	106-118	54	2.1	0.57
RFD85	175x37	-	-	85	100-106	54	2.1	0.57
RFD80	130x30-35	200	380	80	95-105	57	2.7-3.10	.77-80
RFD60	175x40-50	150	300	60	65-72	55	2.1-2.40	.57-.60
RFD40	280x60-70	90	200	40	54-60	56	1.34-1.55	.38-.40
RFD25	600x100-105	42	140	25	34-38	57	.75-.80	.22-.23
RFD20	630x125-130	42	125	17	22-26	53	.75-.85	.20-.22
RFD15	720x140-150	35	110	15	16-20	52	.65-.70	.15-.18

PLAIN DUTCH

Mesh Count Per Inch	Wire Diameter Inches	Absolute Filter Rating Microns	Nominal Filter Rating Microns
8x85	.014x.0126	318-340	250-255
12x64	.024x.0165	270-285	200-205
14x88	.020x.013	225-245	150-155
20x150	.0098x.007	155-165	100-105
24x100	.015x.010	115-125	80-85
30x150	.009x.007	95-100	65-70
40x200	.007x.0055	65-70	55-60
50x250	.0055x.0045	55-60	40-45
80x400	.0049x.0028	43-48	35-40



NICKEL MESH



We Manufacture Nickel Wire Mesh with nickel content of 99.5% or more. These meshes are highly resistant to oxidation and corrosion. They are available in Nickel Mesh Sheets and Rolls and can be customized based on requirement and industrial environment.



FILTERS









Filters Screens are widely used as extruder, melt filter and other manufacturing industries. YKM supplies large quantities of SS discs & SS Screen.

Filter Screens are available in widest range with any shape from 4 mesh to 1,500 mesh. World class quality with smooth cutting burr free edge. Cut with specialized dies by hydraulic power press & plasma cutting from 5mm to 750mm in round, square or oval sizes to suits machine requirements.



ARCHITECTURAL MESH



Architectural Mesh are commonly know as decorative mesh which is available in Stainless Steel, Aluminium and more grades. It adds up an elegant & artistic appearance to the infrastructure while protecting the privacy, also resistant the material from acid, alkali and corrosion.

These meshes are mainly utilized for aesthetic decoration purpose as curtains, lamp screens, curtain, fireplace, shade screen and for building facade in buildings, hotel, luxurious ballroom, business hall, dining hall, ceiling, bathroom, door, balcony, window and more places.



WELDED WIRE MESH

1. Galvanized Iron
2. PVC Coated
3. Stainless Steel
4. Mild Steel



YKM Group make sure that the wire used are quality certified and the quality checks are conducted at all phases from raw material to the end product.



GALVANIZED WELDED MESH



G.I. Welded Mesh Sheet Size

Opening Size			Wire Diameter	Panel Size
Inches			Millimeter	Foot
1" x 1"	4" x 2"	8" x 8"	From 1mm to 8mm	From 2' to 12'
1 ¼" x 1 ¼"	4 ¼" x 2 ¼"	8 ¼" x 8 ¼"		
1 ½" x 1 ½"	4 ½" x 2 ½"	8 ½" x 8 ½"		
1 ¾" x 1 ¾"	4 ¾" x 2 ¾"	8 ¾" x 8 ¾"		
1" x 2"	4" x 4"	9" x 9"		
1 ¼" x 2 ¼"	4 ¼" x 4 ¼"	9 ¼" x 9 ¼"		
1 ½" x 2 ½"	4 ½" x 4 ½"	9 ½" x 9 ½"		
1 ¾" x 2 ¾"	4 ¾" x 4 ¾"	9 ¾" x 9 ¾"		
2" x 2"	5" x 5"	10" x 10"		
2 ¼" x 2 ¼"	5 ¼" x 5 ¼"	10 ¼" x 10 ¼"		
2 ½" x 2 ½"	5 ½" x 5 ½"	10 ½" x 10 ½"		
2 ¾" x 2 ¾"	5 ¾" x 5 ¾"	10 ¾" x 10 ¾"		
2" x 4"	6" x 6"	11" x 11"		
2 ¼" x 4 ¼"	6 ¼" x 6 ¼"	11 ¼" x 11 ¼"		
2 ½" x 4 ½"	6 ½" x 6 ½"	11 ½" x 11 ½"		
2 ¾" x 4 ¾"	6 ¾" x 6 ¾"	11 ¾" x 11 ¾"		
3" x 3"	7" x 7"	12" x 12"		
3 ¼" x 3 ¼"	7 ¼" x 7 ¼"			
3 ½" x 3 ½"	7 ½" x 7 ½"			
3 ¾" x 3 ¾"	7 ¾" x 7 ¾"			

G.I. Welded Mesh Roll Size

Opening Size				Wire Diameter	Panel Size
Inches				Millimeter	Foot
¼" x ¼"	2 ½" x 2 ½"	4 ¾" x 4 ¾"	7" x 7"	From 0.5mm to 10mm	From 3' to 7'
½" x ½"	2 ¾" x 2 ¾"	5" x 5"	7 ¼" x 7 ¼"		
¾" x ¾"	3" x 3"	5 ¼" x 5 ¼"	7 ½" x 7 ½"		
1" x 1"	3 ¼" x 3 ¼"	5 ½" x 5 ½"	7 ¾" x 7 ¾"		
1 ¼" x 1 ¼"	3 ½" x 3 ½"	5 ¾" x 5 ¾"	8" x 8"		
1 ½" x 1 ½"	3 ¾" x 3 ¾"	6" x 6"			
1 ¾" x 1 ¾"	4" x 4"	6 ¼" x 6 ¼"			
2" x 2"	4 ¼" x 4 ¼"	6 ½" x 6 ½"			
2 ¼" x 2 ¼"	4 ½" x 4 ½"	6 ¾" x 6 ¾"			



Note: Special Specification can be customized



Note: Special Specification can be customized



PVC WELDED & POWDER COATED WIRE MESH

PVC Welded Mesh Sheet Size				
Opening Size			Wire Diameter	Panel Size
Inches			Millimeter	Foot
1" x 1"	4" x 2"	8" x 8"	From 1mm to 8mm	From 2' to 12'
1 1/4" x 1 1/4"	4 1/4" x 2 1/4"	8 1/4" x 8 1/4"		
1 1/2" x 1 1/2"	4 1/2" x 2 1/2"	8 1/2" x 8 1/2"		
1 3/4" x 1 3/4"	4 3/4" x 2 3/4"	8 3/4" x 8 3/4"		
1" x 2"	4" x 4"	9" x 9"		
1 1/4" x 2 1/4"	4 1/4" x 4 1/4"	9 1/4" x 9 1/4"		
1 1/2" x 2 1/2"	4 1/2" x 4 1/2"	9 1/2" x 9 1/2"		
1 3/4" x 2 3/4"	4 3/4" x 4 3/4"	9 3/4" x 9 3/4"		
2" x 2"	5" x 5"	10" x 10"		
2 1/4" x 2 1/4"	5 1/4" x 5 1/4"	10 1/4" x 10 1/4"		
2 1/2" x 2 1/2"	5 1/2" x 5 1/2"	10 1/2" x 10 1/2"		
2 3/4" x 2 3/4"	5 3/4" x 5 3/4"	10 3/4" x 10 3/4"		
2" x 4"	6" x 6"	11" x 11"		
2 1/4" x 4 1/4"	6 1/4" x 6 1/4"	11 1/4" x 11 1/4"		
2 1/2" x 4 1/2"	6 1/2" x 6 1/2"	11 1/2" x 11 1/2"		
2 3/4" x 4 3/4"	6 3/4" x 6 3/4"	11 3/4" x 11 3/4"		
3" x 3"	7" x 7"	12" x 12"		
3 1/4" x 3 1/4"	7 1/4" x 7 1/4"			
3 1/2" x 3 1/2"	7 1/2" x 7 1/2"			
3 3/4" x 3 3/4"	7 3/4" x 7 3/4"			

PVC Welded Mesh Roll Size			
Opening Size			
Wire Diameter			
Panel Size			
Inches			
Millimeter			
Foot			
3/4" x 3/4"	2 1/2" x 2 1/2"	4 3/4" x 4 3/4"	7" x 7"
1/2" x 1/2"	2 3/4" x 2 3/4"	5" x 5"	7 1/4" x 7 1/4"
3/4" x 3/4"	3" x 3"	5 1/4" x 5 1/4"	7 1/2" x 7 1/2"
1" x 1"	3 1/4" x 3 1/4"	5 1/2" x 5 1/2"	7 3/4" x 7 3/4"
1 1/4" x 1 1/4"	3 1/2" x 3 1/2"	5 3/4" x 5 3/4"	8" x 8"
1 1/2" x 1 1/2"	3 3/4" x 3 3/4"	6" x 6"	
1 3/4" x 1 3/4"	4" x 4"	6 1/4" x 6 1/4"	
2" x 2"	4 1/4" x 4 1/4"	6 1/2" x 6 1/2"	
2 1/4" x 2 1/4"	4 1/2" x 4 1/2"	6 3/4" x 6 3/4"	



Note: Special Specification can be customized


Note: Special Specification can be customized

S.S. WELDED WIRE MESH



S.S. Welded Mesh Sheet Size				Wire Diameter	Panel Size	
Opening Size			Millimeter			Foot
Inches						
1" x 1"	4" x 2"	8" x 8"	From 1mm to 8mm	From 2' to 12'		
1 ¼" x 1 ¼"	4 ¼" x 2 ¼"	8 ½" x 8 ½"				
1 ½" x 1 ½"	4 ½" x 2 ½"	8 ¾" x 8 ¾"				
1 ¾" x 1 ¾"	4 ¾" x 2 ¾"	8 ¾" x 8 ¾"				
1" x 2"	4" x 4"	9" x 9"				
1 ¼" x 2 ¼"	4 ¼" x 4 ¼"	9 ½" x 9 ½"				
1 ½" x 2 ½"	4 ½" x 4 ½"	9 ¾" x 9 ¾"				
1 ¾" x 2 ¾"	4 ¾" x 4 ¾"	9 ¾" x 9 ¾"				
2" x 2"	5" x 5"	10" x 10"				
2 ¼" x 2 ¼"	5 ¼" x 5 ¼"	10 ½" x 10 ½"				
2 ½" x 2 ½"	5 ½" x 5 ½"	10 ½" x 10 ½"				
2 ¾" x 2 ¾"	5 ¾" x 5 ¾"	10 ¾" x 10 ¾"				
2" x 4"	6" x 6"	11" x 11"				
2 ¼" x 4 ¼"	6 ¼" x 6 ¼"	11 ¼" x 11 ¼"				
2 ½" x 4 ½"	6 ½" x 6 ½"	11 ½" x 11 ½"				
2 ¾" x 4 ¾"	6 ¾" x 6 ¾"	11 ¾" x 11 ¾"				
3" x 3"	7" x 7"	12" x 12"				
3 ¼" x 3 ¼"	7 ¼" x 7 ¼"					
3 ½" x 3 ½"	7 ½" x 7 ½"					
3 ¾" x 3 ¾"	7 ¾" x 7 ¾"					

S.S. Welded Mesh Roll Size				Wire Diameter	Panel Size		
Opening Size						Millimeter	Foot
Inches							
½" x ½"	2 ½" x 2 ½"	4 ¾" x 4 ¾"	7" x 7"	From 0.5mm to 10mm	From 3' to 7'		
½" x ½"	2 ¾" x 2 ¾"	5" x 5"	7 ¼" x 7 ¼"				
¾" x ¾"	3" x 3"	5 ¼" x 5 ¼"	7 ½" x 7 ½"				
1" x 1"	3 ¼" x 3 ¼"	5 ½" x 5 ½"	7 ¾" x 7 ¾"				
1 ¼" x 1 ¼"	3 ½" x 3 ½"	5 ¾" x 5 ¾"	8" x 8"				
1 ½" x 1 ½"	3 ¾" x 3 ¾"	6" x 6"					
1 ¾" x 1 ¾"	4" x 4"	6 ¼" x 6 ¼"					
2" x 2"	4 ¼" x 4 ¼"	6 ½" x 6 ½"					
2 ¼" x 2 ¼"	4 ½" x 4 ½"	6 ¾" x 6 ¾"					




Note: Special Specification can be customized



EXPANDED METAL MESH

1. Mild Steel
2. Galvanized Iron
3. Stainless Steel



APPLICATIONS


- Expanded Mesh adds strength to brickwork and prevents cracking.
- Ideal for art and craft.
- Ideal for Ceiling Decoration, Grill, Fence and many more.
- Walkways, Gratings
- Safety Guards / Security Mesh
- Fencing / Partitions
- Vehicle Grills
- Shelving & Rack
- Facade System for parking garage & more

Expanded metal is a sheet of metal fabricated with a regular diamond-shaped openings. The diamond-shaped openings, add strength and rigidity.

It is available in sheet and & roll with various gauges, opening sizes, material etc.

Expandable metal mesh is produced from one single sheet, so nothing can come loose. Therefore, it is ideal for forming and model making.





HEXAGONAL MESH

1. Galvanized Iron
2. PVC (Green & Other Colours)
3. Stainless Steel

Hexagonal Mesh Size	
Opening Size	Roll Size
Inches	Foot
1/2" x 1/2"	Width: 4'
3/4" x 3/4"	
1" x 1"	
2" x 2"	
Note: Special Specification can be customized	

Hexagonal mesh is also popularly known as Chicken Mesh. It is a widely used and versatile mesh that can be used for various applications such as animal traps, chicken coops, insulation backing or other wire fencing for animals etc.





WINDOW SCREEN | FLY SCREEN


1. Epoxy Mesh
2. Aluminium Screen
3. SS304 & SS316
4. Galvanized Iron



Window Screens are manufactured with a super-fine plain weave, chosen from a wide range of wire cloth materials. Our mesh is manufactured through specialized wire-drawing technology.

These meshes are widely used for home, commercial and industrial purposes, such as anti-mosquito, fly, insect, bug, anti-theft, privacy enhancement, UV blocking, filtering, and more.







PVC WELDED FENCE

PVC Welded Fence Size	
Opening Size	Roll Size
Inches	Foot
2" x 2"	4', 5', 6', 8' & 2m
2" x 4"	

Note: Special Specification can be customized





CHAIN LINK FENCE


1. Hot Dipped G.I. Fence
2. PVC Coated Fence (Green, Beige, Blue, Black & More)
3. Stainless Steel



Combined with the industry's most experienced manufacturing team, YKM Group has always been providing professional fencing solution for Commercial & Industrial Purposes.

Our manufacturing equipments include high tech Japanese machines to produce chain link fence. We have the capability to produce up to 6meters height fence.

The quality of our fence has been increased due to fully automatic & advance machinery. The raw material is also procured locally. Our chain link fence is a purely "MADE IN UAE" product with daily production capacity is an average of 4,000 Square meters.







Chainlink Fence Sizes		
Opening Size	Wire Diameter	Roll Size
Inches	Millimeter	Meter
1" x 1"	2.5mm to 4.88mm	Height: As per requirement (Maximum 6m) Length: As per requirement
1.5" x 1.5"		
2" x 2"		
2.5"		
Note: Special Specification can be customized		



APPLICATIONS

- Commercial & Residential Fencing
- Boundary & Privacy Fencing
- Cage Manufacturing
- Playground Fencing
- Animal Fencing & more





CONCERTINA RAZOR WIRE

1. Galvanized Iron
2. Powder Coating (Green, Beige, Blue, & more)
3. Stainless Steel

Concertina Razor Wire Size	
Roll Diameter x Length (Meter)	
0.5m x 10m	
0.75m x 10m	
1m x 10m	
Note: Special Specification can be customized	



YKM Group Concertina Razor Wire is the most widely used in all environments and sites to satisfy medium to highest grade of site security. It has simple but high security structure for both Private and Commercial applications. CBT & BTO Standard Razor Wires are available.




BARBED WIRE

1. Galvanized Iron
2. PVC Coated (Green, Beige, and others)


Barbed Wire Sizes	
Material	Wire Diameter
Galvanized Barbed	220m
PVC Barbed	245m

Note: Special Specification can be customized



The Barbed Tape can act as the additional barrier in conjunction with other security fencing system, such as chain link fencing. We are capable of manufacturing Barbed Wires of Grades Galvanized & PVC Coated.





Optimal wire for Binding Reinforcement bars in Construction Industry. The core material is Mild Steel Inker which takes place in the form of Thermal Annealing Processing.

Our Binding Wire or Annealed Wire is well-known, complies with international standards, and consistently outperforms in all industries. We offer packaging customization according to client requirements and can handle bulk quantity shipments.



WIRES

- Stainless Steel
- Galvanized Iron
- PVC Coated
- Mild Steel
- Brass
- Aluminium

Binding Wire Sizes		
Material	Size	
	Gauge	Millimeter
Galvanized Iron	BWG 8	4.0mm
	BWG 10	3.0mm
	BWG 12	2.5mm
	BWG 14	2.0mm
	BWG 16	1.6mm
	BWG 18	1.2mm
	BWG 20	1.0mm
	BWG 22	0.71mm
Mild Steel	BWG 16	1.6mm
PVC	BWG 5	4.88mm
	BWG 6	4.75mm
	BWG 7	4.5mm
	BWG 8	4.0mm
	BWG 11	3.2mm
	BWG 12	2.5mm
	BWG 14	2.0mm
	SS304	BWG 14
BWG 16		1.6mm
BWG 18		1.2mm
BWG 20		1.0mm

Note: Special Specification can be customized



SHADE NET

MANUFACTURING FACILITIES LOCATED IN :

- 1.China
- 2.South Korea
- 3.India
- 4.UAE



DURABLE
IN ALL ENVIRONMENT

APPLICATIONS

- Car Parking
- Rooftop Shading
- Construction/ Scaffolding
- Privacy Fence
- Agricultural/Greenhouse/Crop Covers
- Horticulture
- Windbreak Nets & more

We are the leading shade net manufacturer offers Shade Nets with Shading Factor of 50% to 95% and waterproof.

Our Shade Nets, tend to perform the best in Hot Climates, offering protection from overheating and UV Radiation. Due to its High Durable Property, it can be well utilized for Shade Net Applications. Our Shade Nets are all Quality Checked and are UV Stabilized, Temperature Resistant, ensuring optimal performance even in extreme climates.





COMMERCIAL SHADE NET

Shadenet Sizes			
Shade Factor	Colour		Warranty
50% UV Shading	Green+Black	Beige + Beige	3, 5, 7, 10 years & Normal
60% UV Shading	Beige	Green	
70% UV Shading	Beige + Black	Green + Black	
75% UV Shading	Green	Light Green	
	Beige		
80% UV Shading	Green	Beige	
85% UV Shading	Green	Beige	
	Black	Blue	
90% UV Shading	Green	Green + Black,	
	Beige + Black		
95% UV Shading	Forest Green	Green	
	Purple	Beige	
	Rivergum	Lime Green	
	Ivory	Terracotta	
	Aqua Blue	Royal Blue	
	White	Steel Grey	

Note: Special Specification can be customized



Our Commercial Shade Nets are manufactured with the best quality material and very popular. The Commercial Shade sails are engineered with high quality UV-Stabilized HDPE Clothing making it safe for use as protection from Sun.

Our 95% Waterproof Shade Nets are designed to stand up to the different natural calamities like heavy rainfall and a wide variety of temperature extremes, making it one of the most durable waterproof outdoor shading cloth available.



CERTIFICATES



CERTIFICATE

The Certificate Body
of YKMG Quality System, LLC
certifies that

YKM

YKM Middle East LLC
Raj Al Mubarak Al Ahsan C,
Haram, Jeddah, Saudi Arabia

has achieved the quality
management system of

ISO 9001:2015

and that

The certificate valid from 2023-03-01 until 2026-03-01
Certificate Number is: YK 24001-01-001



CERTIFICATE

The Certificate Body
of YKMG Quality System, LLC
certifies that

YKM

YKM Middle East LLC
Raj Al Mubarak Al Ahsan C,
Haram, Jeddah, Saudi Arabia

has achieved the quality
management system of

ISO 14001:2015

and that

The certificate valid from 2023-03-01 until 2026-03-01
Certificate Number is: YK 24002-01-001



CERTIFICATE

The Certificate Body
of YKMG Quality System, LLC
certifies that

YKM

YKM Middle East LLC
Raj Al Mubarak Al Ahsan C,
Haram, Jeddah, Saudi Arabia

has achieved the quality
management system of

ISO 45001:2018

and that

The certificate valid from 2023-03-01 until 2026-03-01
Certificate Number is: YK 24003-01-001



CERTIFICATE OF REGISTRATION

The certifies that the Quality Management System of

YKMG ENGINEERING METAL NET CO. LTD.
NO 108 PROSPECT STREET ANHONG DISTRICT HANGZHOU, ZHEJIANG, CHINA, CHINA

has been certified in accordance with

the rules for registration systems for ISO 9001:2015
and based on its performance in the following period:

SATYF 01/2015


Scope of Certification
Design and manufacturing of Metal Mesh
Exhaust Fans

Registration No: 2015-11-001
Registration Date: 2015-11-001
ISO Standards: ISO 9001
CSC Number: 0002361



Global Partner: **XiaoFen**

China Quality Assurance Supplier Certification Co., Ltd.
Year 14 Zhongyuan Avenue, 201200 Hangzhou, Zhejiang Province, P.R. China



CERTIFICATE

The Certificate Body
of YKMG Quality System, LLC
certifies that

YKM

YKM Middle East LLC
Raj Al Mubarak Al Ahsan C,
Haram, Jeddah, Saudi Arabia

has achieved the quality
management system of

ISO 9001:2015

and that

The certificate valid from 2023-03-01 until 2026-03-01
Certificate Number is: YK 24004-01-001



CERTIFICATE

The Certificate Body
of YKMG Quality System, LLC
certifies that

YKM

YKM Middle East LLC
Raj Al Mubarak Al Ahsan C,
Haram, Jeddah, Saudi Arabia

has achieved the quality
management system of

ISO 14001:2015

and that

The certificate valid from 2023-03-01 until 2026-03-01
Certificate Number is: YK 24005-01-001



CERTIFICATE

The Certificate Body
of YKMG Quality System, LLC
certifies that

YKM

YKM Middle East LLC
Raj Al Mubarak Al Ahsan C,
Haram, Jeddah, Saudi Arabia

has achieved the quality
management system of

ISO 45001:2018

and that

The certificate valid from 2023-03-01 until 2026-03-01
Certificate Number is: YK 24006-01-001



CERTIFICATE
Environmental Management
System Certificate

YKMG Quality System, LLC
ISO 14001:2015
YKMG ENGINEERING METAL NET CO. LTD.

has achieved the quality
management system of

ISO 14001:2015

and that

The certificate valid from 2023-03-01 until 2026-03-01
Certificate Number is: YK 24007-01-001





YKM GROUP

www.ykmgroup.com

Dubai Office

Al Saqr Business Tower

Dubai, UAE

Mob : +971 58 677 7772

E-Mail : sales@ykmgroup.com

Sharjah Head Office

Store. 1 & 2,

Sharjah, UAE

Mob : +971 58 677 7772

E-Mail : sales@ykmgroup.com

Dragon Mart Outlet 1

Shop No. EBC 01 , 02

Dubai, UAE

Mob : +971 58 677 7772

E-Mail : sales@ykmgroup.com

Dragon Mart Outlet 2

Shop No. EBA 18, 19, 20

Dubai, UAE

Mob : +971 58 677 7772

E-Mail : sales@ykmgroup.com

Dragon Mart Outlet 3

Shop No. EAA 21, 22, 23

Dubai, UAE

Mob : +971 58 677 7772

E-Mail : sales@ykmgroup.com

Al Ain Branch

Shop No. 29, 30

Al Ain, UAE

Mob : +971 58 677 7772

E-Mail : sales@ykmgroup.com



[ykmgroum](#)



[ykmgroum](#)



[ykmgroum](#)



[ykmgroum](#)



[@ykmgroum](#)



[ykmgroum](#)



[ykmgroum](#)



[ykmgroum](#)



[ykmgroum](#)



[ykmgroum](#)