

Beyond
Products Album

Banknote Counter
Money Detector
Banknote Binder
Coin Sorter&Counter
Thermal Printer

Biometrics Identification
Time Recorder
Paper Shredder
Barcode Scanner
Seal Control Terminal

Beyond

Beyond International CO.,LTD

G:86-20-22094222
D:86-20-22093344
F:86-20-36939083
Skype: Zerpoor

Email: Sales@oabeyond.com

Office Add.: NO.601 , ShengShi Commercial ,District HuaDu, GuangZhou

Factory Add.: West Floor 2 Building12,XinYa Industrial Area,WenZhou,China

<http://www.oabeyond.com>



CE FC

Beyond International CO.,LTD
<http://www.oabeyond.com>



Beyond



About us...

Beyond International CO.,LTD has been one of the leading Manufacture in Office equipment, specializing in office automation for 15 years.

Beyond is a specialized large-scale modern enterprise, integrating research & development, sales and manufacturing of products like banknote counter, fingerprint attendance, cashier system, paper shedder, time recorder and other office products. Now it has developed into a high and new technology enterprise, which bears advantages of research & development of whole-series products as well as large-scale manufacturing and sales.

With our success in the industry and increasing demand for our products and services, Beyond has entered the next stage in the global market and done business as our own brand, promoting our well-developed integration of office products with high-tech in order better to serve for the office environment.

Beyond targets the wholesale and OEM/ODM market supported by quality products with competitive prices directly from the manufacturer. Along with the advantages in prices and quality, Beyond also offers customization of products that best meets individual business' needs. Because we understand every business likes to sell its own unique products, please visit our website to find out what we have offered for manufacturing products with your own brand, the prices and minimum order quantity that give you no pressure. Make your dream come true.

Join Our Network of Success



Beyond

Banknote Counter

- Special mechanism, low noise
- Plain panel, easy operation
- Complete function, UV detection
- Cheap and acceptable price

High-speed intelligent banknotes counting machine with low weight, easy to operate and convenient to take.



BY-6200

Banknote Counter

- Special mechanism, low noise
- Plain panel, easy operation
- Complete function, UV detection
- Cheap and acceptable price

High-speed intelligent banknotes counting machine with low weight, easy to operate and convenient to take.

BY-6111



SPECIFICATIONS

DISPLAY LED&LCD
COUNTING SPEED ≥900PCS/MIN
COUNTABLE PAPER SIZE 50*110MM -90*180MM
COUNTABLE PAPER THICKNESS 0.07-0.2MM
HOPPER CAPACITY 300PCS
CONSUMPTION(W) 80W
STACKER CAPACITY 200PCS
POWER SUPPLY 110V/220V



BY-6200



SPECIFICATIONS

• Hopper Capacity: 300pcs
• Working Power(W): < 70W
• Stacker Capacity: 200pcs
• Accumulation: NO
• Detect Method: UV, MG
• Net Weight G.W (kg): 6
• g/box Dim(MM): 240 x 266 x 238mm
• PCS/CTN: 2
• CTN G.W (kg): 12
• CTN DIMS(MM): 610 x 325 x 315mm



BY-8600



SPECIFICATIONS

• Display: LCD
• Counting Speed: > 900pcs/min
• Countable Paper Size: 50x115mm - 85x180mm
• Hopper Capacity: 300pcs
• Working Power(W): < 35W
• Stacker Capacity: 200pcs
• Accumulation: E/NO
• Detect Method: UV, MG
• Net Weight G.W (kg): 6.5
• g/box Dim(MM): 368x290x245mm
• PCS/CTN: 2
• CTN G.W (kg): 14
• CTN DIMS(MM): 635 x 380 x 272mm



BY-2200



SPECIFICATIONS

• Display: LCD
• Counting Speed: > 900pcs/min
• Countable Paper Size: 50x115mm - 90x180mm
• Hopper Capacity: 300pcs
• Working Power(W): < 35W
• Stacker Capacity: 200pcs
• Accumulation: NO
• Detect Method: UV, MG
• Net Weight G.W (kg): 5.5
• g/box Dim(MM): 368x290x245
• PCS/CTN: 2
• CTN G.W (kg): 12
• CTN DIMS(MM): 630 x 380 x 265mm



BY-6600



SPECIFICATIONS

DISPLAY LED&LCD
COUNTING SPEED ≥900PCS/MIN
COUNTABLE PAPER SIZE 50*110MM -90*180MM
COUNTABLE PAPER THICKNESS 0.07-0.2MM
HOPPER CAPACITY 300PCS
CONSUMPTION(W) 80W
STACKER CAPACITY 200PCS
POWER SUPPLY 110V/220V



BY-6100



SPECIFICATIONS

Display: LED
Feed Method: Friction roller
Counting Speed: ≥900pcs/min
Countable Paper Size: 50*115mm - 80*180mm
Countable Paper Thickness: 0.07-0.2mm
Hopper Capacity: 300pcs
Consumption(W): 80W
Stacker Capacity: 200pcs
Power supply: 110V/220V
External Interface: LED display
Detect Method: UV, MG, Accumulation
Net Weight G.W (kg): 6.5
g/box Dim(MM): 370*210*255



BY-8200



SPECIFICATIONS

• Display: LCD
• Counting Speed: 1000pcs/min
• Countable Paper Size: 50 x 115mm - 80 x 180mm
• Hopper Capacity: 300pcs
• Working Power(W): < 35W
• Stacker Capacity: 200pcs
• Accumulation: NO
• Detect Method: UV, MG
• Net Weight G.W (kg): 5.5
• g/box Dim(MM): 358 x 298 x 240mm
• PCS/CTN: 2
• CTN G.W (kg): 12
• CTN DIMS(MM): 375 x 325 x 310mm



BY-3100



SPECIFICATIONS

• Display: LCD
• Counting Speed: > 900pcs/min
• Countable Paper Size: 50 x 115mm - 85 x 180mm
• Hopper Capacity: 300pcs
• Working Power(W): < 80W
• Stacker Capacity: 200pcs
• Accumulation: NO
• Detect Method: UV, MG
• Net Weight G.W (kg): 5.5
• g/box Dim(MM): 315x290x205mm
• PCS/CTN: 2
• CTN G.W (kg): 13
• CTN DIMS(MM): 618 x 378 x 265mm



Banknote Counter

- Special mechanism, low noise
- Plain panel, easy operation
- Complete function, UV detection
- Cheap and acceptable price

High-speed intelligent banknotes counting machine with low weight, easy to operate and convenient to take.

BY-9800



SPECIFICATIONS

- ◆ FEED METHOD: FRICTION ROLLER
- ◆ COUNTING SPEED: ≥900PCS/MIN
- ◆ COUNTABLE PAPER SIZE: 50*115MM -85*180MM
- ◆ COUNTABLE PAPER THICKNESS: 0.07-0.2MM
- ◆ HOPPER CAPACITY: 300PCS
- ◆ CONSUMPTION(W): ≤80W
- ◆ STACKER CAPACITY: 200PCS
- ◆ POWER SUPPLY: 110V/220V
- ◆ EXTERNAL INTERFACE: YES
- ◆ DETECT METHOD: UV, MG & ACCUMULATION
- ◆ NET WEIGHT G.W.(KG): 6.5
- ◆ GIFTBOX DIMS(MM): 368X290X245



BY-3300



SPECIFICATIONS

- ◆ Counting Speed: ≥900pcs/min
- ◆ Countable Paper Size: 50x110mm -90x180mm
- ◆ Hopper Capacity: 300pcs
- ◆ Working Power(W): ≤
- ◆ Stacker Capacity: 200pcs
- ◆ Accumulation: NO
- ◆ detect method: UV, MG
- ◆ Net Weight G.W.(kg): 6.5
- ◆ giftbox Dims(MM): 358X298X240
- ◆ PCS/CTN: 2
- ◆ CTN G.W.(kg): 14
- ◆ CTN DIMS(MM): 375 x 325 x 510mm



BY-8100



SPECIFICATIONS

- ◆ Display LCD
- ◆ Feed Method Friction roller
- ◆ Counting Speed ≥900pcs/min
- ◆ Countable Paper Size *50*110mm -90*180mm
- ◆ Countable Paper Thickness 0.07-0.2mm
- ◆ Hopper Capacity 300pcs
- ◆ Consumption(W) ≤80W
- ◆ Stacker Capacity 200pcs
- ◆ power supply *110V/220V
- ◆ (Option 100v-240v)
- ◆ External Interface yes
- ◆ detect method UV, MG, IR, DD, MT
- ◆ Net Weight N.W.(kg) 5.5
- ◆ giftbox Dims(MM) 358X298X240
- ◆ PCS/CTN 2
- ◆ CTN G.W.(kg) 12
- ◆ CTN DIMS(MM) 680*390*260

BY-6611



SPECIFICATIONS

- ◆ DISPLAY LCD
- ◆ FEED METHOD FRICTION ROLLER
- ◆ COUNTING SPEED ≥900PCS/MIN
- ◆ COUNTABLE PAPER SIZE *50*100MM -90*75MM
- ◆ COUNTABLE PAPER THICKNESS 0.07-0.2MM
- ◆ HOPPER CAPACITY 300PCS
- ◆ CONSUMPTION(W) ≤80W
- ◆ STACKER CAPACITY 200PCS
- ◆ POWER SUPPLY 110V/220V
- ◆ EXTERNAL INTERFACE YES
- ◆ DETECT METHOD UV, MG, IR, DD, MT
- ◆ NET WEIGHT G.W.(KG) 7
- ◆ GIFTBOX DIMS(MM) 370X320X250
- ◆ CTN G.W.(KG) 14
- ◆ CTN DIMS(MM) 655*390*270MM

Banknote Detector

- Automatic detecting with MG(magnetic analysis), IR(paper quality analysis)
- Suitable for EUR, USD, RUB, YEN, GBP, FRF, HKD
- With denomination indication function
- Information detected can be stored in RAM
- Single side insertion
- LCD display

BY-08



SPECIFICATIONS

- ◆ function :Fake detecting for Multi-Currencies
- ◆ 0.8Kg/set
- ◆ Detect mode: backward or forward (optional)
- ◆ Speed: 0.3pc/sec
- ◆ Display: 3bit LCD; total pieces; 5bit LCD; sum
- ◆ Power supply: AC100V - 240V.50 - 60Hz AC/DC12V
- ◆ power consumption: 10W
- ◆ Dimension: 138 x 128 x 72mm
- ◆ Net weight: 0.8Kg
- ◆ CTN: 525X400X360mm
- ◆ Packing: 20PCS/CTN 175kgs

BY-09



SPECIFICATIONS

- ◆ Suitable for multi-currencies in four direction
- ◆ Direction methods: MG, IR, paper quality, thickness, size
- ◆ Speed: 0.3pc/sec
- ◆ Display: 3bit LCD; total pieces; 5bit LCD; sum
- ◆ Power supply: AC100V - 240V.50 - 60Hz AC/DC12V
- ◆ power consumption: 10W
- ◆ Dimension: 186mm x 164mm x 136mm
- ◆ Net weight: 0.5Kg
- ◆ CTN: 850X390X295mm

BY-10



SPECIFICATIONS

- ◆ function :Fake detecting for EUROS
- ◆ 0.34 Kg/set
- ◆ Test features: Infra Red, 2D Size Recognition,
- ◆ AC Supply Voltage: AC100V-240V 50/60Hz
- ◆ DC Supply Voltage: DC 9V/1A
- ◆ Battery: Rechargeable Lithium Battery 7.4V/650mAh
- ◆ Charging time: Approx. 5 hours
- ◆ Approximate running time: 3 hours(continuous service)
- ◆ Power Consumption: <10 W
- ◆ Speed: <0.5 second/sheet
- ◆ Operating temperature: 0-45 °C
- ◆ Packing: 16PCS/CTN 11.4kgs

BY-323



SPECIFICATIONS

- ◆ function :Fake detecting for Multi-Currencies
- ◆ 0.75Kg/set
- ◆ Dimension: 200x110x68mm
- ◆ Net weight: 0.75kg
- ◆ Master Carton Dimension (CBM): 0.0838
- ◆ Master Carton gross: Weight-14 KG
- ◆ Inner Carton Weight: 1.08 KG
- ◆ Inner Carton size: 290X170X125mm
- ◆ Master Carton Specification: 59.6X35.6X39.5mm
- ◆ Inner Carton: Qty 12 units
- ◆ Packing: 12PCS/CTN 14kgs

BY-183



SPECIFICATIONS

- ◆ function :Fake detecting for Multi-Currencies
- ◆ 0.8Kg/set
- ◆ Available currencies: All
- ◆ Display: 3.5TFT
- ◆ Power Supply : AC100V-240V 50Hz AC/DC 12V
- ◆ Power consumption: 5W
- ◆ Dimension: 105x90x240mm
- ◆ CTN: 280x360x480mm
- ◆ Packing: 12PCS/CTN 12kgs

Coin Sorter & Counter

- To count and all coins
- To count in batch
- To show the total value and total pieces of different coins
- To show the value of all coins
- To design the suitable device for different coins of world

BY-350



SPECIFICATIONS

- Ambient temperature: 0°C - 40°C
- Ambient Humidity: 30% - 80%
- Hopper capacity: 350-400 units
- Each receiving slot capacity: 80-250 units
- Batch preset number display: 3 Digits LED
- Counting number display: 4 Digits LED
- Power Source: AC220V/50HZ or AC110V/60HZ
- Power Consumption: 15W
- Gross weight: 13kg
- Counting speed: 216units/min

BY-650



SPECIFICATIONS

- Sorting speed: 650units/min
- Hopper capacity: 350-1000units
- Each coin drawer: 150-500units
- Each denomination display: 3 digit(s)led
- Value or quantity display: 7 digit(s)led
- Diameter range: 15.5-27mm
- Thickness range: 1.3-2.5mm
- Power consumption: <60W
- Net weight: 5kg

BY-550F



SPECIFICATIONS

- Sorting speed: 275units/min
- Quick and easy to use
- Novel and compact design
- Freely preset batch (0 - 999) and memory function
- Displays value and coin quantity
- Hopper capacity of 400 - 500 coins
- Net weight: 3.9kg
- Power: AC220V/50Hz; AC110V/60Hz
- Power consumption: 40W

BY-8109B



Banknote Binder

- Automatic speedy binding bundle
- LCD display
- Portable handle
- To bind money by single glue paper

SPECIFICATIONS

- Ambient Temperature: -10°C - 40°C
- Ambient Humidity: 30% - 80%
- Power Supply: 220V/50Hz
- Max. Power Consumption: 80W
- Standby Consumption: <12W
- Binding Speed: <2 seconds
- Preheating Time: 30 seconds
- Working Hour: 24 hours
- Adjustable Binding Paper: 20mm x 180mm
- Adjustable Binding Object: 50mm - 100mm in wide banknote (100 pieces), cheque, securities etc.
- Adjustable range of binding paper: 1-8mm
- Unit Size: 310 x 240 x 280mm
- Net Weight: 5.5kg
- Gross Weight: 8.0kg

Vacumm Banknote Counter

BY-2000



SPECIFICATIONS:

- Table type
- Add counting
- Preset counting
- High counting speed
- Flawless clearing up system ensures great working condition
- Microcomputer control system makes performance more flawless
- Mode: CHECK, FREE, BATCH, ADD
- Speed: 100pcs/4s

- Capacity: 210 sheets
- Noise: less than 60DB
- Power: 220V 50Hz 450W/ 110V 60Hz, 550W
- Display: LED display
- Weight: 28Kg
- External size(mm): 40*43*50cm




Time Recorder

BY-373




Printing type	9pins
External siren	yes
Backup battery	yes
Feed card automatically	yes
back light	no
Automatic shift	yes
CTN DIMS(MM)	550*395*315



BY-374



Printing type	9pins
Printing color	Black/red
External siren	yes
Backup battery	yes
Feed card automatically	9pins(four column)
Automatic shift	yes
Automatic shift	550*395*315



BY-1400



Printing type	9pins
Printing color	Black/red
External siren	yes
Backup battery	yes
Feed card automatically	yes
Automatic shift	yes
Automatic shift	477*410*305



BY-1410



Printing type	9pins
Printing color	Black/red
External siren	yes
Backup battery	yes
Feed card automatically	yes
Automatic shift	yes
Automatic shift	477*410*305



Time Stamp

- quartz LCD display with backlight
- to play text as company name,telephone,address,water codes...
- apply to hotels,library,car parks,warehouse,government,military....

BY-1001



SPECIFICATIONS:

- 7 languages for choice
- Touch input,easy to operate
- Screen display of optional pointer or number
- 29 optional formats for date and time stamping
- Two color with five line for printing,31characters for one line
- Wifi function,which can automatically correct time all around the world

BY-1002



SPECIFICATIONS:

- 7languages for choice
- paper thickness:1mm max
- number of copies...up to 6sheets
- print three lines with 23characters per line
- automatic daylight saving time adjustment

BY-1003



SPECIFICATIONS:

- 7languages for choice
- paper thickness:1mm max
- number of copies...up to 6sheets
- print three lines with 23characters per line
- automatic daylight saving time adjustment

Barcode Scanner

- Error rate less than 1/5 million
- Very comfortable operation sense
- Service life of button reaches up to 50 million times
- Supporting the RS232, PS2 and USB interface

- Full independent intellectual property rights
- Full quakeproof and antiknock design
- Suiting with each kind of charge machine

Beyond

BY-S1



BY-S2



BY-S3



BY-S4



- Weight: 135g
- Interface: RS232, USB(Ver.1.1HID keyboard), RS485
- Scan Rate: SR(W03):100scans/secHP(W01):200scans/secS01:104scans/sec ± 12scans/sec
- Wave length: 650 nm
- BER: 1/500w
- Notification: buzzer/led

- Code: EAN13, EAN8, UPC-A, UPC-E, CODABAR(NW-7), CODE39, CODE93, INTERLEAVED_2OF5, STANDARD_2OF5, MATRIX_2OF5, CODE128, EAN128(GS1-128), CODE11, CHINESE_POST
- Operation: manual-detect/continuous scan

BY-S10



- Read all 1D or 2D barcode symbologies
- Windows/Android/iOS
- Adopts high speed 32bits CPU
- Press key with up to 300 million times lifetime
- Adopt CMOS image technology and advanced
- Read barcode symbology on phone screen

BY-S11



- Code: EAN13, EAN8, UPC-A, UPC-E, CODABAR(NW-7), CODE39, CODE93, INTERLEAVED_2OF5, STANDARD_2OF5, MATRIX_2OF5, CODE128, EAN128(GS1-128), CODE11, CHINESE_POST
- Operation: manual-detect/continuous scan
- Adopts 2.4G HZ transmission profile
- Built-in large capacity lithium battery made for data real time

BY-S5



BY-S6



BY-S8



SPECIFICATION

- Weight: 146g
- BER: 1/500w
- Wave length: 650 nm
- Notification: buzzer/led
- Operation: manual-detect/continuous scan
- Key Features: 250K high wireless transmission rate
- Interface: RS232, RS485, USB(Ver.1.1HID keyboard)

SPECIFICATION

- Lighting: white LED
- Focusing: red LED
- Motion tolerance: 2M/S
- Visual indicator: LED & buzzer
- Scanning angle: Rotation 360°
- Sensor: 640° 480COMS LCD
- Scanning method: manual or automatic

BY-S12



SPECIFICATION

- Scan Mode: Auto Scanning
- SENSOR Resolution: 640*480
- Scanning Speed: 1000 Times/Second
- Symbol Contrast: 30% minimum reflection difference
- Decode Accuracy: 4mil
- Interface: USB, RS232, USB-Virtual RS232(Optional)(Notice: Support all kinds of embedded setting and second development)
- Optical Technology Level V1/V1
- Code Available: 1D, 2D Codes printing on Paper or Mem on Cellphone
- Scanning Angle: Horizontal Reading 360°
- Capacity: 1D(EAN-8, EAN-13, EAN-12, 2, 5, 8, 9, 12, 13, 14, 17, 18, 19, 20, 21, 22, 25, 29, 30, 31, 32, 33, 39, 49, 50, 51, 52, 59, 63, 69, 70, 77, 80, 81, 84, 85, 88, 93, 94, 95, 96, 97, 98, 99), 2D(CODE39, CODE93, INTERLEAVED_2OF5, STANDARD_2OF5, MATRIX_2OF5, CODE128, EAN128(GS1-128), CODE11, CHINESE_POST)
- System Compatibility: Linux, MacOS, Android, Windows XP, Windows Vista, Windows 7, Windows 8, Windows 10, Windows Server 2003, Windows Server 2008, Windows Server 2010

BY-S7



SPECIFICATION

- Weight: 385g
- Interface: RS-232, USB, Keyboard
- Scan Rate: SR(W03):1200scans/sec
- Wave length: 650 nm
- BER: 1/500w
- Notification: buzzer/led
- Operation: manual-detect/continuous scan
- Code: UPC/EAN/JAN, UPC-A&UPC-E, EAN-8&EAN-13, JAN-8&JAN-13, ISBN/ISSN, Code 39(with full ASCII), Codabar(NW7), Code 128&EAN 128, Code 93, Interleaved 2 or 5(ITF), Addendum 2 of 5, IATA Code, China Postal Code, Code 32(Italian Pharmacode), MSI/Plessey, RSS 14, RSS Limited, RSS Expanded

Beyond

Thermal Print

- Extraordinary fast printing speed
- Easy maintenance
- Big paper roll loadable
- Communication port changeable
- Graceful appearance

BY-TP1

SPECIFICATION

1. Low noise and fast speed of printing
2. High quality of printing work.
3. Support cashbox.
4. Compact and super lightweight structure, attractive appearance.
5. Reasonable structure
6. Enlarge the letters and adjust the distance between letters.
7. Able to print pictures in different density and download pictures.
8. Low power, low cost. (no need of ribbon and cartridge).
9. Compatible with ESC/POS order.

Specification:

- ◆Printing Method : Thermal dot line printing
- ◆Width of paper: 57mm.
- ◆Printing speed: 70mm/sec.
- ◆Function of printer head: 384 dots/line.
- ◆Life time: 50 KM.
- ◆Size: 28*24*13cm
- ◆GW: 1.5kg
- ◆Ways of printing: 32(12X24)
- ◆Font size: 16.9 CPI.



BY-TP2

SPECIFICATION

- 1.80mm Thermal Bluetooth Printer
- 2.Applies mobile to supporting the use, and suited to outdoor work environments
- 3.The feature has small size,light weight,reliable performance,simple to connect
- 4.Apply to mobile police system
- 5.Apply to tobacco distribution system
- 6.Apply to utility meter reading system
- 7.Apply to mobile office / mobile logistics systems
- 8.Apply to portable instrumentation
- 9.Apply to testing equipment, ancillary equipment.

- ◆Printing Method: Thermal line printing
- ◆Print speed: 90mm/sec
- ◆Reliability TPH Life: 100km
- ◆Resolution: 203DPI (8dot/mm)
- ◆Printing Width: 48mm (384dot)
- ◆Paper Width: 58±01mm
- ◆Roll Diameter: φ≤40mm
- ◆Battery: Lithium: 7.4VDC/1500mA,
- ◆Charging mode: DC 9V/1.5A



BY-TP3

SPECIFICATION

- 1.58mm Thermal Bluetooth Printer
- 2.Applies mobile to supporting the use, and suited to outdoor work environments
- 3.The feature has small size,light weight,reliable performance,simple to connect
- 4.Apply to mobile police system
- 5.Apply to tobacco distribution system
- 6.Apply to utility meter reading system
- 7.Apply to mobile office / mobile logistics systems
- 8.Apply to portable instrumentation
- 9.Apply to testing equipment, ancillary equipment.

- ◆Printing Method: Thermal line printing
- ◆Print speed: 90mm/sec
- ◆Reliability TPH Life: 100km
- ◆Resolution: 203DPI (8dot/mm)
- ◆Printing Width: 48mm (384dot)
- ◆Paper Width: 58±01mm
- ◆Roll Diameter: φ≤40mm
- ◆Battery: Lithium: 7.4VDC/1500mA,
- ◆Charging mode: DC 9V/1.5A



all above are subject to change without any further notice.

Thermal Label Printer

- Barcode
- QR Code
- Self-adhesive Label
- Express Electronic Waybill

BY-TP4

Application fields:

Manufacturing: Item labels, instruction labels, products labels.
Healthcare: Patient identification, pharmacy, specimen identification.
Retail: Price tags, shelf labels, inventory labeling, product labeling.
Transportation & Logistics: Shipping labels.

Basic Features:

With adjustable paper warehouse, it can be used in a variety of printing papers.
Thermal printing with no ribbon, no consumables, print by paper loading
Quickly position the paper with a dual media sensor to ensure accurate print position
Support up to 110mm width label paper, large width can be also easily printed.
PCL and TSPL programming language.



BY-TP5

Application fields:

The printer use 110mm thermal label paper, and adopt to easy paper loading.
So the paper is very convenient install. And also support printing of various paper specifications.

Basic Features:

No paper warehouse design, no ribbon.
External bracket paper holder , for printing two different types of labels.
Dual-wall frame, robust and sturdy structure.
TPH special designed overcoat, endure large printing volume.
CPCL and TSPL programming language.



all above are subject to change without any further notice.



HEAVY DUTY

Paper Shredder

Even crumpled paper can be shredded into illegible pieces! Perfect feed technology for smooth and crumpled sheets. Sophisticated, low-noise technology and convenient operation. S series of paper shredders offer uncompromising data protection. It's efficient, it's reliable, it's Beyond!



Whispering Quiet



Cutting block

BY-400



Cut Size(mm)	Sheet Capacity	Duty Cycle(mins)	Bin Capacity(Gal/L)
4*15	autofeed	>120	40L



BY-860




Sheet Capacity (70g)	Shred Size	Bin Capacity (Gal/L)	Duty Cycle (min)
25	4X40 mm	7.6/34	≥20



BY-820



Sheet Capacity (70g)	Shred Size (in.)	Bin Capacity (Gal/L)	Duty Cycle (min)
17	4x 40 mm	7.6/34	≥20



BY-840



Sheet Capacity (70g)	Shred Size (in.)	Bin Capacity (Gal/L)	Duty Cycle (min)
20	4x 40 mm	6.86/26	>20



HOME SOLUTIONS

Paper Shredder

Whispering Quiet, Compact Design, Easy Operation, Safety

BY-510



Cut Size(mm)	Sheet Capacity	Bin Capacity (Gal/L)	Duty Cycle (mins)
4X30	32/35	≥30	17.6/80



BY-516



Cut Size(mm)	Sheet Capacity	Bin Capacity (Gal/L)	Duty Cycle (mins)
2X15	22/15	≥30	17.6/80



BY-520



Cut Size(mm)	Sheet Capacity	Bin Capacity (Gal/L)	Duty Cycle (mins)
4X40	25/15	≥25	11.7/53



BY-210




Sheet Capacity (70g)	Shred Size (in.)	Bin Capacity (Gal/L)	Duty Cycle (min)
12	4x 35 mm	5.54/21	3on/30off



BY-222



Sheet Capacity (70g)	Shred Size (in.)	Bin Capacity (Gal/L)	Duty Cycle (min)
8	4*39 MM	3.43/13	2 ON/25 OFF



BY-208P



Cut Size(mm)	Sheet Capacity	Bin Capacity (Gal/L)	Duty Cycle (mins)
4X39	8	4.23/16	3



all above are subject to change without any further notice.