



An ISO 9001:2015
Certified Company.



BANDHAN PIPES®

Quality | Trust

BANDHAN
CPVC®
PIPES & FITTINGS

BANDHAN
UPVC®
PIPES & FITTINGS

BANDHAN
DRAINGUARD®
PREMIUM SWR DRAINAGE SYSTEM

BANDHAN
AGRICARE®

ABOUT US

Bandhan Pipes – a K. H. Pipes Private Limited initiative is located in the Brass City – Jamnagar, Gujarat. Established in the year 2018, with a vision of providing the polymer piping market a value for money high-quality product. We aim to deliver world class Agriculture and Plumbing piping solutions, providing an array of dynamic products with continuous upgradation in technology.



Our main motto is to provide the best quality products and services with our ethical values, commitment to provide quality and our devotion to core values demonstrated each and every time that any of our products are put to use by anyone, anywhere and under any circumstances. We are performance driven, deal with integrity, packed with a hardworking team of skilled and knowledgeable professionals and ensure the best standards of products and services to our clients.

At Bandhan Pipes, we believe “Perfection is not a destiny but a Journey by itself.”

Why Bandhan Pipes?

- Highest Quality
- Customer Focus
- In-house Compounding Technology
- Continuous Research and Development
- Ethical Values
- Modern Manufacturing Unit
- Strong and Durable Products
- Lead Free, Hence Environment Friendly Products

OUR VISION

To be a global leader in piping solutions, delivering world-class PVC, CPVC, and UPVC products that empower sustainable infrastructure, agriculture, and industries. We strive to innovate continuously, set new benchmarks in quality, and leave a lasting positive impact on communities and the environment.



OUR MISSION



At Bandhan Pipes, our mission is to deliver durable, leak-proof, and eco-friendly piping solutions that cater to the diverse needs of residential, commercial, agricultural, and industrial sectors. We are committed to innovation, sustainability, and quality excellence, ensuring that every product we manufacture adds value to our customers and the communities we serve. By empowering our network of dealers, distributors, and plumbers with reliable products and continuous support, we aim to build strong partnerships that drive mutual growth.

GROUP OF COMPANIES



Bandhan CPVC Plumbing System is ideal for Hot and Cold Water Plumbing Applications. Manufactured using the best quality raw material from globally reputed manufacturers. Bandhan CPVC Pipes and Fittings are designed for an everlasting performance.

Our in-house compounding technology and state of art manufacturing unit ensure total control from raw material to finished product ensuring a very high product consistency.

Features:

- Light Weight and Easy to handle.
- Withstands temperature upto 93 °C.
- Low thermal conductivity.
- Strong and Durable.
- Lead free - Safe for water distribution.
- Hot and Cold water compatible.
- Corrosion Free and Chemical Resistant.

Bandhan CPVC Pipes in SDR-11 & SDR-13.5 as per IS 15778:2007 & ASTM 2846 in CTC (Copper Tube Sizes)



FOR HOT & COLD WATER PLUMBING SYSTEMS

Available in 3 mtrs and 5 mtrs length

CPVC Pipes - SDR 11		
Size		Standard Packing Nos/Bag 3 Mtr
mm	inch	
15	½	100
20	¾	50
25	1	20
32	1¼	15
40	1½	10
50	2	08



CPVC Pipes - SDR 13.5		
Size		Standard Packing Nos/Bag 3 Mtr
mm	inch	
15	½	100
20	¾	50
25	1	20
32	1¼	15
40	1½	10
50	2	08

CPVC Pipes - SDR 11		
Size		Standard Packing Nos/Bag 5 Mtr
mm	inch	
15	½	100
20	¾	50
25	1	20
32	1¼	15
40	1½	10
50	2	08



CPVC Pipes - SDR 13.5		
Size		Standard Packing Nos/Bag 5 Mtr
mm	inch	
15	½	100
20	¾	50
25	1	20
32	1¼	15
40	1½	10
50	2	08

CPVC Pipes - SCH-40 As per ASTM - F 411		
Size		Standard Packing Nos/Bag 3 Mtr
mm	inch	
65	2½	6
80	3	4


Bandhan CPVC Fittings (SDR-11 as per ASTM - D 2846)


From 65MM(2½") Above All Fittings Are In SCH-80 As Per ASTM F-439


FOR HOT & COLD WATER PLUMBING SYSTEMS





CM/L: 7600196719


	Elbow 90°			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	100 x 9	900
	20	¾	100 x 5	500
	25	1	50 x 5	250
	32	1¼	20 x 8	160
	40	1½	15 x 6	90
	50	2	9 x 5	45
	65	2½	-	16
	80	3	-	14


	Tee			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	100 x 6	600
	20	¾	50 x 7	350
	25	1	20 x 9	180
	32	1¼	15 x 8	120
	40	1½	10 x 6	60
	50	2	6 x 5	30
	65	2½	-	16
	80	3	-	9


	FTA(Plastic)			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	100 x 7	700
	20	¾	60 x 7	420
	25	1	50 x 7	350
	32	1¼	30 x 7	210
	40	1½	24 x 6	144
	50	2	15 x 4	60


	MTA(Plastic)			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	100 x 9	900
	20	¾	100 x 9	900
	25	1	50 x 9	450
	32	1¼	20 x 12	240
	40	1½	24 x 7	175
	50	2	16 x 6	96


	Elbow 45°			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	20	¾	100 x 7	700
	25	1	50 x 6	300
	32	1¼	30 x 6	180
	40	1½	20 x 5	100
	50	2	5 x 10	50


	Coupler			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	150 x 9	1350
	20	¾	100 x 8	800
	25	1	70 x 6	420
	32	1¼	30 x 6	180
	40	1½	20 x 7	140
	50	2	15 x 4	60
	65	2½	-	24
	80	3	-	18


	Union			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	70 x 6	420
	20	¾	30 x 7	210
	25	1	25 x 6	150
	32	1¼	24 x 5	120
	40	1½	16 x 3	48
	50	2	9 x 5	45


	End Cap			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	150 x 10	1500
	20	¾	100 x 14	1400
	25	1	50 x 14	700
	32	1¼	50 x 6	300
	40	1½	50 x 5	250
	50	2	20 x 4	80


	Tank Nipple - Socketed			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	20	¾	20 x 10	200
	25	1	15 x 7	105
	32	1¼	10 x 7	70
	40	1½	8 x 6	48
	50	2		


	Tank Nipple - Threaded			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	20	¾	20 x 10	200
	25	1	15 x 7	105


	Step Over Bend			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	24 x 10	240
	20	¾	8 x 12	96
	25	1	7 x 10	70


	Brass MTA			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	30 x 8	240
	20	¾	20 x 8	160
	25	1	30 x 3	90
	32	1¼	20 x 2	40
	40	1½	18 x 2	36
	50	2	10 x 2	20


	Brass FTA			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	30 x 8	240
	20	¾	50 x 3	150
	25	1	35 x 3	105
	32	1¼	24 x 2	48
	40	1½	20 x 2	40
	50	2	10 x 2	20


	Reducing Brass MTA (Round)			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	20x15	¾x½	30 x 5	150
	25x15	1x½	50 x 2	100
	25x20	1x¾		


	Reducing Brass MTA (Hex)			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	20x15	¾x½	30 x 5	150


	Reducing Brass FTA (Round)			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	20x15	¾x½	30 x 6	180
	25x15	1x½	50 x 3	150
	25x20	1x¾		


	Reducing MTA (Plastic)			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	20x15	¾x½	100 x 7	700


	Reducing Brass Elbow			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	20x15	¾x½	30 x 5	150
	25x15	1x½	50 x 2	100
	25x20	1x¾		


	Reducing Brass Tee			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	20x15	¾x½	20 x 5	100
	25x15	1x½	25 x 5	125
	25x20	1x¾	30 x 2	60


	Reducer			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	25x20	1x¾	100 x 6	600
	32x25	1¼x1	40 x 8	320
	32x20	1¼x¾	50 x 5	250
	40x32	1½x1¼	30 x 5	150
	40x25	1½x1	25 x 8	200
	50x25	2x1	12 x 7	84
	50x40	2x1½	20 x 4	80


	Brass Elbow			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	40 x 5	200
	20	¾		


	Brass Tee			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½		


	Reducing Brass FTA (Hex)			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	20x15	¾x½	30 x 5	150


	Threaded End Plug			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	50x10	500


	Concealed Valve	
	Size	Standard Packing
	inch	Nos/Box
	¾	42

	Long Handle Ball Valve		
	Size		Standard Packing
	mm	inch	Nos/Box
	20	¾	42
	25	1	36
	32	1¼	16
40	1½	14	
50	2	7	

	Reducing Elbow (Plastic)			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	20x15	¾x½	100 x 8	800
25x20	1x¾	70 x 5	350	

	Reducing Tee			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	25x25x20	1x1x¾	30 x 8	240
	40x40x25	1½x1½x1	15 x 5	75
50x50x25	2x2x1	8 x 6	48	

	Reducing Bush			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	20x15	¾x½	100 x 13	1300
	25x15	1x½	100 x 7	700
	25x20	1x¾	100 x 10	1000
	32x20	1¼x¾	70 x 6	420
	32x25	1¼x1	70 x 8	560
	40x15	1½x½	50 x 8	400
	40x20	1½x¾	50 x 8	400
	40x25	1½x1	50 x 8	400
	40x32	1½x1¼	50 x 8	400
	50x25	2x1	25 x 6	150
	50x32	2x1¼	30 x 6	180
50x40	2x1½	25 x 6	150	

	Solvent Cement	
	ml	Nos/Box
	59	180
	118	96
	237	60

Bandhan UPVC Plumbing system is made from environment friendly, lead free UPVC compound and is ideal for cold water plumbing applications. The UPVC pipes and fittings are of the highest quality, strength and are UV Stable.

Designed for a very high performance life, this system is exclusively for cold water applications. It is non toxic, non corrosive & does not support bacterial growth.

Features:

- Economical and Maintenance Free.
- Withstands temperature upto 60 °C.
- Low Thermal Expansion.
- Hygienic and Environment Friendly.
- Lead free - Safe for water distribution.
- Corrosion Free and Chemical Resistant.
- UV Stable and Fire Retardant.



Bandhan UPVC Pipes (as per ASTM D - 1785)

FOR COLD WATER PLUMBING SYSTEMS

Available in 3 mtrs and 6 mtrs length

SCH - 40		
Size		Standard Packing Nos/Bag 3 Mtr
mm	inch	
15	½	50
20	¾	30
25	1	20
32	1¼	15
40	1½	10
50	2	08
65	2½	06
80	3	04



SCH - 80		
Size		Standard Packing Nos/Bag 3 Mtr
mm	inch	
15	½	50
20	¾	30
25	1	20
32	1¼	15
40	1½	10
50	2	08

SCH - 40		
Size		Standard Packing Nos/Bag 6 Mtr
mm	inch	
15	½	30
20	¾	25
25	1	15
32	1¼	10
40	1½	08
50	2	05





SCH - 80		
Size		Standard Packing Nos/Bag 6 Mtr
mm	inch	
15	½	30
20	¾	25
25	1	15
32	1¼	10
40	1½	08
50	2	05


Bandhan UPVC Fittings (SCH - 80 as per ASTM D - 2467)


FOR COLD WATER PLUMBING SYSTEMS





	Elbow 90°			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	75 x 6	450
	20	¾	55 x 5	275
	25	1	30 x 5	150
	32	1¼	8 x 7	56
	40	1½	12 x 5	60
	50	2	8 x 3	24
	65	2½	-	16
	80	3	-	14


	Tee			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	50 x 6	300
	20	¾	30 x 6	180
	25	1	15 x 8	120
	32	1¼	6 x 7	42
	40	1½	8 x 6	48
	50	2	6 x 4	24
	65	2½	-	16
	80	3	-	9


	FTA(Plastic)			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	40 x 14	560
	20	¾	30 x 8	240
	25	1	35 x 7	245
	32	1¼	25 x 6	150
	40	1½	20 x 5	100
	50	2	6 x 8	48


	MTA(Plastic)			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	100 x 8	800
	20	¾	30 x 10	300
	25	1	50 x 6	300
	32	1¼	25 x 6	150
	40	1½	15 x 8	120
	50	2	9 x 10	90


	Long Handle Compact Ball Valve		
	Size		Standard Packing
	mm	inch	Nos/Box
	15	½	60
	20	¾	40
	25	1	30
	32	1¼	20
	40	1½	14
	50	2	10


	End Cap			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	50 x 20	1000
	20	¾	120 x 5	600
	25	1	50 x 8	400
	32	1¼	30 x 8	240
	40	1½	25 x 8	200
	50	2	16 x 7	112


	Elbow 45°			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	30 x 10	300
	20	¾	20 x 9	180
	25	1	30 x 6	180
	32	1¼	20 x 5	100
	40	1½	15 x 6	90
	50	2	5 x 9	45


	Coupler			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	100 x 6	600
	20	¾	80 x 5	400
	25	1	35 x 7	245
	32	1¼	30 x 6	180
	40	1½	20 x 4	80
	50	2	16 x 4	64
	65	2½	-	24
	80	3	-	18


	Union			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	30 x 7	210
	20	¾	25 x 7	175
	25	1	20 x 5	100
	32	1¼	16 x 3	48
	40	1½	12 x 4	48
	50	2	4 x 7	28


	Socket Tank Nipple			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	-	-
	20	¾	20 x 10	200
	25	1	15 x 7	105
	32	1¼	12 x 7	184
	40	1½	20 x 3	60
	50	2	6 x 6	36


	Threaded Tank Nipple			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	30 x 9	270
	20	¾	20 x 8	160
	25	1	35 x 3	105
	32	1¼	9 x 7	63
	40	1½	12 x 4	48
	50	2	10 x 3	30


	Short Handle Compact Ball Valve		
	Size		Standard Packing
	mm	inch	Nos/Box
	15	½	80
	20	¾	48
	25	1	36
	32	1¼	26
	40	1½	16
	50	2	10


	Reducing Brass Tee			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	20x15	¾x½	30 x 2	60
25x15	1x½	15 x 6	90	


	Brass MTA			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	30 x 4	120
	20	¾		
	25	1	24 x 2	48
	32	1¼	20 x 2	40
40	1½	10 x 2	20	
50	2	6 x 2	12	


	Brass FTA			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	15	½	40 x 4	160
	20	¾		
	25	1	30 x 2	60
	32	1¼	25 x 2	50
40	1½	16 x 2	32	
50	2	6 x 6	36	


	Brass Elbow			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
15	½	40 x 3	120	


	Brass Tee			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
15	½	30 x 3	90	


	Reducer			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	20x15	¾x½	70 x 6	420
	25x15	1x½	56 x 8	448
	25x20	1x¾	30 x 8	240
	32x25	1¼x1	24 x 7	168
	40x25	1½x1	30 x 4	120
	40x32	1½x1¼	20 x 4	80
	50x25	2x1	20 x 5	100
50x40	2x1½	20 x 3	60	


	Reducing MTA			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	25x15	1x½	50 x 7	350
25x20	1x¾	50 x 7	350	


	Reducing Brass Elbow			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	20x15	¾x½	20 x 5	100
25x15	1x½	25 x 5	125	


	Reducing Bush			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	20x15	¾x½	75 x 8	600
	25x15	1x½	75 x 8	600
	25x20	1x¾	75 x 8	600
	32x25	1¼x1	30x11	330
	40x15	1½x½	40 x 4	160
	40x25	1½x1	35 x 7	245
	40x32	1½x1¼	35 x 7	245
	50x15	2x½	30 x 5	150
	50x20	2x¾	30 x 5	150
	50x25	2x1	30 x 5	150
50x32	2x1¼	30 x 5	150	
50x40	2x1½	30 x 9	90	

	Reducing Tee			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	25x25x15	1x1x½	25 x 6	150
	40x40x15	1½x1½x½	5 x 10	50
	40x40x25	1½x1½x1	5 x 10	50
50x50x25	2x2x1	4 x 10	40	
50x50x40	2x2x1½	6 x 5	30	

	Reducing Elbow			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	20x15	¾x½	50 x 6	300
25x20	1x¾	25 x 8	200	
25x15	1x½	25 x 8	200	

	Reducing Brass MTA			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	20x15	¾x½	25 x 5	125
25x20	1x½			

	Reducing Brass FTA			
	Size		Standard Packing	
	mm	inch	Nos x Bags	Nos/Box
	20x15	¾x½	30 x 5	150
25x20	1x½			

	Solvent Cement	
	ml	Nos/Box
	59	180
	118	96
	237	60

Bandhan Drainguard is a high performance SWR piping system for effective removal of Soil, Waste and Rain Water. The System offers various installation options like Selfit and Ringfit joint, with superior quality finish and unparalleled dimensional accuracy.

Our composite Rubber Ring ensures flexibility to accommodate linear expansion and contraction without any leakage. Bandhan Drainguard is UV resistant, corrosion free and immune to most chemical reactions.

Features:

- High Quality.
- UV Stabilized and Weather Proof.
- Long Life and Maintenance Free.
- Hygienic and Environment Friendly.
- Smooth and Higher Flow.
- Corrosion Free and Chemical Resistant.
- Quick and Easy Installations.

Bandhan Drainguard Rubber Ring Joint SWR Pipes (as per IS 13592:2013 & ISO 3633 & ISO 8283)

FOR SANITATION SYSTEM



Type A - Rubber Ring Joint	
Size (mm)	
	75
	90
	110
	160





Type B - Rubber Ring Joint	
Size (mm)	
	75
	90
	110
	160


Bandhan Drainguard Rubber Ring Joint SWR Fittings (as per IS 14735:1999)


FOR SANITATION SYSTEM





	Coupler (RR)	
	Size mm	Standard Packing Nos/Box
	75	48
	110	48


	Plain Tee (RR)	
	Size mm	Standard Packing Nos/Box
	75	20
	110	19


	Door Tee (RR)	
	Size mm	Standard Packing Nos/Box
	75	30
110	14	


	Double Tee Plain (RR)	
	Size mm	Standard Packing Nos/Box
	75	14
110	12	


	Door Bend (87.5°)(RR)	
	Size mm	Standard Packing Nos/Box
	75	27
110	24	


	Plain Y (RR)	
	Size mm	Standard Packing Nos/Box
	75	16
110	16	


	Double "Y" Plain (RR)	
	Size mm	Standard Packing Nos/Box
	75	24
110	8	


	Reducer(RR)	
	Size mm	Standard Packing Nos/Box
	110x75	38


	Plain Bend (87.5°)(RR)	
	Size mm	Standard Packing Nos/Box
	75	34
110	26	

	Shoe Bend (45°)(RR)	
	Size mm	Standard Packing Nos/Box
	75	45
110	32	

	Door Y (RR)	
	Size mm	Standard Packing Nos/Box
	75	15
110	10	

	Cleaning Pipe(RR)	
	Size mm	Standard Packing Nos/Box
	75	24
110	22	

	Reducing Tee(RR)	
	Size mm	Standard Packing Nos/Box
	110x75	16

	Reducing Y(RR)	
	Size mm	Standard Packing Nos/Box
	110x75	16

Bandhan Drainguard Selfit/PushFit Joint SWR Pipes (as per IS 13592:2013 & ISO 3633 & ISO 8283)



FOR SANITATION SYSTEM



Type A - Selffit Joint	
Size (mm)	
75	
90	
110	
160	





Type B - Selffit Joint	
Size (mm)	
75	
90	
110	
160	


Bandhan Drainguard Selfit/Pushfit Joint SWR Fittings (as per IS 14735:1999)




FOR SANITATION SYSTEM


	Coupler (SF)	
	Size mm	Standard Packing Nos/Box
	75	75
	110	60


	Door Tee (SF)	
	Size mm	Standard Packing Nos/Box
	75	42
	90	30
	110	20


	Plain Bend (87.5°)(SF)	
	Size mm	Standard Packing Nos/Box
	75	40
	90	24
	110	30


	Plain Tee (SF)	
	Size mm	Standard Packing Nos/Box
	75	25
	90	30
	110	20


	Double Tee Plain (SF)	
	Size mm	Standard Packing Nos/Box
	75	18
	90	24
	110	18


	Door Bend (87.5°)(SF)	
	Size mm	Standard Packing Nos/Box
	75	34
	90	24
	110	26


	Shoe Bend (45°) (SF)	
	Size mm	Standard Packing Nos/Box
	75	48
	110	18


	Door Y (SF)	
	Size mm	Standard Packing Nos/Box
	75	16
	110	12


	Reducer (SF)	
	Size mm	Standard Packing Nos/Box
	110x75	38


	Reducing Door Tee (SF)	
	Size mm	Standard Packing Nos/Box
	110x75	20
	110x90	20


	Reducing Door Y (SF)	
	Size mm	Standard Packing Nos/Box
	110x75	12


	P Trap Short	
	Size mm	Standard Packing Nos/Box
	110x110	14
	125x110	13


	Vent Cowl	
	Size mm	Standard Packing Nos/Box
	75	96
	110	63

	Multi Floor Trap	
	Size mm	Standard Packing Nos/Box
	110x75x50	30

	Plain Y (SF)	
	Size mm	Standard Packing Nos/Box
	75	20
	110	16


	Cleaning Pipe (SF)	
	Size mm	Standard Packing Nos/Box
	75	28
	90	20
	110	12

	Reducing Tee (SF)	
	Size mm	Standard Packing Nos/Box
	110x75	20
	110x90	20

	Reducing Y (SF)	
	Size mm	Standard Packing Nos/Box
	110x75	16

	Nahani Trap w/o Jali	
	Size mm	Standard Packing Nos/Box
	110x75	20
	110x90	20
	110x110	16

	S Trap Short	
	Size mm	Standard Packing Nos/Box
	110x110	10

	Q Trap Short	
	Size mm	Standard Packing Nos/Box
	110x110	12

Bandhan Agricare Pipes are an ideal solution for conveying water from the source to the field. These pipes can resist rigorous on-site conditions of Agricultural Fields. These pipes are designed specifically for varied pressure and gravity flow applications in agriculture, irrigation, swimming pool applications and domestic water supply including potable water supply and are designed to take internal pressure.

These pipes are extruded in very close tolerances, are light weight without being weak and rigid, without being brittle.

Features:

- Economical.
- UV Stabilized and Weather Proof.
- Long Life and Maintenance Free.
- Hygienic and Environment Friendly.
- Smooth and Higher Flow.
- Corrosion Free and Chemical Resistant.
- Light weight & Easy to handle.

Bandhan Agricare Selfit/Pushfit Rigid PVC Pipes (as per IS - 4985:2000)



FOR AGRICULTURE & POTABLE WATER SUPPLY


Available in 3 mtrs and 6 mtrs length


Selfit/Pushfit PVC Pipes					
Class 1 2.5 Kg/cm ²		Class 2 4 Kg/cm ²		Class 3 6 kg/cm ²	
Size		Size		Size	
mm	inch	mm	inch	mm	inch
40	1¼	40	1¼	40	1¼
50	1½	50	1½	50	1½
63	2	63	2	63	2
75	2½	75	2½	75	2½
90	3	90	3	90	3
110	4	110	4	110	4
140	5	140	5	140	5
160	6	160	6	160	6
180	7	180	7	180	7
200	8	200	8	200	8



Also Available In ISO 1452/DIN 8062
Or Any Standard As Per Customer Requirement


Bandhan Agricare Moulded Fittings FOR AGRICULTURE & POTABLE WATER SUPPLY


	Tee - PN4	
	Size mm	Standard Packing Nos/Box
	63	44
	75	27
	90	18
	110	20
	140	10
	160	06


	Coupler - PN4	
	Size mm	Standard Packing Nos/Box
	63	80
	75	75
	90	48
	110	60
	140	24
	160	18


	Elbow (ISI) - 6kgf/cm ²	
	Size mm	Standard Packing Nos/Box
	40	125
	50	72
	63	40
	75	-
	90	-
	110	-

	End Cap - 6kgf/cm ²	
	Size mm	Standard Packing Nos/Box
	63	-
	75	-
	90	-
	110	30
	140	16
	160	12

	Coupler (ISI) - 6kgf/cm ²	
	Size mm	Standard Packing Nos/Box
	40	-
	50	-
	63	-
	75	-
	90	-
	110	-

	Elbow - PN4	
	Size mm	Standard Packing Nos/Box
	63	40
	75	33
	90	24
	110	26
	140	12
	160	08

	Tee (ISI) - 6kgf/cm ²	
	Size mm	Standard Packing Nos/Box
	40	75
	50	40
	63	-
	75	-
	90	-
	110	-

	Long Reducer - 6kgf/cm ²	
	Size mm	Standard Packing Nos/Box
	63x40	-
	63x50	-
	75x50	-
	75x63	-
	90x63	-
	90x75	-
	110x63	-
	110x75	-
	110x90	-
	140x75	-
	140x90	-
	140x110	-
	160x75	30
	160x90	30
	160x110	30
	160x140	30

Bandhan FRP (Fiber Reinforced Plastic) Manhole Covers are engineered for strength, durability, and zero maintenance. Designed to replace traditional cast iron or concrete covers, Bandhan FRP covers are lighter, corrosion-proof, non-breakable, and theft-resistant — making them the most reliable choice for today's infrastructure demands.

Features:

- High Load-Bearing Capacity
- Weather & Corrosion Resistant
- Lightweight & Easy to Handle
- Zero Maintenance
- Advanced Molding Technology
- Faster installation
- Lower Replacement costs

Bandhan FRP MANHOLE COVER Stronger. Safer. Smarter.






3 - T

FRP Manhole cover
Size (Inch)
10 X 10
12 X 12
15 X 15
18 X 18
18 X 24
24 X 24
28 X 28

PREMIUM BRASS BATH ACCESSORIES

Bandhan Pipes is proud to introduce our latest lineup of luxurious and economical bath hardware jewellery. With a focus on providing our customers with a complete solution for all their plumbing and bathroom needs, we have designed a range of stylish and functional bathware products that are sure to enhance the aesthetics and functionality of any bathroom.







Young Achievers
Award ZEE 24 Kalak



National Youth
Icon Award



BANDHAN PIPES

a K.H. Pipes Pvt. Ltd. Initiative.
(An ISO 9001:2015 Certified Company.)

Registered Office & Works:

GIDC-2, Plot No. 350/A & B,
Jamnagar, Gujarat, India - 361004.

Call : +91 63598 88903

Email: export@bandhanpipes.com
info@bandhanpipes.com

Website: www.bandhanpipes.com

