

FUZHOU RG KAMADO TECH CO.,LTD
 F-1928, BUILDING 3, QUNSHENG JIANGSHAN SQUARE, WULONG JIANGNAN AVENUE,
 NANYU, MINHO, FUJIAN, CHINA

Sample Description : PIZZA STONE

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

SGS Ref No. : CANHL24013543102
 Sample Receiving Date : Jun 24, 2024
 Test Performing Date : Jun 24, 2024 to Jul 08, 2024
 Test Performed : Selected test(s) as requested by applicant

Test Result Summary

No.	Test(s) Requested	Result(s)	Comments
1	Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31 with amendments and BfR recommendation - Sensorial examination odour and taste test	Pass	/
2	Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 with amendments, DIN 51032:2017 - Leachable Lead and Cadmium	Pass	/
3	Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, ALS Opinion Number 2017/15 - Leachable cobalt	Pass	/

For further details, please refer to the following page(s)

Signed for and on behalf of
 SGS-CSTC Standards Technical Services Co., Ltd. Shunde Branch

Miracle

Miracle Zhan
 Authorized Signatory

Scan to see the report



SDHL2407014004GA
 Verification:
 check.sgsline.com.cn



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 1-2/F., Building 1, European Industrial Park, No.1, Shunhe South Road, Wusha, Daliang, Shunde District, Foshan, Guangdong, China 528300 t (86-757)22805888 www.sgs.com.cn
 中国·广东·佛山市顺德区大良街道办事处五沙社区居民委员会和南路1号欧洲工业园一号厂房首层、二层 邮编: 528300 t (86-757)22805888 sgs.china@sgs.com

Test Result(s):

Test Part Description:

SN ID	Sample No.	SGS Sample ID	Description	Material (claimed by the client)
SN1	A1	CAN24-0135431-0001.C001	Stone board	Stone

Remarks:

- (1) mg/dm² = milligram per square decimeter
 mg/inch² = milligram per square inches
 µg/cm² = microgram per square centimeter
 mg/L = milligram per litre
 mg/kg = milligram per kilogram
- (2) °C = degree Celsius
 °F = degree Fahrenheit
- (3) <= less than
- (4) RL = Reporting Limit
- (5) ND = Not Detected (< RL).

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31 with amendments and BfR recommendation - Sensorial examination odour and taste test

Test Method: With reference to DIN 10955: 2024.
 No. of panelist: 6

Test Media	Test Condition
	A1
Baking Dough	180°C, 0.5 hr

Test Item(s)	Limit	A1
Sensorial examination odour	2.5	0
Sensorial examination taste	2.5	0
Comment		Pass

Notes:

- Intensity scale (rounded at 0.5):
- 0 – no perceptible difference
 - 1 – just perceptible difference
 - 2 – slight difference
 - 3 – marked difference
 - 4 – strong difference



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 1-2/F., Building 1, European Industrial Park, No.1, Shunhe South Road, Wusha, Daliang, Shunde District, Foshan, Guangdong, China 528300 t (86-757)22805888 www.sgs.com.cn
 中国·广东·佛山市顺德区大良街道办事处五沙社区居民委员会顺和南路1号欧洲工业园一号厂房首层、二层 邮编: 528300 t (86-757)22805888 sgs.china@sgs.com

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 with amendments, DIN 51032:2017 - Leachable Lead and Cadmium

Test Method: With reference to EN 1388-1:1995, analysis was performed by AAS/ICP-OES.

A1 Flatware Pass

	Surface Area (dm ²)	Vol. of 4% acetic acid used (mL)
1	19.46	3249

	Leachable Lead (mg/dm ²)	Leachable Cadmium (mg/dm ²)
1	<0.1	<0.01
Limit	0.4	0.05

Notes:

- (1) Flatware: With an internal depth less than 25mm, measured from the lowest point to the horizontal plane passing through the overflow point.
- (2) Hollowware: Those articles which do not fall into the category of Flatware.

Permissible limits for articles made from ceramics, glass and glass ceramics

Items	Flatware		Hollow-ware	
	Lead mg/dm ²	Cadmium mg/dm ²	Lead mg/L	Cadmium mg/L
Table ware and kitchen utensils made of ceramics, glass and glass ceramics	0.8 ^a	0.07 ^a	4.0 ^a	0.3 ^a
Cooking and baking equipment, packaging containers, storage containers made of ceramic, glass and glass ceramics	0.4	0.05	1.5 ^a	0.1 ^a

Note: ^a In accordance with the EU directive on ceramic objects.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 1-2/F., Building 1, European Industrial Park, No.1, Shunhe South Road, Wusha, Daliang, Shunde District, Foshan, Guangdong, China 528300 t (86-757)22805888 www.sgs.com.cn
 中国·广东·佛山市顺德区大良街道办事处五沙社区居民委员会顺和南路1号欧洲工业园一号厂房首层、二层 邮编: 528300 t (86-757)22805888 sgs.china@sgs.com

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, ALS Opinion Number 2017/15 - Leachable cobalt

Test Method: With reference to EN 1388-1:1995, analysis was performed by ICP-OES.

A1 Flatware Pass

	Surface Area (dm ²)	Vol. of 4% acetic acid used (mL)
1	19.46	3249

	Leachable Cobalt (mg/dm ²)
1	<0.01
Limit	0.02

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Technical Services Co., Ltd.
Shunde Branch

1-2/F., Building 1, European Industrial Park, No.1, Shunhe South Road, Wusha, Daliang, Shunde District, Foshan, Guangdong, China 528300 t (86-757)22805888 www.sgsgroup.com.cn
中国·广东·佛山市顺德区大良街道办事处五沙社区居民委员会顺和南路1号欧洲工业园一号厂房首层、二层 邮编: 528300 t (86-757)22805888 sgs.china@sgs.com

Photo Appendix:



Remark:

1. This test was subcontracted to SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch.
2. This test report is issued based on the modification of the original No. SDHL2406011663GA test report issued on Jul 08, 2024. And the original report is still valid. According to applicant's requirements, following changes are included:
 - a. Change of applicant's name.
 - b. Change of applicant's address.
 - c. Add product photos, please refer to the following page(s).




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1-2/F., Building 1, European Industrial Park, No.1, Shunhe South Road, Wusha, Daliang, Shunde District, Foshan, Guangdong, China 528300 t (86-757)22805888 www.sgs.com.cn
 中国·广东·佛山市顺德区大良街道办事处五沙社区居民委员会和南路1号欧洲工业园一号厂房首层、二层 邮编: 528300 t (86-757)22805888 sgs.china@sgs.com

Note: According to client's statements the tested samples are identical to the products shown in the product photos.



End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com